Contents | Reference index | Request a quotation

PROFESSIONAL SELECTION 2027 / 2028

Easyporte

Residential and industrial sectional doors



ALIZEE



ARTIK



GALERNE

24 selected references and configurations for the European market.

Clickable contents, manufacturer resources and quotation links.

Choose a product family | Plan my project

Control Access Distribution

Control Access Distribution · 326 avenue de la Rasclave · 13821 La Penne-sur-Huveaune · France
cad@controlaccessdistri.com +33 4 91 18 82 68 controlaccesspro.com

Prices on request. Please contact us. Manufacturer images.

Contents | Reference index | Request a quotation

Contents

Choose by installation p. 3
Reference index p. 4
Residential overhead sectional doors p. 5
Residential side-sliding sectional doors p. 9
Swing garage doors p. 13
Industrial sectional doors p. 15
Wicket doors and protection options p. 17
Industrial and shared-access drives p. 22
Technical guidance p. 29
Prepare a quotation and view sources p. 30

Control Access Distribution

Each line opens its chapter. The Contents button remains available on every page.

Contents | Reference index | Request a quotation

Choose by installation

2026 Easyporte selection for residential garages, shared buildings, workshops and industrial entrances. Models, options and kits are identified in the manufacturer's documentation. Photos show example configurations to confirm when requesting a quote.

Residential overhead sectional doors

View product sheets

Residential side-sliding sectional doors

View product sheets

Swing garage doors

View product sheets

Industrial sectional doors

View product sheets

Wicket doors and protection options

View product sheets

Industrial and shared-access drives

View product sheets

Control Access Distribution

Contents | Reference index | Request a quotation

Reference index

ALIZEE p. 5
ARTIK p. 9
BORA p. 14
GALERNE p. 13
GIGA.PK1 p. 22
GIGA.PK2 p. 23
GIGA.PK3 p. 24
GIGA.PK4 p. 25
GIGA.PK5 p. 26
GIGA.PK6 p. 27
KIT-ANTI-EFFRACTION p. 20
KIT-ANTI-INONDATION p. 19
LEVANTE p. 16
MEDITERRANEE p. 10
MISTRAL p. 6
PACIFIK p. 12
PORTILLON-ADJACENT p. 18
PORTILLON-INTEGRE p. 17
PROXIMITE-LITTORAL p. 21
REDSEA p. 11
SIROCCO p. 8
TIGA-PLUS p. 28
TRAMONTANE p. 7
ZEPHIR p. 15

Control Access Distribution

Click an ordering reference to open its product sheet.

Contents | Reference index | Request a quotation

Residential overhead sectional doors

Easyporte / ALIZEE

Alizée · Overhead sectional door



Easyporte model or option illustration. Example configuration.

Made-to-measure garage door with panels that travel beneath the ceiling.

- 40 mm insulated panels across the residential range.
- Smooth ungrooved PA3 and RAL finishes shown in the catalogue.
- Aluminox inserts, windows or wicket door depending on the specification.

Control Access Distribution

Specify opening height and width, available headroom and backroom.

Price on request

Confirm configuration and pricing in your quotation.

French source | Manufacturer documentation (FR) | Request a quotation

Contents | Reference index | Request a quotation

Residential overhead sectional doors

Easyporte / MISTRAL

Mistral · Raised-panel overhead sectional door



Easyporte model or option illustration. Example configuration.

Overhead garage door illustrated with Woodgrain raised panels.

- Woodgrain PM1 raised panel.
- RAL 9003, 7016 and custom finishes are illustrated.
- Rectangular PVC windows available as an option.

Control Access Distribution

Confirm the panel pattern, glazing and colour for the opening dimensions.

Price on request

Confirm configuration and pricing in your quotation.

French source | Manufacturer documentation (FR) | Request a quotation

Contents | Reference index | Request a quotation

Residential overhead sectional doors

Easyporte / TRAMONTANE

Tramontane · Wood-effect overhead sectional door



Easyporte model or option illustration. Example configuration.

Raised-panel overhead model with wood-effect finish.

- PT1 Woodgrain raised panel with wood-effect finish.
- Golden oak finish shown in the catalogue.
- Optional rectangular aluminium windows.

Check the panel layout and options on the order drawing.

Price on request

Confirm configuration and pricing in your quotation.

French source | Manufacturer documentation (FR) | Request a quotation

Contents | Reference index | Request a quotation

Residential overhead sectional doors

Easyporte / SIROCCO

Sirocco · Wood-effect overhead sectional door



Easyporte model or option illustration. Example configuration.

Overhead door with smooth wood-effect panels, with or without grooves depending on version.

- Ungrooved PS3 and grooved PS1 finishes are illustrated.
- Golden oak examples.
- Integrated wicket door depending on the project.

Confirm the threshold, wicket position and optional drive.

Price on request

Confirm configuration and pricing in your quotation.

French source | Manufacturer documentation (FR) | Request a quotation

Control Access Distribution

Contents | Reference index | Request a quotation

Residential side-sliding sectional doors

Easyporte / ARTIK

Artik · Side-sliding sectional door



Easyporte model or option illustration. Example configuration.

Garage door whose sectional panels slide back along a side wall.

- Ungrooved smooth PA3 panel shown.
- Aluminium subframe and perimeter seals.
- Stated maximum height for the residential side-sliding range is 3 m.

Control Access Distribution

Check the side wall, available travel space and obstructions.

Price on request

Confirm configuration and pricing in your quotation.

French source | Manufacturer documentation (FR) | Request a quotation

Contents | Reference index | Request a quotation

Residential side-sliding sectional doors

Easyporte / MEDITERRANEE

Méditerranée · Raised-panel side-sliding door



Easyporte model or option illustration. Example configuration.

Side-sliding model shown with raised panels and optional windows.

- Woodgrain PM1 raised-panel finish shown.
- RAL 7016 example with rectangular PVC windows.
- Integrated wicket available for certain side-sliding configurations.

Control Access Distribution

Confirm side travel, window placement and pedestrian access requirements.

Price on request

Confirm configuration and pricing in your quotation.

French source | Manufacturer documentation (FR) | Request a quotation

Contents | Reference index | Request a quotation

Residential side-sliding sectional doors

Easyporte / REDSEA

Redsea · Wood-effect side-sliding door



Easyporte model or option illustration. Example configuration.

Side-sliding model with smooth grooved wood-effect panels.

- PS1 panel shown by Easyporte.
- Dark oak example finish.
- Panels travel along the side wall.

Control Access Distribution

Specify opening direction and side-wall clearance when requesting a quote.

Price on request

Confirm configuration and pricing in your quotation.

French source | Manufacturer documentation (FR) | Request a quotation

Contents | Reference index | Request a quotation

Residential side-sliding sectional doors

Easyporte / PACIFIK

Pacifik · Raised-panel side-sliding option



Pacifik panel sample shown by Easyporte.

Side-sliding model shown with a wood-effect panel sample.

- Wood-effect Woodgrain PM1 raised panel specified.
- Finish and hardware to be selected for the project.

Control Access Distribution

The image shows the panel sample. Confirm the full specification when requesting a quote.

Price on request

Confirm configuration and pricing in your quotation.

Manufacturer documentation (FR) | Request a quotation

Contents | Reference index | Request a quotation

Swing garage doors

Easyporte / GALERNE

Galerne · Two-leaf swing garage door



Easyporte model or option illustration. Example configuration.

Manual swing garage door with two leaves.

- Smooth single-groove PA2 and ungrooved PA3 examples.
- RAL finishes and Aluminox inserts depending on the layout.
- Windows for compatible layouts.

Control Access Distribution

Check leaf clearance, usable opening and lock specification.

Price on request

Confirm configuration and pricing in your quotation.

French source | Manufacturer documentation (FR) | Request a quotation

Contents | Reference index | Request a quotation

Swing garage doors

Easyporte / BORA

Bora · Three-leaf swing garage door



Easyporte model or option illustration. Example configuration.

Three-leaf manual garage door for flexible access.

- Smooth PA2 and PA3 panels shown.
- RAL finish from the applicable range.
- Optional handle painted to match the door.

Control Access Distribution

Confirm leaf arrangement, opening direction and hardware.

Price on request

Confirm configuration and pricing in your quotation.


French source | Manufacturer documentation (FR) | Request a quotation

Contents | Reference index | Request a quotation

Industrial sectional doors

Easyporte / ZEPHIR

Zéphir · Glazed industrial overhead door



Easyporte model or option illustration. Example configuration.

Industrial sectional door that can combine insulated panels with glazed Zéphir panels.

- Mixed glazing and full Zéphir configurations are illustrated.
- Clear or frosted double acrylic glazing.
- Integrated or adjacent wicket door depending on the specification.

Control Access Distribution

Confirm glazing layout, usable opening, lift and drive from project drawings.

Price on request

Confirm configuration and pricing in your quotation.

Manufacturer documentation (FR) | Request a quotation

Contents | Reference index | Request a quotation

Industrial sectional doors

Easyporte / LEVANTE

Levante · Industrial sectional door



Easyporte model or option illustration. Example configuration.

Made-to-measure sectional door for workshops, warehouses and commercial sites.

- Grooved PA1 and smooth PA3 examples.
- Rectangular or rounded-corner PVC windows depending on the project.
- Standard, high, vertical or roof-following lift to be assessed.

Control Access Distribution

Provide overhead clearance, installation geometry, operating frequency and control type.

Price on request

Confirm configuration and pricing in your quotation.

Manufacturer documentation (FR) | Request a quotation

Contents | Reference index | Request a quotation

Wicket doors and protection options

Easyporte / PORTILLON-INTEGRE

Integrated wicket door · Pedestrian access



Easyporte model or option illustration. Example configuration.

Pedestrian access built into the door, depending on the model.

- Overhead and industrial doors up to 900 × 2,100 mm depending on layout.
- 29 mm low threshold or 140 mm standard threshold depending on dimensions.
- Stated maximum width on a side-sliding door is 600 mm.

Control Access Distribution

Confirm locking, threshold, opening direction and safety device for powered operation.

Price on request

Confirm configuration and pricing in your quotation.

Manufacturer documentation (FR) | Request a quotation

Contents | Reference index | Request a quotation

Wicket doors and protection options

Easyporte / PORTILLON-ADJACENT

Adjacent wicket door · Separate pedestrian access



Easyporte model or option illustration. Example configuration.

Matching pedestrian door installed alongside the garage door.

- Stated maximum dimensions of 1,000 × 2,200 mm.
- Painted aluminium frame with matching infill.
- Internal face-fit, reveal-fit or external face-fit installation.

Specify threshold, lock, door closer and any panic bar.

Price on request

Confirm configuration and pricing in your quotation.

Manufacturer documentation (FR) | Request a quotation

Control Access Distribution

Contents | Reference index | Request a quotation

Wicket doors and protection options

Easyporte / KIT-ANTI-INONDATION

Flood-protection kit · Residential overhead door



Easyporte model or option illustration. Example configuration.

Option for residential overhead sectional doors exposed to water ingress.

- Easyporte option for residential overhead sectional doors.
- Verify configuration and protection conditions for the installation.

Control Access Distribution

Provide exposure, floor condition and opening dimensions so suitability can be assessed.

Price on request

Confirm configuration and pricing in your quotation.


Manufacturer documentation (FR) | Request a quotation

Contents | Reference index | Request a quotation

Wicket doors and protection options

Easyporte / KIT-ANTI-EFFRACTION

Anti-intrusion kit · Door reinforcements



Easyporte illustrations of the kit reinforcement components.

Mechanical reinforcement option for a sectional door.

- Easyporte specifies a foot, vertical profile and reinforced track curve.
- Components depend on the door configuration and track.

Control Access Distribution

Confirm components and installation when requesting a quote.

Price on request

Confirm configuration and pricing in your quotation.

Manufacturer documentation (FR) | Request a quotation

Contents | Reference index | Request a quotation

Wicket doors and protection options

Easyporte / PROXIMITE-LITTORAL

Coastal configuration · Corrosion resistance



Easyporte model or option illustration. Example configuration.

Garage door configuration for exposure to coastal conditions.

- Stainless steel tracks and accessories under the Easyporte option.
- Aluminium panels specified for this configuration.

Control Access Distribution

Specify coastal exposure, distance from the sea and maintenance conditions.

Price on request

Confirm configuration and pricing in your quotation.

Manufacturer documentation (FR) | Request a quotation

Contents | Reference index | Request a quotation

Industrial and shared-access drives

Easyporte / GIGA.PK1

SOMMER GIGA.PK1 · automatic control



GIGA drive shown. Included components vary by kit.

Easyporte industrial automation kit with automatic control.

- 70 Nm · 230 V single-phase. Indicative door area up to 20 m².
- GIGAcontrol A panel, radio module and transmitter.
- Allow for the safety kit with a light curtain and two beacons.

Confirm torque, counterbalancing, operating frequency and site safeguards.

Price on request

Confirm configuration and pricing in your quotation.

Manufacturer documentation (FR) | Request a quotation

Control Access Distribution

Contents | Reference index | Request a quotation

Industrial and shared-access drives

Easyporte / GIGA.PK2

SOMMER GIGA.PK2 · automatic control



GIGA drive shown. Included components vary by kit.

Easyporte industrial automation kit with automatic control.

- 100 Nm · 400 V three-phase. Indicative door area up to 30 m².
- GIGAcontrol A panel, radio module and transmitter.
- Allow for the safety kit with a light curtain and two beacons.

Control Access Distribution

Confirm torque, counterbalancing, operating frequency and site safeguards.

Price on request

Confirm configuration and pricing in your quotation.

Manufacturer documentation (FR) | Request a quotation

Contents | Reference index | Request a quotation

Industrial and shared-access drives

Easyporte / GIGA.PK3

SOMMER GIGA.PK3 · automatic control



Easyporte industrial automation kit with automatic control.

- 140 Nm · 400 V three-phase. Indicative door area up to 40 m².
- GIGAcontrol A panel, radio module and transmitter.
- Allow for the safety kit with a light curtain and two beacons.

GIGA drive shown. Included components vary by kit.

Confirm torque, counterbalancing, operating frequency and site safeguards.

Price on request

Confirm configuration and pricing in your quotation.

Manufacturer documentation (FR) | Request a quotation

Control Access Distribution

Contents | Reference index | Request a quotation

Industrial and shared-access drives

Easyporte / GIGA.PK4

SOMMER GIGA.PK4 · hold-to-run control



Easyporte industrial automation kit with hold-to-run control.

- 70 Nm · 230 V single-phase. Indicative door area up to 20 m².
- GIGAcontrol T push-button station and operator-present control.
- Chain stop and extension with emergency release.

GIGA drive shown. Included components vary by kit.

Confirm torque, counterbalancing, operating frequency and site safeguards.

Price on request

Confirm configuration and pricing in your quotation.

Manufacturer documentation (FR) | Request a quotation

Control Access Distribution

Contents | Reference index | Request a quotation

Industrial and shared-access drives

Easyporte / GIGA.PK5

SOMMER GIGA.PK5 · hold-to-run control



Easyporte industrial automation kit with hold-to-run control.

- 100 Nm · 400 V three-phase. Indicative door area up to 30 m².
- GIGAcontrol T push-button station and operator-present control.
- Chain stop and extension with emergency release.

GIGA drive shown. Included components vary by kit.

Confirm torque, counterbalancing, operating frequency and site safeguards.

Price on request

Confirm configuration and pricing in your quotation.

Manufacturer documentation (FR) | Request a quotation

Control Access Distribution

Contents | Reference index | Request a quotation

Industrial and shared-access drives

Easyporte / GIGA.PK6

SOMMER GIGA.PK6 · hold-to-run control



GIGA drive shown. Included components vary by kit.

Easyporte industrial automation kit with hold-to-run control.

- 140 Nm · three-phase, confirm voltage. Indicative door area up to 40 m².
- GIGAcontrol T push-button station and operator-present control.
- Chain stop and extension with emergency release.

Control Access Distribution

Confirm torque, counterbalancing, operating frequency and site safeguards.

Price on request

Confirm configuration and pricing in your quotation.

Manufacturer documentation (FR) | Request a quotation

Contents | Reference index | Request a quotation

Industrial and shared-access drives

Easyporte / TIGA-PLUS

SOMMER TIGA+ · Shared parking access



Easyporte model or option illustration. Example configuration.

Trolley drive for garage doors in shared buildings.

- Easyporte lists door areas above 10 m² and below 15 m².
- Up to 15 parking spaces according to Easyporte.
- Wall-mounted control unit. Safety kit and reinforced springs subject to configuration.

Confirm limits, operating frequency and safety equipment.

Price on request

Confirm configuration and pricing in your quotation.

Manufacturer documentation (FR) | Request a quotation

Control Access Distribution

Technical guidance

Preparing the measurements

Measure opening width and height, headroom, side clearance and depth. Photograph the installation area and note existing equipment.

For a side-sliding door, specify opening direction and travel length.

Manufacturer resource

Choosing an industrial lift

Assess standard, high or vertical lift, or a track that follows the roof slope. Allow adequate overhead and rear clearance.

The manufacturer illustrates high lift starting at 400 mm above the opening, subject to configuration.

Manufacturer resource

Automating a made-to-measure door

Provide dimensions, door mass, counterbalancing, supply, operating frequency and control mode. Specify safeguards with the installer.

Residential choices in the catalogue include SOMMER DuoVision and pro+, Somfy Dexxo Smart io and Guitar 1,000 N.

Manufacturer resource

Control Access Distribution

Contents | Reference index | Request a quotation

Prepare your quotation

1. Identify the access

State the access type, dimensions, movements per day and site conditions. Attach a dimensioned plan and photographs if available.

2. Specify the equipment

State the reference, dimensions, power supply, control mode and required protective devices.

3. Confirm the price excluding VAT

Confirm the variant, supplied items, installation conditions and price in your quotation.

Control Access Distribution

Easyporte resources

- Easyporte 2026 catalogue (French PDF)
- Easyporte range (FR)
- Residential options (FR)
- Ferplay documents (FR)

The quotation specifies the equipment, accessories and services required for the project.

Ask ControlAccessPro for a quotation

Control Access Distribution · 326 avenue de la Rasclave · 13821 La Penne-sur-Huveaune · France
cad@controlaccessdistri.com +33 4 91 18 82 68 controlaccesspro.com

Prices on request. Please contact us. Manufacturer images.