Contents | Reference index | Request a quotation

INTERACTIVE PROFESSIONAL CATALOGUE

GiBiDi


173 references and 10 announced ranges



9390129LN



29200E



81500

ControlAccessPro

Browse categories, look up a code in the index and open the manufacturer sources.

Prices shown are benchmarks from the May 2026 Italian manufacturer list. Request a quote for your project.

Browse categories | 2026 technical catalogue (FR)

Contents | Reference index | Request a quotation

Contents by category

Select a category to open its references and documents.

Sliding gates · SL530, SL544 and SL830 p. 8
Sliding gates · PASS 800 and 1000 p. 16
Sliding gates · PASS 1200 to 2500 p. 21
Swing gates · KUDA p. 26
Swing gates · SERRA p. 30
Swing gates · SNAPPER p. 33
Swing gates · ART p. 36
Swing gates · TOP EVO hydraulic p. 40
Underground · hydraulic FLOOR p. 51
Underground · electromechanical GROUND p. 58
Garage doors · TAIMEN p. 61
Control units p. 65
Radio transmitters and receivers p. 71
Warning lights and signalling accessories p. 78
Safety edges and detection p. 82
Locking, detection and protection p. 94
Announced ranges p. 99

ControlAccessPro

Open the reference index | Open technical guidance

Reference index · 1/5

Each row opens its product card.

15000DX	KUDA150 DX	26	**15000SX**	KUDA150 SX	26
15841	SERRA321	30	**15843**	SERRA330	30
20030	GROUND 610 · underground electromechanical operator	58	**20034E**	GROUND 634 · underground electromechanical operator	58
22000DX	KUDA200 DX	27	**22000SX**	KUDA200 SX	27
29200E	TOP291 EVO · hydraulic actuator	40	**29200ER**	TOP291 EVO R · hydraulic actuator	40
29200ERS	TOP291 EVO RS · hydraulic actuator	41	**30510**	ART5000	36
30524	ART5024	36	**39200E**	TOP391 EVO · hydraulic actuator	41
39200ER	TOP391 EVO R · hydraulic actuator	42	**39200ERS**	TOP391 EVO RS · hydraulic actuator	42
44200E	TOP441 EVO · hydraulic actuator	43	**44200ER**	TOP441 EVO R · hydraulic actuator	43
44200ERS	TOP441 EVO RS · hydraulic actuator	44	**70187**	Antenna 433 MHz	81
70750	DSL70750	78	**71750**	FLAGGY white	78
71751	FLAGGY orange	79	**81500**	FLOOR 850 · Underground hydraulic operator	51
81524	FLOOR 854 · Underground hydraulic operator	51	**81800**	FLOOR 880 · Underground hydraulic operator	52
81824	FLOOR 884 · Underground hydraulic operator	52	**9270089LN**	PASS821 · PASS 800 operator	16
927708A9LN	PASS841E · PASS 800 operator	16	**927710A9LN**	PASS1041E · PASS 1000 operator	17
9390109LN	PASS1021 · PASS 1000 operator	17	**9390129LN**	PASS1221 · PASS 1200 operator	21
9390189LN	PASS1821 · PASS 1800 operator	22	**939025AN**	PASS2500E · PASS 2500 operator	23
939812A9LN	PASS1241E · PASS 1200 operator	21	**939818A9LN**	PASS1841E · PASS 1800 operator	22
975044	SL544	8	**97530**	SL530	8

Next index

ControlAccessPro

Reference index · 2/5

Each row opens its product card.

97830	SL830	9	**A90702P**	SL key	13
A90929P	Stainless-steel cover	56	**A90984P**	SC230E	70
AJ00303	Counterweighted door arm	62	**AJ00311**	Release external ART	38
AJ00470	Oversized pinion	25	**AJ00480**	Oversized pinion	20
AJ00490	Release custom-keyed	49	**AJ00513**	Weld-on plate	32
AJ00580	High-speed pinion	24	**AJ00590**	High-speed pinion	19
AJ00600	Release custom-keyed	11	**AJ00605**	Battery enclosure	14
AJ00606	Charger 24 V	15	**AJ00632**	Lock 12 VDC	94
AJ00642	Lock 24 VDC	96	**AJ00862**	Gate leaf stop	95
AJ00900	12 V, 1.9 Ah battery	11	**AJ00910**	Limit switch bracket	14
AJ00940	Limit switches GROUND610	60	**AJ01400**	Limit switch assembly	55
AJ01410	Adapter limit switches	57	**AJ01450**	Rail extension	62
AJ01455	Rail brackets	64	**AJ01460**	Release external	63
AJ01470	Cable extension	63	**AJ01482**	Batteries BA24	39
AJ01483	Batteries BE24	29	**AJ01510**	Battery kit	64
AJ01570	Adjustable brackets	32	**AJ01600**	Batteries SNAPPER	35
AJ01650	TOP mounting brackets 291	49	**AJ01660**	TOP mounting brackets 391 /441	50
AJ30900	Articulated arm	39	**AJ30910**	Articulated arm	34
AJ49000	AJ49000 · FLOOR foundation box	55	**AJ49300**	AJ49300 · GROUND foundation box	60

ControlAccessPro

Previous index | Next index

Reference index · 3/5

Each row opens its product card.

AJ50139	Reinforced long arm	38	**AJ70163**	Floor keeper	95
AJ70164	Horizontal keeper	94	**AJ75800**	Automatic gate sign	97
AJ91111	Nylon rack	12	**AJ91112/3**	Steel rack C40	12
AJ911123	Steel rack C40	19	**AJ92000**	Release FLOOR	56
AJ92190	Foundation plate	13	**AS05060**	BA100	67
AS05180	TL100	69	**AS05581**	BA230	66
AS05800	SC380	65	**AS05860**	SE24	69
AS05900	Loop detector 24 VDC	96	**AS05910**	Loop detector 220 V	97
AS06070	TAIMEN	68	**AS06251**	BE24	65
AS06270	BE24G	68	**AS06300**	BA24	67
AS06320	F4	66	**AU02530**	DRS8681	77
AU02540	DRS4331	74	**AU02570**	DRS4335	75
AU02580	DRS4336	74	**AU02600**	DRR2000	80
AU02750	LED board DSL	80	**AU02800**	DRR1000	79
AU02810	DRS4334	73	**AU02840**	DRS8684	76
AU02910	DRS4332	73	**AU02940**	DRS8682	77
AU03100	MAKO 433	71	**AU03200**	MAKO 868	75
AU03300	VINCI 433	72	**AU03350**	VINCI 433 box 50	72
AU04200	MAKO 433 box 40	71	**AU04300**	MAKO 868 box 40	76

ControlAccessPro

Previous index | Next index

Reference index · 4/5

Each row opens its product card.

AW11290	Magnets NOTOUCH	93	**CAPR868**	Receiver CAPTIVE	92
CAPT868	Transmitter CAPTIVE	92	**CM100K8**	Safety edge 8,2 kΩ 1 m	82
CM100K8NT	CAPACTIVE 1 m	87	**CM100M**	Mechanical edge 1 m	84
CM150K8	Safety edge 8,2 kΩ 1,5 m	82	**CM150K8NT**	CAPACTIVE 1,5 m	87
CM150M	Mechanical edge 1,5 m	85	**CM170K8**	Safety edge 8,2 kΩ 1,7 m	83
CM170K8NT	CAPACTIVE 1,7 m	88	**CM170M**	Mechanical edge 1,7 m	85
CM200K8	Safety edge 8,2 kΩ 2 m	83	**CM200K8NT**	CAPACTIVE 2 m	88
CM200M	Mechanical edge 2 m	86	**CM250K8**	Safety edge 8,2 kΩ 2,5 m	84
CM250K8NT	CAPACTIVE 2,5 m	89	**CM250M**	Mechanical edge 2,5 m	86
K026B	TAIMEN T6	61	**K036B**	TAIMEN T12	61
K1241ENBFSLT	KIT PASS1241E · gate kit	23	**K155BFSLT**	KIT KUDA150	28
K1841ENBFSLT	KIT PASS1841E · gate kit	24	**K205BFSLT**	KIT KUDA200	28
K291EBFSLT	KIT TOP291 EVO · gate kit	44	**K291ERBFSLT**	KIT TOP291 EVO R · Gate kit	45
K291ERSBFSLT	KIT TOP291 EVO RS · Gate kit	45	**K321BFSLT**	KIT SERRA321	31
K322BFSLT	KIT SERRA330	31	**K351BFSLT**	KIT ART5000	37
K354BFSLT	KIT ART5024	37	**K391EBFSLT**	KIT TOP391 EVO · gate kit	46
K391ERBFSLT	KIT TOP391 EVO R · Gate kit	46	**K391ERSBFSLT**	KIT TOP391 EVO RS · Gate kit	47
K441EBFSLT	KIT TOP441 EVO · gate kit	47	**K441ERBFSLT**	KIT TOP441 EVO R · Gate kit	48
K441ERSBFSLT	KIT TOP441 EVO RS · Gate kit	48	**K454BFSLT**	KIT SNAPPER	34

Previous index | Next index

ControlAccessPro

Reference index · 5/5

Each row opens its product card.

K530BFSLT	KIT SL530	10	**K544BFSLT**	KIT SL544	9
K608BFSLT	KIT GROUND 610 · gate kit	59	**K640BFSLT**	KIT GROUND 634 · gate kit	59
K8256LNBFSLT	KIT PASS841E · gate kit	18	**K8258LNBFSLT**	KIT PASS1041E · gate kit	18
K830BFSLT	KIT SL830	10	**K870BFSLT**	KIT FLOOR 850 · Gate kit	53
K875BFSLT	KIT FLOOR 854 · Gate kit	53	**K880BFSLT**	KIT FLOOR 880 · Gate kit	54
K884BFSLT	KIT FLOOR 884 · Gate kit	54	**KBP05**	Finger protection 5 m	98
KBP10	Finger protection 10 m	98	**P9AH06010**	Keys for release	29
SAFE2	Monitoring 2 channels	91	**SAFE4**	Monitoring 4 channels	91
SCMK	Assembly profile	89	**SCMK200**	End fittings CMK 2 m	90
SCMK400	End fittings CMK 4 m	90	**SNAPPER0**	SNAPPER-0	33
SNAPPER1	SNAPPER-1	33	**New range**	ARTÉ · new articulated-arm operator	100
New range	Wireless coded keypads · new range	102	**New range**	LED flashing light with antenna · new product	103
New range	Wireless proximity readers · new range	102	**New range**	Adjustable photocells with LED option · new product	103
New range	Wall-mounted or recessed photocells · new range	101	**New range**	SLIDER A · sliding gates up to 800 kg	99
New range	SLIDER B · sliding gates up to 1 500 kg	99	**New range**	SLIDER C · sliding gates up to 3 000 kg	100
New range	Key switches · new range	101			

ControlAccessPro

Previous index

Sliding gates · SL530, SL544 and SL830

975044

SL544

24 V operator with SE24 controller and encoder.
Confirm configuration and availability by quotation.



Manufacturer range image.

€752.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

97530

SL530

230 V operator with SC131 controller.
Confirm configuration and availability by quotation.



Manufacturer range image.

€557.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Sliding gates · SL530, SL544 and SL830

97830

SL830

230 V operator with SC131 controller, stated gate weight up to 800 kg.
Confirm configuration and availability by quotation.



Manufacturer range image.

€599.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

K544BFSLT

KIT SL544

Manufacturer kit for a motorised gate. Check the published kit contents.
Confirm configuration and availability by quotation.



Manufacturer image of the kit motor.

€838.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Sliding gates · SL530, SL544 and SL830

K530BFSLT

KIT SL530

Manufacturer kit for a motorised gate. Check the published kit contents. Confirm configuration and availability by quotation.



Manufacturer image of the kit motor.

€753.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

K830BFSLT

KIT SL830

Manufacturer kit for a motorised gate. Check the published kit contents. Confirm configuration and availability by quotation.



Manufacturer image of the kit motor.

€794.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Sliding gates · SL530, SL544 and SL830

AJ00600

Release custom-keyed

Custom-key release device.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€42.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AJ00900

12 V, 1.9 Ah battery

Two batteries are required for a 24 V supply.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€45.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Sliding gates · SL530, SL544 and SL830

AJ91111

Nylon rack

Steel core, module 4. Gate leaves up to 600 kg. Supplied per metre.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€32.00 excl. VAT / m

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AJ91112/3

Steel rack C40

4 m length, module 4, 30 × 12 mm. Galvanised and pre-drilled, with 12 spacers.
Confirm configuration and availability by quotation.



Manufacturer range image.

€38.00 excl. VAT / m

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Sliding gates · SL530, SL544 and SL830

A90702P

SL key

Replacement key for the manual release.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€17.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AJ92190

Foundation plate

Foundation plate for SL and PASS operators.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€37.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Sliding gates · SL530, SL544 and SL830

AJ00910

Limit switch bracket

Weld-on L bracket for the magnetic limit switch.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€26.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AJ00605

Battery enclosure

Battery box for mounting on the operator.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€63.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Sliding gates · SL530, SL544 and SL830

AJ00606

Charger 24 V

Charging board for the AJ00605 battery box.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€76.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Sliding gates · PASS 800 and 1000

9270089LN

PASS821 · PASS 800 operator

PASS821 is the 230 V AC, 50/60 Hz version of the PASS 800 range for a sliding gate, with a published maximum weight of 800 kg. Supplied without control unit; limit switch board included. Control unit to be selected separately.
• Power · 230 V AC, 50/60 Hz
• Published maximum weight · 800 kg
• Power consumption · 350 W
• Maximum torque · 20 Nm
• Published duty rating · 60%
• Protection · IP55
• Published speed · 160 mm/s (9.6 m/min)
• Control · Without control unit; limit switch board. Select control unit separately.
Confirm rack, installation hardware and controller for the selected version.



Manufacturer range image.

€729.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

927708A9LN

PASS841E · PASS 800 operator

PASS841E is the 230 V AC, 50/60 Hz version of the PASS 800 range for sliding gates, with a published maximum weight of 800 kg. Built-in SC230E control unit and encoder.
• Power · 230 V AC, 50/60 Hz
• Published maximum weight · 800 kg
• Power consumption · 350 W
• Maximum torque · 20 Nm
• Published duty rating · 60%
• Protection · IP55
• Published speed · 160 mm/s (9.6 m/min)
• Control · Integrated SC230E controller and encoder.
Confirm rack, installation hardware and controller for the selected version.



Manufacturer range image.

€904.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Sliding gates · PASS 800 and 1000

9390109LN

PASS1021 · PASS 1000 operator

PASS1021 is the 230 V AC, 50/60 Hz version of the PASS 1000 range for a sliding gate, with a published maximum weight of 1000 kg. Supplied without control unit; limit switch board included. Control unit to be selected separately.
• Power · 230 V AC, 50/60 Hz
• Published maximum weight · 1000 kg
• Power consumption · 450 W
• Maximum torque · 24 Nm
• Published duty rating · 40%
• Protection · IP55
• Published speed · 160 mm/s (9.6 m/min)
• Control · Without control unit; limit switch board. Select control unit separately.
Confirm rack, installation hardware and controller for the selected version.



Manufacturer range image.

€968.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

927710A9LN

PASS1041E · PASS 1000 operator

PASS1041E is the 230 V AC, 50/60 Hz version of the PASS 1000 range for sliding gates, with a published maximum weight of 1000 kg. Built-in SC230E control unit and encoder.
• Power · 230 V AC, 50/60 Hz
• Published maximum weight · 1000 kg
• Power consumption · 450 W
• Maximum torque · 24 Nm
• Published duty rating · 40%
• Protection · IP55
• Published speed · 160 mm/s (9.6 m/min)
• Control · Integrated SC230E controller and encoder.
Confirm rack, installation hardware and controller for the selected version.



Manufacturer range image.

€1,143.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Sliding gates · PASS 800 and 1000

K8256LNBFSLT

KIT PASS841E · gate kit

Manufacturer automation kit for a sliding gate.
• 1 PASS841E motor with built-in SC230E control unit and encoder.
• 1 DRS4332 AU02910 plug-in receiver, 2 channels.
• 1 flashing light 70750 / DSL70750, 12-24-115-230 V.
• 2 VINCI AU03300 remote controls, rolling code, 2 channels, 433 MHz.
• 1 DCS100 AU01940 key selector, with 3 keys.
• 1 pair of DCF180 AU02250 photocells.
• 1 warning sign AJ75800.
Confirm rack, installation hardware and controller for the selected version.



Manufacturer image of the kit motor.

€1,254.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

K8258LNBFSLT

KIT PASS1041E · gate kit

Manufacturer automation kit for a sliding gate.
• 1 PASS1041E motor with built-in SC230E control unit and encoder.
• 1 DRS4332 AU02910 plug-in receiver, 2 channels.
• 1 flashing light 70750 / DSL70750, 12-24-115-230 V.
• 2 VINCI AU03300 remote controls, rolling code, 2 channels, 433 MHz.
• 1 DCS100 AU01940 key selector, with 3 keys.
• 1 pair of DCF180 AU02250 photocells.
• 1 warning sign AJ75800.
Confirm rack, installation hardware and controller for the selected version.



Manufacturer image of the kit motor.

€1,455.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Sliding gates · PASS 800 and 1000

AJ911123

Steel rack C40

4 m length, module 4, 30 × 12 mm, 12 spacers.
Confirm configuration and availability by quotation.



Manufacturer range image.

€38.00 excl. VAT / m

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AJ00590

High-speed pinion

Z18, module 4, stated speed 172 mm/s.
Confirm configuration and availability by quotation.



Manufacturer range image.

€36.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Sliding gates · PASS 800 and 1000

AJ00480

Oversized pinion

Z16, module 4.
Confirm configuration and availability by quotation.



Manufacturer range image.

€55.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Sliding gates · PASS 1200 to 2500

9390129LN

PASS1221 · PASS 1200 operator

PASS1221 is the 230 V AC, 50/60 Hz version of the PASS 1200 range for a sliding gate, with a published maximum weight of 1200 kg. Supplied without control unit; limit switch board included. Control unit to be selected separately.
• Power · 230 V AC, 50/60 Hz
• Published maximum weight · 1200 kg
• Power consumption · 700 W
• Maximum torque · 50 Nm
• Published duty rating · 90%
• Protection · IP55
• Published speed · 150 mm/s (9 m/min)
• Control · Without control unit; limit switch board. Select control unit separately.
Confirm rack, installation hardware and controller for the selected version.



Manufacturer range image.

€1,086.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

939812A9LN

PASS1241E · PASS 1200 operator

PASS1241E is the 230 V AC, 50/60 Hz version of the PASS 1200 range for sliding gates, with a published maximum weight of 1200 kg. Built-in SC230E control unit and encoder.
• Power · 230 V AC, 50/60 Hz
• Published maximum weight · 1200 kg
• Power consumption · 700 W
• Maximum torque · 50 Nm
• Published duty rating · 90%
• Protection · IP55
• Published speed · 150 mm/s (9 m/min)
• Control · Integrated SC230E controller and encoder.
Confirm rack, installation hardware and controller for the selected version.



Manufacturer range image.

€1,333.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Sliding gates · PASS 1200 to 2500

9390189LN

PASS1821 · PASS 1800 operator

PASS1821 is the 230 V AC, 50/60 Hz version of the PASS 1800 range for a sliding gate, with a published maximum weight of 1800 kg. Supplied without control unit; limit switch board included. Control unit to be selected separately.
• Power · 230 V AC, 50/60 Hz
• Published maximum weight · 1800 kg
• Power consumption · 700 W
• Maximum torque · 60 Nm
• Published duty rating · 60%
• Protection · IP55
• Published speed · 150 mm/s (9 m/min)
• Control · Without control unit; limit switch board. Select control unit separately.
Confirm rack, installation hardware and controller for the selected version.



Manufacturer range image.

€1,111.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

939818A9LN

PASS1841E · PASS 1800 operator

PASS1841E is the 230 V AC, 50/60 Hz version of the PASS 1800 range for sliding gates, with a published maximum weight of 1800 kg. Built-in SC230E control unit and encoder.
• Power · 230 V AC, 50/60 Hz
• Published maximum weight · 1800 kg
• Power consumption · 700 W
• Maximum torque · 60 Nm
• Published duty rating · 60%
• Protection · IP55
• Published speed · 150 mm/s (9 m/min)
• Control · Integrated SC230E controller and encoder.
Confirm rack, installation hardware and controller for the selected version.



Manufacturer range image.

€1,359.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Sliding gates · PASS 1200 to 2500

939025AN

PASS2500E · PASS 2500 operator



Manufacturer range image.

PASS2500E is the three-phase 380 V AC version (technical table) of the PASS 2500 range for a sliding gate, with a published maximum weight of 2500 kg. Supplied without control unit; limit switch board and encoder included. The catalogue recommends control unit SC380 AS05800.
• Power · 380 V AC three-phase (technical table)
• Published maximum weight · 2500 kg
• Power consumption · 750 W
• Maximum torque · 90 Nm
• Published duty rating · 70%
• Protection · IP55
• Published speed · 150 mm/s (9 m/min)
• Control · Without control unit; limit switch board and encoder included. The catalogue recommends control unit SC380 AS05800.
Confirm rack, installation hardware and controller for the selected version.

€1,368.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

K1241ENBFSLT

KIT PASS1241E · gate kit



Manufacturer image of the kit motor.

Manufacturer automation kit for a sliding gate.
• 1 PASS1241E motor with built-in SC230E control unit and encoder.
• 1 DRS4332 AU02910 plug-in receiver, 2 channels.
• 1 flashing light 70750 / DSL70750, 12-24-115-230 V.
• 2 VINCI AU03300 remote controls, rolling code, 2 channels, 433 MHz.
• 1 DCS100 AU01940 key selector, with 3 keys.
• 1 pair of DCF180 AU02250 photocells.
• 1 warning sign AJ75800.
Confirm rack, installation hardware and controller for the selected version.

€1,655.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Sliding gates · PASS 1200 to 2500

K1841ENBFSLT

KIT PASS1841E · gate kit

Manufacturer automation kit for a sliding gate.
• 1 PASS1841E motor with built-in SC230E control unit and encoder.
• 1 DRS4332 AU02910 plug-in receiver, 2 channels.
• 1 flashing light 70750 / DSL70750, 12-24-115-230 V.
• 2 VINCI AU03300 remote controls, rolling code, 2 channels, 433 MHz.
• 1 DCS100 AU01940 key selector, with 3 keys.
• 1 pair of DCF180 AU02250 photocells.
• 1 warning sign AJ75800.
Confirm rack, installation hardware and controller for the selected version.



Manufacturer image of the kit motor.

€1,681.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

AJ00580

High-speed pinion

Z18, module 4, stated speed 172 mm/s.
Confirm configuration and availability by quotation.



Manufacturer range image.

€37.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Sliding gates · PASS 1200 to 2500

AJ00470

Oversized pinion

Z16, module 4.
Confirm configuration and availability by quotation.



Manufacturer range image.

€55.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · KUDA

15000SX

KUDA150 SX

Left-hand actuator.
Confirm configuration and availability by quotation.



Manufacturer range image.

€275.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

15000DX

KUDA150 DX

Right-hand actuator.
Confirm configuration and availability by quotation.



Manufacturer range image.

€275.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · KUDA

22000SX

KUDA200 SX

Left-hand actuator.
Confirm configuration and availability by quotation.



Manufacturer range image.

€323.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

22000DX

KUDA200 DX

Right-hand actuator.
Confirm configuration and availability by quotation.



Manufacturer range image.

€323.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · KUDA

K155BFSLT

KIT KUDA150

Manufacturer kit for a motorised gate. Check the published kit contents. Confirm configuration and availability by quotation.



Manufacturer image of the kit motor.

€934.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

K205BFSLT

KIT KUDA200

Manufacturer kit for a motorised gate. Check the published kit contents. Confirm configuration and availability by quotation.



Manufacturer image of the kit motor.

€1,062.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · KUDA

AJ01483

Batteries BE24

Battery set for the compatible BE24 control unit.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€128.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

P9AH06010

Keys for release

Pair of manual release keys.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€14.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · SERRA

15841

SERRA321

24 V with encoder and adjustable mechanical stops.
Confirm configuration and availability by quotation.



Manufacturer range image.

€536.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

15843

SERRA330

230 V with adjustable mechanical stops.
Confirm configuration and availability by quotation.



Manufacturer range image.

€483.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · SERRA

K321BFSLT

KIT SERRA321

Manufacturer kit for a motorised gate. Check the published kit contents. Confirm configuration and availability by quotation.



Manufacturer image of the kit motor.

€1,382.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

K322BFSLT

KIT SERRA330

Manufacturer kit for a motorised gate. Check the published kit contents. Confirm configuration and availability by quotation.



Manufacturer image of the kit motor.

€1,136.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · SERRA

AJ00513

Weld-on plate

Weld-on mounting plate.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€31.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AJ01570

Adjustable brackets

Bolt-on brackets listed for SERRA320. Confirm SERRA321/330 compatibility.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€104.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · SNAPPER

SNAPPER1

SNAPPER-1

Operator with BE24 controller and built-in radio receiver.
Confirm configuration and availability by quotation.



Manufacturer range image.

€667.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

SNAPPER0

SNAPPER-0

Operator only.
Confirm configuration and availability by quotation.



Manufacturer range image.

€413.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · SNAPPER

K454BFSLT

KIT SNAPPER

Manufacturer kit for a motorised gate. Check the published kit contents. Confirm configuration and availability by quotation.



Manufacturer image of the kit motor.

€1,267.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AJ30910

Articulated arm

Articulated arm measuring 380 × 430 mm. Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€75.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · SNAPPER

AJ01600

Batteries SNAPPER

Battery kit for SNAPPER.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€104.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · ART

30510

ART5000

230 V with opening and closing limit switches.
Confirm configuration and availability by quotation.



Manufacturer range image.

€610.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

30524

ART5024

24 V with opening and closing limit switches.
Confirm configuration and availability by quotation.



Manufacturer range image.

€646.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · ART

K351BFSLT

KIT ART5000

Manufacturer kit for a motorised gate. Check the published kit contents. Confirm configuration and availability by quotation.



Manufacturer image of the kit motor.

€1,805.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

K354BFSLT

KIT ART5024

Manufacturer kit for a motorised gate. Check the published kit contents. Confirm configuration and availability by quotation.



Manufacturer image of the kit motor.

€2,191.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · ART

AJ00311

Release external ART

External release with key-selector function.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€120.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AJ50139

Reinforced long arm

Reinforced arm for large pillars, 600 × 540 mm.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€166.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · ART

AJ30900

Articulated arm

Articulated arm, 425 × 460 mm.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€125.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AJ01482

Batteries BA24

Battery set for BA24.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€209.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · TOP EVO hydraulic

29200E

TOP291 EVO · hydraulic actuator

TOP291 EVO hydraulic actuator powered by 230 V AC, for a leaf up to 3.5 m depending on installation geometry. Standard version, without hydraulic slowdown.
- Power · 230 V AC, 50/60 Hz
- Published maximum length · 3.5 m
- Power consumption · 170 W
- Maximum thrust · 3000 N
- Rod speed · 10 mm/s
- Maximum rod travel · 290 mm
- Protection · IP65
- Published duty rating · 55%
- Hydraulic slowdown · No
- Supplied operating mode · BAC, non-reversible; configuration to be defined by the installer

Confirm installation geometry and specify an electric lock where appropriate.



Manufacturer range image.

€731.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

29200ER

TOP291 EVO R · hydraulic actuator

TOP291 EVO R hydraulic actuator powered by 230 V AC, for a leaf up to 3,5 m depending on installation geometry. Integrated hydraulic slowdown.
Confirm configuration and availability by quotation.



Manufacturer range image.

€757.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · TOP EVO hydraulic

29200ERS

TOP291 EVO RS · hydraulic actuator

TOP291 EVO RS hydraulic actuator powered by 230 V AC, for a leaf up to 3,5 m depending on installation geometry. Fast version with hydraulic slowdown.
Confirm configuration and availability by quotation.



Manufacturer range image.

€797.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

39200E

TOP391 EVO · hydraulic actuator

TOP391 EVO hydraulic actuator powered by 230 V AC, for a leaf up to 4,5 m depending on installation geometry. Standard version, without hydraulic slowdown.
Confirm configuration and availability by quotation.



Manufacturer range image.

€964.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · TOP EVO hydraulic

39200ER

TOP391 EVO R · hydraulic actuator



Manufacturer range image.

TOP391 EVO R hydraulic actuator powered by 230 V AC, for a leaf up to 4.5 m depending on installation geometry. Integrated hydraulic slowdown.
• Power · 230 V AC, 50/60 Hz
• Published maximum length · 4.5 m
• Power consumption · 190 W
• Maximum thrust · 4500 N
• Rod speed · 10 mm/s
• Maximum rod travel · 265 mm
• Protection · IP65
• Published duty rating · 55%
• Hydraulic slowdown · Yes
• Supplied operating mode · BAC, non-reversible; configuration to be defined by the installer
Confirm installation geometry and specify an electric lock where appropriate.

€997.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

39200ERS

TOP391 EVO RS · hydraulic actuator



Manufacturer range image.

TOP391 EVO RS hydraulic actuator powered by 230 V AC, for a leaf up to 4,5 m depending on installation geometry. Fast version with hydraulic slowdown.
Confirm configuration and availability by quotation.

€1,058.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · TOP EVO hydraulic

44200E

TOP441 EVO · hydraulic actuator

TOP441 EVO hydraulic actuator powered by 230 V AC, for a leaf up to 6,0 m depending on installation geometry. Standard version, without hydraulic slowdown.
Confirm configuration and availability by quotation.



Manufacturer range image.

€999.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

44200ER

TOP441 EVO R · hydraulic actuator

TOP441 EVO R hydraulic actuator powered by 230 V AC, for a leaf up to 6,0 m depending on installation geometry. Integrated hydraulic slowdown.
Confirm configuration and availability by quotation.



Manufacturer range image.

€1,030.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · TOP EVO hydraulic

44200ERS

TOP441 EVO RS · hydraulic actuator

TOP441 EVO RS hydraulic actuator powered by 230 V AC, for a leaf up to 6.0 m depending on installation geometry. Fast version with hydraulic slowdown.
• Power · 230 V AC, 50/60 Hz
• Published maximum length · 6.0 m
• Power consumption · 190 W
• Maximum thrust · 3000 N
• Rod speed · 20 mm/s
• Maximum rod travel · 425 mm
• Protection · IP65
• Published duty rating · 55%
• Hydraulic slowdown · Yes
• Supplied operating mode · BAC, non-reversible; configuration to be defined by the installer
Confirm installation geometry and specify an electric lock where appropriate.



Manufacturer range image.

€1,088.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

K291EBFSLT

KIT TOP291 EVO · gate kit

Manufacturer hydraulic automation kit for a swing gate.
• 2 TOP291 EVO actuators.
• 1 F4 AS06320 control unit for 1 or 2 motors.
• 1 DRS4332 AU02910 plug-in receiver, 2 channels.
• 1 flashing light 70750 / DSL70750, 12-24-115-230 V.
• 2 VINCI AU03300 remote controls, rolling code, 2 channels, 433 MHz.
• 1 DCS100 AU01940 key selector, with 3 keys.
• 1 pair of DCF180 AU02250 photocells.
• 1 warning sign AJ75800.
Confirm installation geometry and specify an electric lock where appropriate.



Manufacturer image of the kit motor.

€1,867.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · TOP EVO hydraulic

K291ERBFSLT

KIT TOP291 EVO R · Gate kit

KIT TOP291 EVO R is a GiBiDi kit identified in catalogue 2026. Its published contents are listed below; installation components and project conditions must be checked before ordering.
Confirm configuration and availability by quotation.



Manufacturer image of the kit motor.

€1,909.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

K291ERSBFSLT

KIT TOP291 EVO RS · Gate kit

KIT TOP291 EVO RS is a GiBiDi kit identified in catalogue 2026. Its published contents are listed below; installation components and project conditions must be checked before ordering.
Confirm configuration and availability by quotation.



Manufacturer image of the kit motor.

€1,918.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · TOP EVO hydraulic

K391EBFSLT

KIT TOP391 EVO · gate kit

KIT TOP391 EVO is a GiBiDi kit listed in catalogue 2026. Its published contents are shown below; installation components and project conditions must be checked before ordering.
Confirm configuration and availability by quotation.



Manufacturer image of the kit motor.

€2,052.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

K391ERBFSLT

KIT TOP391 EVO R · Gate kit

Manufacturer hydraulic automation kit for a swing gate.
• 2 TOP391 EVO R actuators.
• 1 F4 AS06320 control unit for 1 or 2 motors.
• 1 DRS4332 AU02910 plug-in receiver, 2 channels.
• 1 flashing light 70750 / DSL70750, 12-24-115-230 V.
• 2 VINCI AU03300 remote controls, rolling code, 2 channels, 433 MHz.
• 1 DCS100 AU01940 key selector, with 3 keys.
• 1 pair of DCF180 AU02250 photocells.
• 1 warning sign AJ75800.
Confirm installation geometry and specify an electric lock where appropriate.



Manufacturer image of the kit motor.

€2,082.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · TOP EVO hydraulic

K391ERSBFSLT

KIT TOP391 EVO RS · Gate kit

KIT TOP391 EVO RS is a GiBiDi kit identified in catalogue 2026. Its published contents are listed below; installation components and project conditions must be checked before ordering.
Confirm configuration and availability by quotation.



Manufacturer image of the kit motor.

€2,143.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

K441EBFSLT

KIT TOP441 EVO · gate kit

KIT TOP441 EVO is a GiBiDi kit listed in catalogue 2026. Its published contents are shown below; installation components and project conditions must be checked before ordering.
Confirm configuration and availability by quotation.



Manufacturer image of the kit motor.

€2,240.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · TOP EVO hydraulic

K441ERBFSLT

KIT TOP441 EVO R · Gate kit

KIT TOP441 EVO R is a GiBiDi kit identified in catalogue 2026. Its published contents are listed below; installation components and project conditions must be checked before ordering.
Confirm configuration and availability by quotation.



Manufacturer image of the kit motor.

€2,331.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

K441ERSBFSLT

KIT TOP441 EVO RS · Gate kit

Manufacturer hydraulic automation kit for a swing gate.
• 2 TOP441 EVO RS actuators.
• 1 F4 AS06320 control unit for 1 or 2 motors.
• 1 DRS4332 AU02910 plug-in receiver, 2 channels.
• 1 flashing light 70750 / DSL70750, 12-24-115-230 V.
• 2 VINCI AU03300 remote controls, rolling code, 2 channels, 433 MHz.
• 1 DCS100 AU01940 key selector, with 3 keys.
• 1 pair of DCF180 AU02250 photocells.
• 1 warning sign AJ75800.
Confirm installation geometry and specify an electric lock where appropriate.



Manufacturer image of the kit motor.

€2,439.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · TOP EVO hydraulic

AJ00490

Release custom-keyed

Manual release with a customised key.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€42.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AJ01650

TOP mounting brackets 291

Adjustable bolt-on brackets for TOP291.
Confirm configuration and availability by quotation.



Manufacturer range image.

€120.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Swing gates · TOP EVO hydraulic

AJ01660

TOP mounting brackets 391 /441

Adjustable bolt-on brackets for TOP391 and TOP441.
Confirm configuration and availability by quotation.



Manufacturer range image.

€125.00 excl. VAT


Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Underground · hydraulic FLOOR

81500



Manufacturer range image.

FLOOR 850 · Underground hydraulic operator

FLOOR 850 is a 230 V AC underground hydraulic operator, with a maximum opening angle of 150° and a published maximum length of 3.0 m per leaf. Select the FLOOR AJ49000 box and controls according to the configuration.

- Power · 230 V AC
- Maximum opening · 150°
- Maximum leaf length · 3.0 m
- Power consumption · 190 W
- Maximum torque · 320 Nm
- Rotational speed · 6°/s
- Published duty rating · 40%
- Protection · IP67
- Associated housing · AJ49000, order separately when not included in a kit


Confirm the AJ49000 box, opening angle and limit switches for the version.

€1,285.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

81524



Manufacturer range image.

FLOOR 854 · Underground hydraulic operator

FLOOR 854 is a 24 V DC underground hydraulic operator, with a maximum opening angle of 150° and a published maximum leaf length of 3.0 m. The FLOOR AJ49000 foundation box and controller must be selected to suit the configuration.

- Power · 24 V DC
- Maximum opening · 150°
- Maximum leaf length · 3.0 m
- Power consumption · 120 W
- Maximum torque · 320 Nm
- Rotational speed · 6°/s
- Published duty rating · 80%
- Protection · IP67
- Associated housing · AJ49000, order separately when not included in a kit

Confirm the AJ49000 box, opening angle and limit switches for the version.

€1,397.00 excl. VAT


Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Underground · hydraulic FLOOR

81800



Manufacturer range image.

FLOOR 880 · Underground hydraulic operator

FLOOR 880 is a 230 V AC underground hydraulic operator, with a maximum opening angle of 180° and a published maximum length of 2.5 m per leaf. Select the FLOOR AJ49000 box and controls according to the configuration.

- Power · 230 V AC
- Maximum opening · 180°
- Maximum leaf length · 2.5 m
- Power consumption · 190 W
- Maximum torque · 300 Nm
- Rotational speed · 7°/s
- Published duty rating · 40%
- Protection · IP67
- Associated housing · AJ49000, order separately when not included in a kit


Confirm the AJ49000 box, opening angle and limit switches for the version.

€1,348.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

81824



Manufacturer range image.

FLOOR 884 · Underground hydraulic operator

FLOOR 884 is a 24 V DC underground hydraulic operator, with a maximum opening angle of 180° and a published maximum leaf length of 2.5 m. The FLOOR AJ49000 foundation box and controller must be selected to suit the configuration.

- Power · 24 V DC
- Maximum opening · 180°
- Maximum leaf length · 2.5 m
- Power consumption · 120 W
- Maximum torque · 300 Nm
- Rotational speed · 7°/s
- Published duty rating · 80%
- Protection · IP67
- Associated housing · AJ49000, order separately when not included in a kit

Confirm the AJ49000 box, opening angle and limit switches for the version.

€1,467.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation


ControlAccessPro

Underground · hydraulic FLOOR

K870BFSLT

KIT FLOOR 850 · Gate kit

Manufacturer kit with underground hydraulic drives and foundation boxes.
• 2 FLOOR 850 motors.
• 2 AJ49000 boxes with covers.
• 1 F4 AS06320 control unit.
• 1 DRS4332 AU02910 plug-in receiver, 2 channels.
• 1 flashing light 70750 / DSL70750, 12-24-115-230 V.
• 2 VINCI AU03300 remote controls, rolling code, 2 channels, 433 MHz.
• 1 DCS100 AU01940 key selector, with 3 keys.
• 1 pair of DCF180 AU02250 photocells.
• 1 warning sign AJ75800.
Confirm the AJ49000 box, opening angle and limit switches for the version.



Manufacturer image of the kit motor.

€3,413.00 excl. VAT


Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

K875BFSLT

KIT FLOOR 854 · Gate kit

Manufacturer kit with underground hydraulic drives and foundation boxes.
• 2 FLOOR 854 motors.
• 2 AJ49000 boxes with covers.
• 2 AJ01400 limit switch assemblies.
• 1 BA24 AS06300 control unit.
• 1 DRS4332 AU02910 plug-in receiver, 2 channels.
• 1 flashing light 70750 / DSL70750, 12-24-115-230 V.
• 2 VINCI AU03300 remote controls, rolling code, 2 channels, 433 MHz.
• 1 DCS100 AU01940 key selector, with 3 keys.
• 1 pair of DCF180 AU02250 photocells.
• 1 warning sign AJ75800.
Confirm the AJ49000 box, opening angle and limit switches for the version.



Manufacturer image of the kit motor.

€3,973.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation


ControlAccessPro

Underground · hydraulic FLOOR

K880BFSLT

KIT FLOOR 880 · Gate kit

KIT FLOOR 880 is a GiBiDi kit identified in catalogue 2026. Its published contents are listed below; installation components and project conditions must be checked before ordering.
Confirm configuration and availability by quotation.



Manufacturer image of the kit motor.

€3,554.00 excl. VAT


Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

K884BFSLT

KIT FLOOR 884 · Gate kit

Manufacturer kit with underground hydraulic drives and foundation boxes.
• 2 FLOOR 884 motors.
• 2 AJ49000 boxes with covers.
• 2 AJ01400 limit switch assemblies.
• 1 BA24 AS06300 control unit.
• 1 DRS4332 AU02910 plug-in receiver, 2 channels.
• 1 flashing light 70750 / DSL70750, 12-24-115-230 V.
• 2 VINCI AU03300 remote controls, rolling code, 2 channels, 433 MHz.
• 1 DCS100 AU01940 key selector, with 3 keys.
• 1 pair of DCF180 AU02250 photocells.
• 1 warning sign AJ75800.
Confirm the AJ49000 box, opening angle and limit switches for the version.



Manufacturer image of the kit motor.

€4,115.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Underground · hydraulic FLOOR

AJ49000

AJ49000 · FLOOR foundation box

Self-supporting foundation box for FLOOR operators, with black cataphoretic coating. Catalogue 2026 states that a lid is included. Stainless-steel lid A90929P and device AJ92000 are separate options.
• Published compatibility · FLOOR 850, 854, 880 and 884
• Finish · Black cataphoresis coating
• Supplied components · Lid included
Confirm the AJ49000 box, opening angle and limit switches for the version.



Manufacturer image of the listed foundation box.

€320.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

AJ01400

Limit switch assembly

Limit switch assembly for FLOOR. Confirm the configuration.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€111.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Underground · hydraulic FLOOR

A90929P

Stainless-steel cover

Stainless-steel cover for the FLOOR foundation box.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€150.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AJ92000

Release FLOOR

Custom-key release with stainless-steel cover for AJ49000.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€530.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Underground · hydraulic FLOOR

AJ01410

Adapter limit switches

Limit-switch adapter for F4/BA100. Confirm the application in the technical documentation.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€52.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Underground · electromechanical GROUND

20030

GROUND 610 · underground electromechanical operator



Manufacturer range image.

GROUND 610 is a 230 V AC underground electromechanical hinged gate operator for leaves up to 3.5 m according to the manufacturer's diagram. Version 610 has adjustable mechanical stops; the controller must be selected separately.
• Power · 230 V AC
• Published maximum length · 3.5 m
• Published maximum opening · 110°
• Power consumption · 400 W
• Maximum torque · 530 Nm
• Rotational speed · 7°/s
• Published duty rating · 30%
• Protection · IP67
• Encoder · No; optional limit switches
• Associated housing · AJ49300, order separately when not included in a kit
Confirm the AJ49300 box, limit switches and drainage for the installation.

€607.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

20034E

GROUND 634 · underground electromechanical operator



Manufacturer range image.

GROUND 634 is a 24 V DC underground electromechanical operator for swing gates up to 3.5 m per leaf according to the manufacturer's diagram. Version 634 has an encoder and uses control unit BE24G AS06270.
• Power · 24 V DC
• Published maximum length · 3.5 m
• Published maximum opening · 110°
• Power consumption · 150 W
• Maximum torque · 320 Nm
• Rotational speed · 7°/s
• Published duty rating · Intensive (no numerical percentage in this table)
• Protection · IP67
• Encoder · Yes
• Associated housing · AJ49300, order separately when not included in a kit
Confirm the AJ49300 box, limit switches and drainage for the installation.

€757.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Underground · electromechanical GROUND

K608BFSLT

KIT GROUND 610 · gate kit

Manufacturer kit with underground electromechanical drives and foundation boxes.
• 2 GROUND 610 motors.
• 2 AJ49300 boxes.
• 1 F4 AS06320 control unit.
• Receiver radio stated as integrated by the catalogue; no additional module assumed.
• 1 flashing light 70750 / DSL70750, 12-24-115-230 V.
• 2 VINCI AU03300 remote controls, rolling code, 2 channels, 433 MHz.
• 1 DCS100 AU01940 key selector, with 3 keys.
• 1 pair of DCF180 AU02250 photocells.
• 1 warning sign AJ75800.
Confirm the AJ49300 box, limit switches and drainage for the installation.



Manufacturer image of the kit motor.

€2,325.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

K640BFSLT

KIT GROUND 634 · gate kit

Manufacturer kit with underground electromechanical drives and foundation boxes.
• 2 GROUND 634 motors.
• 2 AJ49300 boxes.
• 1 BE24G AS06270 control unit.
• Receiver radio stated as integrated by the catalogue; no additional module assumed.
• 1 flashing light 70750 / DSL70750, 12-24-115-230 V.
• 2 VINCI AU03300 remote controls, rolling code, 2 channels, 433 MHz.
• 1 DCS100 AU01940 key selector, with 3 keys.
• 1 pair of DCF180 AU02250 photocells.
• 1 warning sign AJ75800.
Confirm the AJ49300 box, limit switches and drainage for the installation.



Manufacturer image of the kit motor.

€2,489.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Underground · electromechanical GROUND

AJ49300

AJ49300 · GROUND foundation box

Self-supporting steel foundation box with cataphoresis finish for GROUND operators. The catalogue states that cover and release levers are included.
• Published compatibility · GROUND 610 and 634
• Material and finish · Steel, cataphoretic finish
• Supplied components · Lid and release levers included
Confirm the AJ49300 box, limit switches and drainage for the installation.



Manufacturer image of the listed foundation box.

€531.00 excl. VAT

Italian manufacturer list · May 2026

ControlAccessPro sheet | Manufacturer source | Request a quotation

AJ00940

Limit switches GROUND610

Optional limit switch kit for GROUND610.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€72.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Garage doors · TAIMEN

K026B

TAIMEN T6

T6 operator kit with controller, receiver, two rolling-code remotes and door fixings.
Confirm configuration and availability by quotation.



Manufacturer range image.

€571.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

K036B

TAIMEN T12

T12 operator kit with controller, receiver, two rolling-code remotes and door fixings.
Confirm configuration and availability by quotation.



Manufacturer range image.

€621.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Garage doors · TAIMEN

AJ01450

Rail extension

1 m rail extension.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€74.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AJ00303

Counterweighted door arm

Counterweighted door arm, separate from T6/T12 kits.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€208.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Garage doors · TAIMEN

AJ01460

Release external

External emergency release kit.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€31.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AJ01470

Cable extension

6 m extension cable.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€71.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Garage doors · TAIMEN

AJ01510

Battery kit

Complete battery kit.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€208.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AJ01455

Rail brackets

Additional rail supports.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€30.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Control units

AS05800

SC380

Digital controller for a 220 V single- or three-phase or 400 V three-phase motor. Confirm configuration and availability by quotation.



Manufacturer image of this reference.

On request

Confirm pricing and configuration by quotation

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AS06251

BE24

Self-learning controller for one or two 24 V DC motors with radio and charger. Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€347.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Control units

AS06320

F4

Analogue controller for one or two 230 V motors, with four limit inputs and slowdown.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€264.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AS05581

BA230

Digital controller for one or two 230 V motors, with four limits and separate timing.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€346.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Control units

AS06300

BA24

Digital controller for one or two 24 V DC motors with slowdown and obstacle handling.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€368.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AS05060

BA100

Analogue controller for one 230 V motor, with two limits and slowdown.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€279.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Control units

AS06270

BE24G

Dedicated GROUND634 control unit.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€380.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AS06070

TAIMEN

Digital TAIMEN T6/T12 controller with LEDs and built-in radio receiver.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€142.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Control units

AS05860

SE24

SL544 control unit for one 24 V DC encoder motor, with graphic display and radio receiver.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

On request

Confirm pricing and configuration by quotation

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AS05180

TL100

Traffic signal controller with adjustable delay and alternating priority.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

On request

Confirm pricing and configuration by quotation

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Control units

A90984P

SC230E

Analogue PASS controller for one 230 V motor, with or without encoder.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€276.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Radio transmitters and receivers

AU03100

MAKO 433

433 MHz four-channel rolling-code transmitter. One unit.
Confirm configuration and availability by quotation.



Manufacturer range image.

€48.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AU04200

MAKO 433 box 40

40-unit manufacturer pack of MAKO 433 transmitters.
Confirm configuration and availability by quotation.



Manufacturer range image.

€1,575.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Radio transmitters and receivers

AU03300

VINCI 433

433 MHz two-channel rolling-code transmitter. One unit.
Confirm configuration and availability by quotation.



Manufacturer range image.

€30.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AU03350

VINCI 433 box 50

50-unit manufacturer pack of VINCI 433 transmitters.
Confirm configuration and availability by quotation.



Manufacturer range image.

€1,294.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Radio transmitters and receivers

AU02810

DRS4334

Four-channel receiver for DRR1000/2000 enclosures or the DSL2000 light.
Confirm configuration and availability by quotation.



Manufacturer range image.

€133.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AU02910

DRS4332

Two-channel plug-in receiver for control units.
Confirm configuration and availability by quotation.



Manufacturer range image.

€102.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Radio transmitters and receivers

AU02540

DRS4331

Universal single-channel receiver, 42 × 48 × 25 mm.
Confirm configuration and availability by quotation.



Manufacturer range image.

€60.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AU02580

DRS4336

Universal two-channel receiver with 115-230 V AC power.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€97.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Radio transmitters and receivers

AU02570

DRS4335

Universal two-channel receiver.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€83.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AU03200

MAKO 868

868 MHz four-channel rolling-code transmitter. One unit.
Confirm configuration and availability by quotation.



Manufacturer range image.

€52.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Radio transmitters and receivers

AU04300

MAKO 868 box 40

40-unit manufacturer pack of MAKO 868 transmitters.
Confirm configuration and availability by quotation.



Manufacturer range image.

€1,890.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AU02840

DRS8684

Four-channel receiver for DRR1000/2000 and DSL2000.
Confirm configuration and availability by quotation.



Manufacturer range image.

€142.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Radio transmitters and receivers

AU02940

DRS8682

Two-channel plug-in receiver.
Confirm configuration and availability by quotation.



Manufacturer range image.

€108.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AU02530

DRS8681

Universal single-channel receiver, 42 × 48 × 25 mm.
Confirm configuration and availability by quotation.



Manufacturer range image.

€68.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Warning lights and signalling accessories

70750

DSL70750

LED warning light, 12/24/115/230 V supply.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€63.00 excl. VAT


Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

71750

FLAGGY white

24/115/230 V LED warning light with integrated 433/868 MHz antenna.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€68.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Warning lights and signalling accessories

71751

FLAGGY orange

24/115/230 V LED warning light with integrated 433/868 MHz antenna.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€68.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AU02800

DRR1000

Outdoor enclosure for a four-channel receiver.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€29.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Warning lights and signalling accessories

AU02600

DRR2000

Enclosure for compatible circuit boards.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€16.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AU02750

LED board DSL

12/24/115/230 V replacement LED board.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

On request

Confirm pricing and configuration by quotation

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Warning lights and signalling accessories

70187

Antenna 433 MHz

433 MHz antenna with 4 m cable.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

On request

Confirm pricing and configuration by quotation

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Safety edges and detection

CM100K8

Safety edge 8,2 kΩ 1 m

1 m, 8.2 kΩ safety edge.
Confirm configuration and availability by quotation.



Manufacturer image of the range profile.

€93.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

CM150K8

Safety edge 8,2 kΩ 1,5 m

1.5 m, 8.2 kΩ safety edge.
Confirm configuration and availability by quotation.



Manufacturer image of the range profile.

€108.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Safety edges and detection

CM170K8

Safety edge 8,2 kΩ 1,7 m

1.7 m, 8.2 kΩ safety edge.
Confirm configuration and availability by quotation.



Manufacturer image of the range profile.

€118.00 excl. VAT


Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

CM200K8

Safety edge 8,2 kΩ 2 m

2 m, 8.2 kΩ safety edge.
Confirm configuration and availability by quotation.



Manufacturer image of the range profile.

€130.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Safety edges and detection

CM250K8

Safety edge 8,2 kΩ 2,5 m

2.5 m, 8.2 kΩ safety edge.
Confirm configuration and availability by quotation.



Manufacturer image of the range profile.

€147.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

CM100M

Mechanical edge 1 m

1 m mechanical rubber safety edge.
Confirm configuration and availability by quotation.



Manufacturer image of the range profile.

€74.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Safety edges and detection

CM150M

Mechanical edge 1,5 m

1.5 m mechanical rubber safety edge.
Confirm configuration and availability by quotation.



Manufacturer image of the range profile.

€85.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

CM170M

Mechanical edge 1,7 m

1.7 m mechanical rubber safety edge.
Confirm configuration and availability by quotation.



Manufacturer image of the range profile.

€102.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Safety edges and detection

CM200M

Mechanical edge 2 m

2 m mechanical rubber safety edge.
Confirm configuration and availability by quotation.



Manufacturer image of the range profile.

€107.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

CM250M

Mechanical edge 2,5 m

2.5 m mechanical rubber safety edge.
Confirm configuration and availability by quotation.



Manufacturer image of the range profile.

€124.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Safety edges and detection

CM100K8NT

CAPACTIVE 1 m

1 m, 8.2 kΩ safety edge with 868 MHz transmitter and optional NOTOUCH configuration.
Confirm configuration and availability by quotation.



Manufacturer image of the range profile.

€302.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

CM150K8NT

CAPACTIVE 1,5 m

1.5 m, 8.2 kΩ safety edge with 868 MHz transmitter and optional NOTOUCH configuration.
Confirm configuration and availability by quotation.



Manufacturer image of the range profile.

€321.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Safety edges and detection

CM170K8NT

CAPACTIVE 1,7 m

1.7 m, 8.2 kΩ safety edge with 868 MHz transmitter and optional NOTOUCH configuration.
Confirm configuration and availability by quotation.



Manufacturer image of the range profile.

€334.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

CM200K8NT

CAPACTIVE 2 m

2 m, 8.2 kΩ safety edge with 868 MHz transmitter and optional NOTOUCH configuration.
Confirm configuration and availability by quotation.



Manufacturer image of the range profile.

€350.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Safety edges and detection

CM250K8NT

CAPACTIVE 2,5 m

2.5 m, 8.2 kΩ safety edge with 868 MHz transmitter and optional NOTOUCH configuration.
Confirm configuration and availability by quotation.



Manufacturer image of the range profile.

€372.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

SCMK

Assembly profile

Rubber and aluminium assembly profile. Stated minimum supply 50 m.
Confirm configuration and availability by quotation.



Illustrative category diagram.

€32.00 excl. VAT / m

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Safety edges and detection

SCMK200

End fittings CMK 2 m

End fitting kit for lengths up to 2 m.
Confirm configuration and availability by quotation.



Illustrative category diagram.

€59.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

SCMK400

End fittings CMK 4 m

End fitting kit for lengths up to 4 m.
Confirm configuration and availability by quotation.



Illustrative category diagram.

€66.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Safety edges and detection

SAFE2

Monitoring 2 channels

Two-channel safety-edge monitoring board.
Confirm configuration and availability by quotation.



Manufacturer image of the SAFE range.

€85.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

SAFE4

Monitoring 4 channels

Four-channel safety-edge monitoring board.
Confirm configuration and availability by quotation.



Manufacturer image of the SAFE range.

€100.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Safety edges and detection

CAPT868

Transmitter CAPTIVE

Optional external 868 MHz transmitter.
Confirm configuration and availability by quotation.



Manufacturer image of the radio system.

€255.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

CAPR868

Receiver CAPTIVE

External 868 MHz receiver.
Confirm configuration and availability by quotation.



Manufacturer image of the radio system.

€255.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Safety edges and detection

AW11290

Magnets NOTOUCH

Inhibition magnet kit for NOTOUCH mode with CAPACTIVE edges.
Confirm configuration and availability by quotation.



Illustrative category diagram.

€126.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Locking, detection and protection

AJ00632

Lock 12 VDC

Electric lock for a swing gate with cylinder. Mounting plate supplied separately.
Confirm configuration and availability by quotation.



Manufacturer range image.

€250.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AJ70164

Horizontal keeper

Keeper for horizontal mounting.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€22.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Locking, detection and protection

AJ00862

Gate leaf stop

Left/right reversible gate leaf stop.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€104.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AJ70163

Floor keeper

Keeper for vertical mounting.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€27.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Locking, detection and protection

AJ00642

Lock 24 VDC

Electric lock for a swing gate with cylinder. Mounting plate supplied separately. Confirm configuration and availability by quotation.



Manufacturer range image.

€260.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AS05900

Loop detector 24 VDC

Inductive metal detection. Loop supplied separately. Confirm configuration and availability by quotation.



Manufacturer range image.

€435.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Locking, detection and protection

AS05910

Loop detector 220 V

Inductive metal detection. Loop supplied separately.
Confirm configuration and availability by quotation.



Manufacturer range image.

€421.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

AJ75800

Automatic gate sign

Automatic gate identification sign.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€14.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Locking, detection and protection

KBP05

Finger protection 5 m

Finger-protection edge kit, 5 m.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€201.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

KBP10

Finger protection 10 m

Finger-protection edge kit, 10 m.
Confirm configuration and availability by quotation.



Manufacturer image of this reference.

€386.00 excl. VAT

Italian manufacturer list · May 2026

CAD 2026 catalogue (FR) | Manufacturer source | Request a quotation

ControlAccessPro

Announced ranges

ANNOUNCED RANGE

SLIDER A · sliding gates up to 800 kg

The SLIDER A family is announced for sliding gates up to 800 kg, with digital control and configuration assistant. The flyer presents 230 V and 24 V DC versions; commercial product references remain to be confirmed.
• Stated maximum weight · 800 kg
• Stated power supplies · 230 V AC or 24 V DC
• Configuration · Digital control and Wizard Set-up assistant
• Batteries · Charger mentioned; backup contents to be confirmed according to version
Announced range. Commercial reference, price and availability to be confirmed.



Image from the manufacturer's 2026/2027 flyer.

On request

Availability to be confirmed

ControlAccessPro sheet | Manufacturer source | Request a quotation

ANNOUNCED RANGE

SLIDER B · sliding gates up to 1 500 kg

The announced SLIDER B family targets sliding gates up to 1 500 kg. The manufacturer describes 230 V, 230 V with integrated inverter and Brushless versions, plus reversible and fast variants to be specified.
• Stated maximum weight · 1 500 kg
• Stated operators · 230 V, 230 V with inverter, or Brushless
• Configuration · Digital control and Wizard Set-up assistant
• Stated options · Reversible and high-speed versions; references to be confirmed
Announced range. Commercial reference, price and availability to be confirmed.



Image from the manufacturer's 2026/2027 flyer.

On request

Availability to be confirmed

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Announced ranges

ANNOUNCED RANGE

SLIDER C · sliding gates up to 3 000 kg

SLIDER C is the large model in the family announced for sliding gates up to 3 000 kg. The announcement lists 230 V versions with inverter, 400 V three-phase or Brushless, and internal accessory space with DIN rail.
• Stated maximum weight · 3 000 kg
• Stated operators · 230 V with integrated inverter, 400 V three-phase or Brushless
• Configuration · Digital control and Wizard Set-up assistant
• Integration · Accessory space and DIN rail mentioned
Announced range. Commercial reference, price and availability to be confirmed.



Image from the manufacturer's 2026/2027 flyer.

On request

Availability to be confirmed

ControlAccessPro sheet | Manufacturer source | Request a quotation

ANNOUNCED RANGE

ARTÉ · new articulated-arm operator

ARTÉ is announced as a 24 V DC articulated-arm swing gate operator with digital control. The configuration assistant, built-in charger and adjustable mechanical limit switches are presented in the leaflet.
• Stated power supply · 24 V DC
• Control · Digital with configuration assistant
• Charger · Integrated according to the announcement
• Mechanical components · Adjustable mechanical limit switches; articulated arm with stop
Announced range. Commercial reference, price and availability to be confirmed.



Image from the manufacturer's 2026/2027 flyer.

On request

Availability to be confirmed

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Announced ranges

ANNOUNCED RANGE

Wall-mounted or recessed photocells · new range

A new range of 12/24 V AC/DC photocells is announced for wall or recessed mounting. The flyer states a recess diameter of 60 mm; enclosure compatibility must be confirmed for the project.
• Stated power supply · 12/24 V AC/DC
• Mounting · Wall or flush-mounted Ø60 mm
• Compatibility · Recessed boxes from certain other brands; check by product reference
Announced range. Commercial reference, price and availability to be confirmed.



Image from the manufacturer's 2026/2027 flyer.

On request

Availability to be confirmed

ControlAccessPro sheet | Manufacturer source | Request a quotation

ANNOUNCED RANGE

Key switches · new range

The flyer presents new key selectors in surface- and flush-mounted versions. Contact type, cylinder and codes for the different versions are not published in this announcement.
• Stated mounting · Surface or flush mounting
• Identification · No commercial code published in this flyer
Announced range. Commercial reference, price and availability to be confirmed.



Image from the manufacturer's 2026/2027 flyer.

On request

Availability to be confirmed

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Announced ranges

ANNOUNCED RANGE

Wireless proximity readers · new range

New wireless proximity readers are announced for access control. Two mounting styles, surface and flush, are illustrated; credential technology and radio protocol to be confirmed.
• Function · Wireless proximity reading
• Stated mounting · Surface or flush mounting
• Compatibility · Protocol and credentials to be specified
Announced range. Commercial reference, price and availability to be confirmed.



Image from the manufacturer's 2026/2027 flyer.

On request

Availability to be confirmed

ControlAccessPro sheet | Manufacturer source | Request a quotation

ANNOUNCED RANGE

Wireless coded keypads · new range

The new wireless keypad is presented for surface or flush mounting, with a stated capacity of 999 users. Version codes and associated receiver remain to be specified.
• Stated capacity · 999 users
• Communication · Wireless; protocol to be confirmed
• Mounting · Surface or flush mounting
Announced range. Commercial reference, price and availability to be confirmed.



Image from the manufacturer's 2026/2027 flyer.

On request

Availability to be confirmed

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Announced ranges

ANNOUNCED RANGE

LED flashing light with antenna · new product

The flyer announces an adjustable-position LED flashing light with integrated antenna for 433 and 868 MHz frequencies. Stated supplies are 24, 115 and 230 V; exact versions must be confirmed.
• Stated power supplies · 24 / 115 / 230 V
• Antenna · Integrated, 433 and 868 MHz
• Orientation · Adjustable position
Announced range. Commercial reference, price and availability to be confirmed.



Image from the manufacturer's 2026/2027 flyer.

On request

Availability to be confirmed

ControlAccessPro sheet | Manufacturer source | Request a quotation

ANNOUNCED RANGE

Adjustable photocells with LED option · new product

A new series of 12/24 V AC/DC photocells adjustable up to 180° is announced. An LED option is presented for flashing or programmable courtesy lighting; specify compatible version and controls.
• Stated power supply · 12/24 V AC/DC
• Stated orientation · Up to 180°
• LED option · Programmable flashing or courtesy light
Announced range. Commercial reference, price and availability to be confirmed.



Image from the manufacturer's 2026/2027 flyer.

On request

Availability to be confirmed

ControlAccessPro sheet | Manufacturer source | Request a quotation

ControlAccessPro

Technical guidance · 1/4

SLIDER A · sliding gates up to 800 kg

The SLIDER A family is announced for sliding gates up to 800 kg, with digital control and configuration assistant. The flyer presents 230 V and 24 V DC versions; commercial product references remain to be confirmed.

Announced range. Commercial reference, price and availability to be confirmed.

Open the source

SLIDER B · sliding gates up to 1 500 kg

The announced SLIDER B family targets sliding gates up to 1 500 kg. The manufacturer describes 230 V, 230 V with integrated inverter and Brushless versions, plus reversible and fast variants to be specified.

Announced range. Commercial reference, price and availability to be confirmed.

Open the source

SLIDER C · sliding gates up to 3 000 kg

SLIDER C is the large model in the family announced for sliding gates up to 3 000 kg. The announcement lists 230 V versions with inverter, 400 V three-phase or Brushless, and internal accessory space with DIN rail.

Announced range. Commercial reference, price and availability to be confirmed.

Open the source

Control AccessPro

Technical guidance · 2/4

ARTÉ · new articulated-arm operator

ARTÉ is announced as a 24 V DC articulated-arm swing gate operator with digital control. The configuration assistant, built-in charger and adjustable mechanical limit switches are presented in the leaflet.

Announced range. Commercial reference, price and availability to be confirmed.

Open the source

Wall-mounted or recessed photocells · new range

A new range of 12/24 V AC/DC photocells is announced for wall or recessed mounting. The flyer states a recess diameter of 60 mm; enclosure compatibility must be confirmed for the project.

Announced range. Commercial reference, price and availability to be confirmed.

Open the source

Key switches · new range

The flyer presents new key selectors in surface- and flush-mounted versions. Contact type, cylinder and codes for the different versions are not published in this announcement.

Announced range. Commercial reference, price and availability to be confirmed.

Open the source

Control AccessPro

Technical guidance · 3/4

Wireless proximity readers · new range

New wireless proximity readers are announced for access control. Two mounting styles, surface and flush, are illustrated; credential technology and radio protocol to be confirmed.

Announced range. Commercial reference, price and availability to be confirmed.

Open the source

Wireless coded keypads · new range

The new wireless keypad is presented for surface or flush mounting, with a stated capacity of 999 users. Version codes and associated receiver remain to be specified.

Announced range. Commercial reference, price and availability to be confirmed.

Open the source

LED flashing light with antenna · new product

The flyer announces an adjustable-position LED flashing light with integrated antenna for 433 and 868 MHz frequencies. Stated supplies are 24, 115 and 230 V; exact versions must be confirmed.

Announced range. Commercial reference, price and availability to be confirmed.

Open the source

Control AccessPro

Technical guidance · 4/4

Adjustable photocells with LED option · new product

A new series of 12/24 V AC/DC photocells adjustable up to 180° is announced. An LED option is presented for flashing or programmable courtesy lighting; specify compatible version and controls.

Announced range. Commercial reference, price and availability to be confirmed.

Open the source

ControlAccessPro