Contents | Reference index | Request a quotation

PROFESSIONAL CATALOGUE 2027 / 2028

Opera

447 manufacturer listings, 17 series and 721 documented codes. Listed price benchmarks are for the Italian market.

ControlAccessPro



25500.35



22912



28002.1BR

Explore the families, product sheets and reference documentation.

Explore the catalogue

Contents | Reference index | Request a quotation

Contents by category

Featured products 3

Safety · Electromagnets and emergency… 6

Fire Control · Fire-door hold-open… 36

Smart Trim · Electric handles and… 56

Omnia · Electric security strikes 59

Quadra · Horizontal electric bolts 88

Arca · Cabinet and sliding-door locks 107

Swing · Locks for double-action doors 119

Control System · Electronic door… 120

Prima · Vertical electric bolts 125

Classica · Horizontal electric bolts 137

Gate · Gate and door locks 142

Maxima · Motorised locks 156

Profilo · Signalling and controls 162

Accessories · Components and power… 176

Access · Access-control systems 204

Doora · Remote access management 229

People Counter · People counting 237

Reference index 240

Each sheet includes the reference, selection details and available links.

ControlAccessPro

Contents | Reference index | Request a quotation

Featured products

A Control Access selection for residential, shared and industrial applications.



25500.35

Maxima · Deadbolt, 35 mm backset

View sheet



25500.50

Maxima · Deadbolt, 50 mm backset

View sheet



25511.35

Maxima · Hookbolt, 35 mm backset

View sheet



25511.50

Maxima · Hookbolt, 50 mm backset

View sheet



OP55011 50

Maxima · motorised lock, 50 mm backset

View sheet



22912

Arca · 12 V cabinet lock

View sheet



22924

Arca · 24 V cabinet lock

View sheet



22912CS

Arca · 12 V cabinet lock with key release

View sheet



22922S

Arca Slim · 12 V locker lock

View sheet



22924S

Arca Slim · 24 V locker lock

View sheet

ControlAccessPro

Featured products

A Control Access selection for residential, shared and industrial applications.



23822

Arca Slide · 12 V sliding lock

View sheet



23824

Arca Slide · 24 V sliding lock

View sheet



23822FG

Arca Slide · 12 V sliding lock with stop

View sheet



28002.1BR

Gate Lock · right-hand, knob

View sheet



28003.1BR

Gate Lock · right-hand, key

View sheet



23000

Swing · double-action electric lock

View sheet



23500 30

Omnia Gemina · 30 mm backset

View sheet



21612

Quadra · mortise electric bolt

View sheet



21913

Quadra · solenoid bolt with latch

View sheet



13100

Safety Maxi · silver magnetic lock

View sheet

ControlAccessPro

Contents | Reference index | Request a quotation

Featured products

A Control Access selection for residential, shared and industrial applications.

3 / 3



13100N

Safety Maxi · black magnetic lock

View sheet



13700KIT TFB

Safety Mini · magnetic lock and battery kit

View sheet



18100

Fire Control · wall-mount hold-open magnet

View sheet



01620I

Hold-open magnet · plate included

View sheet



40621

Smart Trim · handle enabled without power

View sheet



40821

Smart Trim · handle disabled without power

View sheet



57301

Standalone keypad · PIN and RFID

View sheet

ControlAccessPro

Contents | Reference index | Request a quotation

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

13100



Manufacturer image · 13100

Safety Maxi · silver magnetic lock

€327.20 excl. VAT · Manufacturer benchmark · Italy · 07.11.2026

Surface-mounted magnetic lock for swing doors, with status sensor and indicator.

Manufacturer-rated holding force up to 600 kg • 12/24 V DC · COM/NO/NC output

ControlAccessPro sheet | Manufacturer resource | Request a quotation

13100N



Range image · variant depends on reference

Safety Maxi · black magnetic lock

€351.10 excl. VAT · Manufacturer benchmark · Italy · 07.11.2026

Surface-mounted magnetic lock for swing doors, with status sensor and indicator.

Manufacturer-rated holding force up to 600 kg • 12/24 V DC · COM/NO/NC output

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

13700KIT TFB



Manufacturer kit image

Safety Mini · magnetic lock and battery kit

On request

Kit with magnetic lock, mounting bracket, plate, power supply enclosure and battery. See the manufacturer's component list.

Manufacturer-rated holding force up to 300 kg • Adjustable 1-90 s delay

ControlAccessPro sheet | Manufacturer resource | Request a quotation

00147



CAD diagram · product not pictured

Underplate for Electromagnet Series 14700TD

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.


00147N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

01127



CAD diagram · product not pictured

Armature plate for electromagnets series 125 - 127 - 128


On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Armature plate for electromagnets series 125 - 127 - 128

ControlAccessPro sheet | Manufacturer resource | Request a quotation

01130



CAD diagram · product not pictured

Armature plate for electromagnets series 130 - 131 - 140 - 142

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Armature plate for electromagnets series 130 - 131 - 140 - 142

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

01134

Armature plate for 134 series electromagnets



CAD diagram · product not pictured

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Armature plate for 134 series electromagnets

ControlAccessPro sheet | Manufacturer resource | Request a quotation

01137

Armature plate for electromagnets series 135 - 136 - 137



CAD diagram · product not pictured

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Armature plate for electromagnets series 135 - 136 - 137

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

01137L



CAD diagram · product not pictured

Armature plate for Electromagnets 13700TDL series

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Armature plate for Electromagnets 13700TDL series

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03000



Opera manufacturer catalogue image · 2017 edition, confirm…

"Elle" mounting bracket for 130 - 131 - 140 series

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

03000N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

03001



Opera manufacturer catalogue image · 2017 edition, confirm…

'Zeta' mounting bracket for 130 - 131 - 140 series

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

03001N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03002



Opera manufacturer catalogue image · 2017 edition, confirm…

Universal adjustable 'Elle' mounting bracket for 130 - 131 - 140 series

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Universal adjustable 'Elle' mounting bracket for 130 - 131 - 140…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

03003



Opera manufacturer catalogue image · 2017 edition, confirm…

"Universal" armature plate for fire doors for series 130 - 131 - 136 - 137 - 140

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

"Universal" armature plate for fire doors for series 130 - 131 -…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03004



Opera manufacturer catalogue image · 2017 edition, confirm…

"Universal" armature plate for security and fire doors for series 130 - 131 -…

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

"Universal" armature plate for security and fire doors for…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

03005



Opera manufacturer catalogue image · 2017 edition, confirm…

Short casing cover for series 130 - 131

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Short casing cover for series 130 - 131

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03006



Opera manufacturer catalogue image · 2017 edition, confirm…

Long casing cover for series 130 - 131

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Long casing cover for series 130 - 131

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

03007



Opera manufacturer catalogue image · 2017 edition, confirm…

'U' mounting bracket for 'Glass' counterplate for series 136 - 137

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

'U' mounting bracket for 'Glass' counterplate for series 136 - 137

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03500



Opera manufacturer catalogue image · 2017 edition, confirm…

'Elle' mounting bracket for Series 127

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

03500N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

03501



Opera manufacturer catalogue image · 2017 edition, confirm…

'Zeta' mounting bracket for 127 series

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

03501N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03600



Opera manufacturer catalogue image · 2017 edition, confirm…

'Elle' mounting bracket for 128 series

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

03600N


ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

03601

'Zeta' mounting bracket for 128 series



CAD diagram · product not pictured

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

03601N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03700

"Elle" mounting bracket for series 136 - 137



Opera manufacturer catalogue image · 2017 edition, confirm…

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

03700N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

03701

"Zeta" mounting bracket for series 136 - 137



CAD diagram · product not pictured

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

03701N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03705

Short cover for series 136 - 137



Opera manufacturer catalogue image · 2017 edition, confirm…

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Short cover for series 136 - 137

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

03706



Opera manufacturer catalogue image · 2017 edition, confirm…

Long cover for series 136 - 137

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Long cover for series 136 - 137

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03707



Opera manufacturer catalogue image · 2017 edition, confirm…

'Elle' mounting bracket with cover

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

03707N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

03707L



Opera manufacturer catalogue image · 2017 edition, confirm…

'Elle' mounting bracket with cover

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

'Elle' mounting bracket with cover

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03708



Opera manufacturer catalogue image · 2017 edition, confirm…

'Zeta' mounting bracket with cover

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

03708N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

03708L



Opera manufacturer catalogue image · 2017 edition, confirm…

'Zeta' mounting bracket with cover

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

'Zeta' mounting bracket with cover

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03709



Opera manufacturer catalogue image · 2017 edition, confirm…

Crankcase for series 138

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

03709N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

03710



Opera manufacturer catalogue image · 2017 edition, confirm…

Crankcase for series 139

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

03710N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

12500



Image from the Opera manufacturer product page

Micro electromagnetic lock for sliding doors, drawers and safety cabinets - pull…

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Micro electromagnetic lock for sliding doors, drawers and safety…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

12700



Image from the Opera manufacturer product page

Micro electromagnetic lock for swing doors - traction force up to 150 kg

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Micro electromagnetic lock for swing doors - traction force up…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

12800



Opera range image · confirm the variant

Micro electromagnetic lock for swing doors - traction force up to 150 kg

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

12800N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

12800M



Opera range image · confirm the variant

Micro electromagnetic lock with sensor for swing doors - traction force up to…

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

12800M

ControlAccessPro sheet | Manufacturer resource | Request a quotation

13000



Opera range image · confirm the variant

Maxi electromagnetic lock for swing doors - traction force 600 kg

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

13000N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

13100TD



Opera range image · confirm the variant

Maxi electromagnetic lock with sensor and timer for swing doors - traction force…

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Maxi electromagnetic lock with sensor and timer for swing doors…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

13400



Opera range image · confirm the variant

Midi electromagnetic lock for swing doors - traction force up to 350 kg

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Midi electromagnetic lock for swing doors - traction force up to…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

13400M



Opera range image · confirm the variant

Midi electromagnetic lock with sensor to be applied - traction force 300 kg

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

13400M

ControlAccessPro sheet | Manufacturer resource | Request a quotation

13500



Image from the Opera manufacturer product page

Mini electromagnetic lock for sliding doors - traction force up to 300 kg

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Mini electromagnetic lock for sliding doors - traction force up…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

13500M



Image from the Opera manufacturer product page

Mini electromagnetic lock with sensor for sliding doors - traction force up to…

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

13500M

ControlAccessPro sheet | Manufacturer resource | Request a quotation

13600



Opera range image · confirm the variant

Mini electromagnetic lock for swing doors - traction force 300 kg

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

13600N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

13700



Opera range image · confirm the variant

Mini electromagnetic lock with sensor for swing doors - traction force up to 300…

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

13700N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

13700KIT TF



CAD diagram · product not pictured

Mini electromagnetic lock kit for mounting with power supply

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

1 a · 05320A · 12 Vdc · 13.8 Vdc · 3.0 A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

13700TD



Opera range image · confirm the variant

Mini electromagnetic lock with sensor and timer for swing doors - traction force…

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Mini electromagnetic lock with sensor and timer for swing doors…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

13700TDL



Image from the Opera manufacturer product page

Mini electromagnetic lock with sensor, timer and maxi LED, for application -…

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Mini electromagnetic lock with sensor, timer and maxi LED, for…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

13800



Image from the Opera manufacturer product page

Electromagnetic Shear Lock with sensor and timer for swing doors - pull force up…

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Electromagnetic Shear Lock with sensor and timer for swing doors…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

13900



Opera range image · confirm the variant

Micro electromagnetic Shear Lock for mortice doors - pull force up to 680 kg

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Micro electromagnetic Shear Lock for mortice doors - pull force…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

13900M



Opera range image · confirm the variant

Micro electromagnetic Shear Lock solenoid with sensor - tear-off operation for…

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

13900M

ControlAccessPro sheet | Manufacturer resource | Request a quotation

14000



Opera range image · confirm the variant

Double maxi electromagnetic lock with sensor for 2-leaf doors - traction force…

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

14000N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

14212R



Opera range image · confirm the variant

Gate Lock electromagnetic lock with sensor for swing or sliding gates - traction…

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

12 Vdc · 24 Vdc

ControlAccessPro sheet | Manufacturer resource | Request a quotation

14710TD



Opera range image · confirm the variant

ITEM 14710TD / 14710TDN - Mini electromagnetic lock with handle and timer for…

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

ITEM 14710TD / 14710TDN - Mini electromagnetic lock with handle…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

14800TD-A



Image from the Opera manufacturer product page

Mini electromagnetic lock with long handle and timer for apartment block doors…

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Mini electromagnetic lock with long handle and timer for…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

51300



Opera manufacturer catalogue image · 2017 edition, confirm…

Relocking delay module for all safety electromagnetic locks

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Relocking delay module for all safety electromagnetic locks

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

51400



Opera manufacturer catalogue image · 2017 edition, confirm…

Opening delay module for emergency exits

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Opening delay module for emergency exits

ControlAccessPro sheet | Manufacturer resource | Request a quotation

51500



CAD diagram · product not pictured

Relocking delay relay module

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Relocking delay relay module

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

55001



CAD diagram · product not pictured

Management Electronics 'Exit System'

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

12 Vac

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55003



Image from the Opera manufacturer product page

Electromagnet with 'Exit System' management electronics to apply

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Electromagnet with 'Exit System' management electronics to apply

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

SAFETY · ELECTROMAGNETS AND EMERGENCY EXITS

55005

Self-Managing Alarm "Alarm System

On request

Safety · Electromagnets and emergency exits. Specifications and dimensions available on the Opera product page.

Self-Managing Alarm "Alarm System



CAD diagram · product not pictured

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

18100



Manufacturer image · 18100

Fire Control · wall-mount hold-open magnet

€80.30 excl. VAT · Manufacturer benchmark · Italy · 07.11.2026

Wall-mounted hold-open magnet for swing fire doors. The manufacturer declares this model compliant with EN 1155.

24 V DC · 70 mA • >140 kg rated force with suitable plate

ControlAccessPro sheet | Manufacturer resource | Request a quotation

01620I



Manufacturer image · 01620I

Hold-open magnet · plate included

€44.60 excl. VAT · Manufacturer benchmark · Italy · 07.11.2026

Holds open swing or counterweighted sliding doors. Intended for non-fire-rated doors.

24 V DC · 70 mA • >55 kg manufacturer-rated force with matching plate

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

00112



Opera manufacturer catalogue image · 2017 edition, confirm…

Battery for fire alarm control panel 52002

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Battery for fire alarm control panel 52002

ControlAccessPro sheet | Manufacturer resource | Request a quotation

01630



CAD diagram · product not pictured

Hold open electromagnet for swing or sliding doors - traction force > 55 kg

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Hold open electromagnet for swing or sliding doors - traction…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

01740



Opera manufacturer catalogue image · 2017 edition, confirm…

Adjustable telescopic 'wall' or 'floor' mounting support for electromagnets…

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Adjustable telescopic 'wall' or 'floor' mounting support for…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

01740F



Opera manufacturer catalogue image · 2017 edition, confirm…

Non adjustable telescopic 'wall' or 'floor' mounting support for electromagnets…

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Non adjustable telescopic 'wall' or 'floor' mounting support for…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

01740M



Opera manufacturer catalogue image · 2017 edition, confirm…

Adjustable telescopic 'wall' or 'floor' mounting support for electromagnets…

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

01740M

ControlAccessPro sheet | Manufacturer resource | Request a quotation

01780



Image from the Opera manufacturer product page

Box for flush wall mount electromagnet / apply for electromagnet 18003

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Box for flush wall mount electromagnet / apply for electromagnet…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

01800Z



Opera manufacturer catalogue image · 2017 edition, confirm…

Fixed armature plate for series 01630 - 180 - 190

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Fixed armature plate for series 01630 - 180 - 190

ControlAccessPro sheet | Manufacturer resource | Request a quotation

01805Z



Opera manufacturer catalogue image · 2017 edition, confirm…

Swinging armature plate for series 01630 - 180 - 190

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Swinging armature plate for series 01630 - 180 - 190

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

01810Z



Opera manufacturer catalogue image · 2017 edition, confirm…

Fixed Armature plate for series 01830 - 181

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Fixed Armature plate for series 01830 - 181

ControlAccessPro sheet | Manufacturer resource | Request a quotation

01815Z



Opera manufacturer catalogue image · 2017 edition, confirm…

Swinging Armature plate for series 01830 - 181

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Swinging Armature plate for series 01830 - 181

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

01820



CAD diagram · product not pictured

Hold open electromagnet for swing or sliding doors - traction force > 140 kg

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Hold open electromagnet for swing or sliding doors - traction…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

01830



CAD diagram · product not pictured

Hold open electromagnet for swing or sliding doors - traction force >140 kg

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Hold open electromagnet for swing or sliding doors - traction…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

05110R



CAD diagram · product not pictured

Call point for alarm activation with pressure and manual reset

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Call point for alarm activation with pressure and manual reset

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05115



CAD diagram · product not pictured

Release / reset push button

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Release / reset push button

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

05203A



Opera manufacturer catalogue image · 2017 edition, confirm…

Dual heat and smoke detector

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

05203A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05204A



Opera manufacturer catalogue image · 2017 edition, confirm…

Heat rate of rise detector

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

05204A


ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

05206A



CAD diagram · product not pictured

Spray for smoke detectors

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

05206A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05207



Opera manufacturer catalogue image · 2017 edition, confirm…

Electronic sounder

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Electronic sounder

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

17003A



Opera manufacturer catalogue image · 2017 edition, confirm…

Hold open electromagnet for swing or sliding doors - traction force 180 kg -…

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

17003A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

18003



Opera manufacturer catalogue image · 2017 edition, confirm…

Flush wall mounted hold open electromagnet for swing fire doors - pull force >…

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Flush wall mounted hold open electromagnet for swing fire doors…


ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

18004



Opera range image · confirm the variant

Hold open electromagnet with IP65 connection connector for swing or sliding fire…

On request

Fire Control · Fire-door hold-open devices · IP65.

IP65

ControlAccessPro sheet | Manufacturer resource | Request a quotation

18005A



Opera range image · confirm the variant

Floor hold open electromagnet for swing fire doors - traction force > 55 kg

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

18005A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

18101



Opera range image · confirm the variant

Hold open electromagnet for wall mounting for swing fire doors - traction force…

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Hold open electromagnet for wall mounting for swing fire doors -…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

18104



Opera range image · confirm the variant

Hold open electromagnet with IP65 connection connector for swing or sliding fire…

On request

Fire Control · Fire-door hold-open devices · IP65.

IP65

ControlAccessPro sheet | Manufacturer resource | Request a quotation

Contents | Reference index | Request a quotation

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

19000



Opera range image · confirm the variant

Hold open electromagnet for wall mounting for swing fire doors - without release…

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Hold open electromagnet for wall mounting for swing fire doors -…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

19001



Opera range image · confirm the variant

Hold open electromagnet for wall mounting for swing fire doors - pull force > 55…

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Hold open electromagnet for wall mounting for swing fire doors -…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

19001DV



Opera range image · confirm the variant

Dual voltage hold open electromagnet for wall mounting for swing fire doors -…

On request

Fire Control · Fire-door hold-open devices · 48 Vdc, 55 kg.

48 Vdc · 55 kg

ControlAccessPro sheet | Manufacturer resource | Request a quotation

19001R



Opera range image · confirm the variant

Hold open electromagnet with adjustable force for wall mounting for swing fire…

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Hold open electromagnet with adjustable force for wall mounting…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

19002



Opera range image · confirm the variant

Hold open electromagnet for swing fire doors - traction force > 55 kg

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

19002N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

19002DV



Opera range image · confirm the variant

Dual voltage 24/ 48 Vdc hold open electromagnet for swing fire doors - traction…

On request

Fire Control · Fire-door hold-open devices · 48 Vdc, 55 Kg.

48 Vdc · 55 Kg

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

19002R



Opera range image · confirm the variant

Hold open electromagnet with adjustable force for swing fire doors - pull force…

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Hold open electromagnet with adjustable force for swing fire…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

52002



CAD diagram · product not pictured

Single-zone fire alarm control panel

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Single-zone fire alarm control panel

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

60000



Opera manufacturer catalogue image · 2017 edition, confirm…

Continuous-closing hydraulic damper with steel pulley for V-belt

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Continuous-closing hydraulic damper with steel pulley for V-belt

ControlAccessPro sheet | Manufacturer resource | Request a quotation

60000-1



CAD diagram · product not pictured

Continuous-closing hydraulic damper with 3 wheels for steel cable diameter 3 mm

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Continuous-closing hydraulic damper with 3 wheels for steel…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

60000VLC



CAD diagram · product not pictured

Continuous-closing hydraulic damper with vulcolan pulley for steel cable…

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

3 mm

ControlAccessPro sheet | Manufacturer resource | Request a quotation

65000



CAD diagram · product not pictured

Short hydraulic shock absorber

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Short hydraulic shock absorber

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

FIRE CONTROL · FIRE-DOOR HOLD-OPEN DEVICES

65001

Long hydraulic shock absorber

On request

Fire Control · Fire-door hold-open devices. Specifications and dimensions available on the Opera product page.

Long hydraulic shock absorber



CAD diagram · product not pictured

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SMART TRIM · ELECTRIC HANDLES AND MOUNTING PLATES

00416



CAD diagram · product not pictured

Fixing plate for electronic handle 40610 / 40611 / 40810 / 40811

On request

Smart Trim · Electric handles and mounting plates. Specifications and dimensions available on the Opera product page.

Fixing plate for electronic handle 40610 / 40611 / 40810 / 40811

ControlAccessPro sheet | Manufacturer resource | Request a quotation

00428



CAD diagram · product not pictured

Subplate for adaption of electronic handle 40620 / 40621 / 40820 / 40821 to…

On request

Smart Trim · Electric handles and mounting plates. Specifications and dimensions available on the Opera product page.

Subplate for adaption of electronic handle 40620 / 40621 / 40820…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

SMART TRIM · ELECTRIC HANDLES AND MOUNTING PLATES

40610



CAD diagram · product not pictured

Electronic handle for fire doors without timer

On request


Smart Trim · Electric handles and mounting plates. Specifications and dimensions available on the Opera product page.

40610N · 40810N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

40611



CAD diagram · product not pictured

Electronic handle with timer

On request

Smart Trim · Electric handles and mounting plates. Specifications and dimensions available on the Opera product page.

40611N · 40811N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

Contents | Reference index | Request a quotation

SMART TRIM · ELECTRIC HANDLES AND MOUNTING PLATES

40620

Electronic handle for panic bars without timer

On request

Smart Trim · Electric handles and mounting plates. Specifications and dimensions available on the Opera product page.

40620N · 40820N



CAD diagram · product not pictured

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

00360B



Opera manufacturer catalogue image · 2017 edition, confirm…

Additional shim for electric strike

On request

Omnia · Electric security strikes · 2 mm.

2 mm

ControlAccessPro sheet | Manufacturer resource | Request a quotation

00360C



CAD diagram · product not pictured

Additional shim for electric strike

On request

Omnia · Electric security strikes · 1 mm.

1 mm

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

03010



CAD diagram · product not pictured

Short front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Short front panel

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03010S



CAD diagram · product not pictured

Short front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

03010S

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

03030



CAD diagram · product not pictured

Long front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Long front panel

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03030.1GDR



Opera manufacturer catalogue image · 2017 edition, confirm…

Long front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Long front panel

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

03031



CAD diagram · product not pictured

Long front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Long front panel

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03130



CAD diagram · product not pictured

Long front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Long front panel

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

03131



CAD diagram · product not pictured

Long front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Long front panel

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

03132



CAD diagram · product not pictured

Long front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Long front panel

ControlAccessPro sheet | Manufacturer resource | Request a quotation

OMNIA · ELECTRIC SECURITY STRIKES

03162



CAD diagram · product not pictured

Short angled front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Short angled front panel

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03310



CAD diagram · product not pictured

Short front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Short front panel

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

OMNIA · ELECTRIC SECURITY STRIKES

03310R



Opera manufacturer catalogue image · 2017 edition, confirm…

Short front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Short front panel

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03330



CAD diagram · product not pictured

Long front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Long front panel

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

03331



CAD diagram · product not pictured

Long front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Long front panel

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03342.1



Opera manufacturer catalogue image · 2017 edition, confirm…

Long angled front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Long angled front panel

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES


03370.1

Long front panel for Omnia Blindo 700

On request

Omnia · Electric security strikes · 28 mm.

28 mm



CAD diagram · product not pictured

ControlAccessPro sheet | Manufacturer resource | Request a quotation


03371.1

Long front panel for Omnia Blindo 700

On request

Omnia · Electric security strikes · 28 mm, 41.6 mm.

28 mm · 41.6 mm



CAD diagram · product not pictured

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

03372

Long front plate for Omnia Micro

On request

Omnia · Electric security strikes · 55.6 mm.

55.6 mm



CAD diagram · product not pictured

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03374.1

Long front panel for Omnia Blindo 700

On request

Omnia · Electric security strikes · 37 mm.

37 mm



CAD diagram · product not pictured

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

03375.1

Long front plate for Omnia Blindo 700

On request

Omnia · Electric security strikes · 28 mm, 33.5 mm.

28 mm · 33.5 mm



CAD diagram · product not pictured

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03410

Short front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Short front panel



CAD diagram · product not pictured

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

03411



CAD diagram · product not pictured

Short front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Short front panel

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03431



CAD diagram · product not pictured

Long front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Long front panel

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

03442



CAD diagram · product not pictured

Long angled front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Long angled front panel

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03445



CAD diagram · product not pictured

Long angled front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Long angled front panel

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

03446



CAD diagram · product not pictured

Long angled front panel

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Long angled front panel

ControlAccessPro sheet | Manufacturer resource | Request a quotation

08710



Opera manufacturer catalogue image · 2017 edition, confirm…

Latch lock

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Latch lock

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

08711A



CAD diagram · product not pictured

Latch lock

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

08711A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

31012



Opera manufacturer catalogue image · 2017 edition, confirm…

Electric strike without anti-repeat function

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Electric strike without anti-repeat function

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

31012DCF



Opera manufacturer catalogue image · 2017 edition, confirm…

Electric strike with raised lip for access control systems

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Electric strike with raised lip for access control systems

ControlAccessPro sheet | Manufacturer resource | Request a quotation

31012DCPN



Opera manufacturer catalogue image · 2017 edition, confirm…

Low-power electric strike for access control systems

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Low-power electric strike for access control systems

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

OMNIA · ELECTRIC SECURITY STRIKES

31012TD



Opera manufacturer catalogue image · 2017 edition, confirm…

Timed electric strike

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Timed electric strike

ControlAccessPro sheet | Manufacturer resource | Request a quotation

31212L



Opera manufacturer catalogue image · 2017 edition, confirm…

Electric strike with slide anti-ripener

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Electric strike with slide anti-ripener

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

31412A

Automatic electric strike with built-in anti-ripener

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

31412A · 31512A



CAD diagram · product not pictured

ControlAccessPro sheet | Manufacturer resource | Request a quotation

31812

Electric strike

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Electric strike



Opera manufacturer catalogue image · 2017 edition, confirm…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

32012



Opera manufacturer catalogue image · 2017 edition, confirm…

Radial electric strike without anti-repeater

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Radial electric strike without anti-repeater

ControlAccessPro sheet | Manufacturer resource | Request a quotation

32012PLA



CAD diagram · product not pictured

Radial electric strike without anti-repeater

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Radial electric strike without anti-repeater

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

32212



Opera manufacturer catalogue image · 2017 edition, confirm…

Radial electric strike with anti-ripener

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Radial electric strike with anti-ripener

ControlAccessPro sheet | Manufacturer resource | Request a quotation

32212PLA



CAD diagram · product not pictured

Radial electric strike with anti-ripener

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Radial electric strike with anti-ripener

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

32812



Opera manufacturer catalogue image · 2017 edition, confirm…

Electric radial strike

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Electric radial strike

ControlAccessPro sheet | Manufacturer resource | Request a quotation

34602A



CAD diagram · product not pictured

Security electric strike

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

34602A · 34604A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

34622



CAD diagram · product not pictured

Security electric strike


On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Security electric strike

ControlAccessPro sheet | Manufacturer resource | Request a quotation

34802A



CAD diagram · product not pictured

Security electric strike

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

34802A · 34804A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

34822

Security electric strike

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Security electric strike



CAD diagram · product not pictured

ControlAccessPro sheet | Manufacturer resource | Request a quotation

35412

Automatic radial electric strike with built-in anti-ripener

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Automatic radial electric strike with built-in anti-ripener



CAD diagram · product not pictured

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

OMNIA · ELECTRIC SECURITY STRIKES

36012B



Opera manufacturer catalogue image · 2017 edition, confirm…

Security electric strike for mounting

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Security electric strike for mounting

ControlAccessPro sheet | Manufacturer resource | Request a quotation

36012C



CAD diagram · product not pictured

Electric strike for mounting

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Electric strike for mounting

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

36412B



Opera manufacturer catalogue image · 2017 edition, confirm…

Security electric strike for mounting

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Security electric strike for mounting

ControlAccessPro sheet | Manufacturer resource | Request a quotation

36812B



Opera manufacturer catalogue image · 2017 edition, confirm…

Security electric strike for mounting

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Security electric strike for mounting

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

37012



CAD diagram · product not pictured

Security electric strike without anti-repeater


On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Security electric strike without anti-repeater

ControlAccessPro sheet | Manufacturer resource | Request a quotation

37012.1PLA



CAD diagram · product not pictured

Preload safety electric strike

On request

Omnia · Electric security strikes · 40 kg.

40 kg

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

37212

Security electric strike with anti-ripener

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Security electric strike with anti-ripener



CAD diagram · product not pictured

ControlAccessPro sheet | Manufacturer resource | Request a quotation

37812

Security electric strike without anti-repeater

On request

Omnia · Electric security strikes. Specifications and dimensions available on the Opera product page.

Security electric strike without anti-repeater



CAD diagram · product not pictured

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OMNIA · ELECTRIC SECURITY STRIKES

38012



CAD diagram · product not pictured

Security electric strike

On request

Omnia · Electric security strikes · IP65.

IP65

ControlAccessPro sheet | Manufacturer resource | Request a quotation

39012A



Opera manufacturer catalogue image · 2017 edition, confirm…

Security electric strike

On request

Omnia · Electric security strikes · 12 mm.

12 mm · 39012A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

OMNIA · ELECTRIC SECURITY STRIKES

39812A

Security electric strike

On request

Omnia · Electric security strikes · 12 mm.

12 mm · 39812A



CAD diagram · product not pictured

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

QUADRA · HORIZONTAL ELECTRIC BOLTS

21612



Manufacturer image · 21612

Quadra · mortise electric bolt

On request

Microprocessor-controlled electric bolt for doors or shutters. It releases without power.

12/24 V DC • 12 mm bolt diameter · 18 mm throw

ControlAccessPro sheet | Manufacturer resource | Request a quotation

21913



Manufacturer image · 21913

Quadra · solenoid bolt with latch

On request

Lock for steel or aluminium profiles. The bolt remains locked without power.

12/24 V DC · continuous duty • 14 mm bolt stroke

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

QUADRA · HORIZONTAL ELECTRIC BOLTS

02060



CAD diagram · product not pictured

Brackets for lateral fixing of the horizontal solenoid lock

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Brackets for lateral fixing of the horizontal solenoid lock

ControlAccessPro sheet | Manufacturer resource | Request a quotation

02065



CAD diagram · product not pictured

Carter for horizontal solenoid lock

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Carter for horizontal solenoid lock

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

QUADRA · HORIZONTAL ELECTRIC BOLTS

02114



CAD diagram · product not pictured

Striking plate with key opening mechanism

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

02114S

ControlAccessPro sheet | Manufacturer resource | Request a quotation

02208



Opera manufacturer catalogue image · 2017 edition, confirm…

Striking plate for solenoid locks Quadra Micro series

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Striking plate for solenoid locks Quadra Micro series

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

QUADRA · HORIZONTAL ELECTRIC BOLTS

02218



Opera manufacturer catalogue image · 2017 edition, confirm…

Striking plate for solenoid locks Quadra series

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Striking plate for solenoid locks Quadra series

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05216



CAD diagram · product not pictured

PWM circuit

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

PWM circuit

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

QUADRA · HORIZONTAL ELECTRIC BOLTS

20610



CAD diagram · product not pictured

Micro solenoid lock


On request

Quadra · Horizontal electric bolts · 54610A.

54610A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

20610XS



CAD diagram · product not pictured

Micro solenoid lock

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Micro solenoid lock

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

QUADRA · HORIZONTAL ELECTRIC BOLTS

20612



Opera manufacturer catalogue image · 2017 edition, confirm…

Micro solenoid lock with integrated electronics

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Micro solenoid lock with integrated electronics

ControlAccessPro sheet | Manufacturer resource | Request a quotation

20613



CAD diagram · product not pictured

Micro solenoid lock

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Micro solenoid lock

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

QUADRA · HORIZONTAL ELECTRIC BOLTS

20613XS



CAD diagram · product not pictured

Micro solenoid lock

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Micro solenoid lock

ControlAccessPro sheet | Manufacturer resource | Request a quotation

20810



CAD diagram · product not pictured

Micro solenoid lock

On request

Quadra · Horizontal electric bolts · 54610A.

54610A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

QUADRA · HORIZONTAL ELECTRIC BOLTS

20810XS



CAD diagram · product not pictured

Micro solenoid lock

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Micro solenoid lock

ControlAccessPro sheet | Manufacturer resource | Request a quotation

20812



Opera manufacturer catalogue image · 2017 edition, confirm…

Micro solenoid lock with integrated electronics

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.


Micro solenoid lock with integrated electronics

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

QUADRA · HORIZONTAL ELECTRIC BOLTS

20813



CAD diagram · product not pictured

Micro solenoid lock

On request


Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Micro solenoid lock

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

20813XS



CAD diagram · product not pictured

Micro solenoid lock

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.


Micro solenoid lock

ControlAccessPro sheet | Manufacturer resource | Request a quotation

Contents | Reference index | Request a quotation

QUADRA · HORIZONTAL ELECTRIC BOLTS

20910



CAD diagram · product not pictured

Micro solenoid lock with latch


On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Micro solenoid lock with latch

ControlAccessPro sheet | Manufacturer resource | Request a quotation

20910A



CAD diagram · product not pictured

Micro solenoid lock with latch

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

20910A · 20911A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

QUADRA · HORIZONTAL ELECTRIC BOLTS

20910XS



CAD diagram · product not pictured

Micro solenoid lock with latch

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Micro solenoid lock with latch

ControlAccessPro sheet | Manufacturer resource | Request a quotation

20910XSA



CAD diagram · product not pictured

Micro solenoid lock with latch

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Micro solenoid lock with latch

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

QUADRA · HORIZONTAL ELECTRIC BOLTS

20913



CAD diagram · product not pictured

Micro solenoid lock with latch

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Micro solenoid lock with latch

ControlAccessPro sheet | Manufacturer resource | Request a quotation

20913A



CAD diagram · product not pictured

Micro solenoid lock with latch

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.


20913A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

QUADRA · HORIZONTAL ELECTRIC BOLTS

20913XS



CAD diagram · product not pictured

Micro solenoid lock with latch

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Micro solenoid lock with latch

ControlAccessPro sheet | Manufacturer resource | Request a quotation

20913XSA



CAD diagram · product not pictured

Micro solenoid lock with latch

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Micro solenoid lock with latch

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

QUADRA · HORIZONTAL ELECTRIC BOLTS

21610



Opera manufacturer catalogue image · 2017 edition, confirm…

Security solenoid lock - FAIL SAFE

On request

Quadra · Horizontal electric bolts · 54610A.

54610A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

21613



CAD diagram · product not pictured

Security solenoid lock - FAIL SAFE

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid lock - FAIL SAFE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

QUADRA · HORIZONTAL ELECTRIC BOLTS

21614



Opera manufacturer catalogue image · 2017 edition, confirm…

Security solenoid lock - FAIL SAFE

On request

Quadra · Horizontal electric bolts · 54610A.

54610A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

21616



Opera range image · confirm the variant

Security solenoid lock with integrated electronics - FAIL SAFE

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid lock with integrated electronics - FAIL SAFE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

QUADRA · HORIZONTAL ELECTRIC BOLTS

21810



Opera manufacturer catalogue image · 2017 edition, confirm…

Security solenoid lock - FAIL SECURE

On request

Quadra · Horizontal electric bolts · 54610A.

54610A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

21812



Opera manufacturer catalogue image · 2017 edition, confirm…

Security solenoid lock with integrated electronics - FAIL SECURE

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid lock with integrated electronics - FAIL SECURE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

QUADRA · HORIZONTAL ELECTRIC BOLTS

21813



CAD diagram · product not pictured

Security solenoid lock - FAIL SECURE

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid lock - FAIL SECURE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

21814



Opera range image · confirm the variant

Security solenoid lock - FAIL SECURE

On request

Quadra · Horizontal electric bolts · 54610A.

54610A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

QUADRA · HORIZONTAL ELECTRIC BOLTS

21816



Opera range image · confirm the variant

Security solenoid lock with integrated electronics - FAIL SECURE

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid lock with integrated electronics - FAIL SECURE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

21910



Opera manufacturer catalogue image · 2017 edition, confirm…

Security solenoid lock with latch - FAIL SECURE

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid lock with latch - FAIL SECURE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

QUADRA · HORIZONTAL ELECTRIC BOLTS

21912



CAD diagram · product not pictured

Security solenoid lock with latch and integrated electronics - FAIL SECURE

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid lock with latch and integrated electronics -…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

21914



Opera range image · confirm the variant

Security solenoid lock with latch - FAIL SECURE

On request

Quadra · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid lock with latch - FAIL SECURE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ARCA · CABINET AND SLIDING-DOOR LOCKS

22912



Manufacturer image · 22912

Arca · 12 V cabinet lock

€310.60 excl. VAT · Manufacturer benchmark · Italy · 07.11.2026

Stainless steel cabinet and safe lock. The lock stays engaged during a power failure.

12 V DC · 1,000 mA • 9.5 mm diameter pin · 25 mm throw

ControlAccessPro sheet | Manufacturer resource | Request a quotation

22924



Range image · variant depends on reference

Arca · 24 V cabinet lock

€310.60 excl. VAT · Manufacturer benchmark · Italy · 07.11.2026

Stainless steel cabinet and safe lock. The lock stays engaged during a power failure.

24 V DC · 500 mA • 9.5 mm diameter pin · 25 mm throw

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ARCA · CABINET AND SLIDING-DOOR LOCKS

22912CS



Manufacturer image · 22912CS

Arca · 12 V cabinet lock with key release

€335.50 excl. VAT · Manufacturer benchmark · Italy · 07.11.2026

Stainless steel cabinet and safe lock. The lock stays engaged during a power failure.

12 V DC · 1,000 mA • 9.5 mm diameter pin · 25 mm throw

ControlAccessPro sheet | Manufacturer resource | Request a quotation

22922S



Manufacturer image · 22922S

Arca Slim · 12 V locker lock

On request

Stainless steel lock without a front panel. The mechanism relocks when the door closes, even without power.

12 V DC · 1 200 mA • Release via normally open dry contact

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ARCA · CABINET AND SLIDING-DOOR LOCKS

22924S



Range image · variant depends on reference

Arca Slim · 24 V locker lock

On request

Stainless steel lock without a front panel. The mechanism relocks when the door closes, even without power.

24 V DC · 700 mA • Release via normally open dry contact

ControlAccessPro sheet | Manufacturer resource | Request a quotation

23822



Range image · variant depends on reference

Arca Slide · 12 V sliding lock

€348.60 excl. VAT · Manufacturer benchmark · Italy · 07.11.2026

Stainless steel lock for single or double sliding leaves, with a counter-lock for pin engagement.

12 V DC · 1 000 mA • 9.5 mm diameter pin · 25 mm throw

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ARCA · CABINET AND SLIDING-DOOR LOCKS

23824



Range image · variant depends on reference

Arca Slide · 24 V sliding lock

€348.60 excl. VAT · Manufacturer benchmark · Italy · 07.11.2026

Stainless steel lock for single or double sliding leaves, with a counter-lock for pin engagement.

24 V DC · 500 mA • 9.5 mm diameter pin · 25 mm throw

ControlAccessPro sheet | Manufacturer resource | Request a quotation

23822FG



Range image · variant depends on reference

Arca Slide · 12 V sliding lock with stop

€373.50 excl. VAT · Manufacturer benchmark · Italy · 07.11.2026

Stainless steel lock for single or double sliding leaves, with a counter-lock for pin engagement.

12 V DC · 1 000 mA • 9.5 mm diameter pin · 25 mm throw

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ARCA · CABINET AND SLIDING-DOOR LOCKS

00228



Image from the Opera manufacturer product page

Spacer for counter plate

On request

Arca · Cabinet and sliding-door locks · 1 mm, 22800M.

1 mm · 22800M

ControlAccessPro sheet | Manufacturer resource | Request a quotation

02238



Image from the Opera manufacturer product page

Counter lock spare part

On request

Arca · Cabinet and sliding-door locks. Specifications and dimensions available on the Opera product page.

Counter lock spare part

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ARCA · CABINET AND SLIDING-DOOR LOCKS

02238CF



Image from the Opera manufacturer product page

Fix counterplate with short front plate

On request

Arca · Cabinet and sliding-door locks. Specifications and dimensions available on the Opera product page.

Fix counterplate with short front plate

ControlAccessPro sheet | Manufacturer resource | Request a quotation

02238CFL



Image from the Opera manufacturer product page

Fix counterplate with long front plate

On request

Arca · Cabinet and sliding-door locks. Specifications and dimensions available on the Opera product page.

Fix counterplate with long front plate

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ARCA · CABINET AND SLIDING-DOOR LOCKS

02238S



Image from the Opera manufacturer product page

Counter lock spare part

On request

Arca · Cabinet and sliding-door locks. Specifications and dimensions available on the Opera product page.

02238S

ControlAccessPro sheet | Manufacturer resource | Request a quotation

02308.1



Opera range image · confirm the variant

Carter for surface fitting for Slide series lock

On request

Arca · Cabinet and sliding-door locks. Specifications and dimensions available on the Opera product page.

Carter for surface fitting for Slide series lock

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ARCA · CABINET AND SLIDING-DOOR LOCKS

02308.1S



Opera range image · confirm the variant

Carter for surface fitting for Slide series lock

On request

Arca · Cabinet and sliding-door locks. Specifications and dimensions available on the Opera product page.

02308.1S · 02308.2S

ControlAccessPro sheet | Manufacturer resource | Request a quotation

22800M



Image from the Opera manufacturer product page

Electric Lock - FAIL SECURE

On request

Arca · Cabinet and sliding-door locks. Specifications and dimensions available on the Opera product page.

22800M

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ARCA · CABINET AND SLIDING-DOOR LOCKS

22800MBR



Image from the Opera manufacturer product page

RFID Electric lock - FAIL SECURE

On request

Arca · Cabinet and sliding-door locks · 2.6 V.

2.6 V

ControlAccessPro sheet | Manufacturer resource | Request a quotation

22912A



Opera range image · confirm the variant

Rotary electric lock

On request

Arca · Cabinet and sliding-door locks. Specifications and dimensions available on the Opera product page.

22912A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ARCA · CABINET AND SLIDING-DOOR LOCKS

23622AS



Opera range image · confirm the variant

Electric safety lock for sliding doors

On request

Arca · Cabinet and sliding-door locks. Specifications and dimensions available on the Opera product page.

Electric safety lock for sliding doors

ControlAccessPro sheet | Manufacturer resource | Request a quotation

23800



Opera range image · confirm the variant

Mechanical safety lock for sliding doors

On request

Arca · Cabinet and sliding-door locks. Specifications and dimensions available on the Opera product page.

Mechanical safety lock for sliding doors

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ARCA · CABINET AND SLIDING-DOOR LOCKS

23800S



Opera range image · confirm the variant

Mechanical safety lock for sliding doors

On request

Arca · Cabinet and sliding-door locks. Specifications and dimensions available on the Opera product page.

23800S

ControlAccessPro sheet | Manufacturer resource | Request a quotation

23822AS



Opera range image · confirm the variant

Safety electric lock for sliding doors (codes replaced by 23822AS / 23824AS)

On request

Arca · Cabinet and sliding-door locks. Specifications and dimensions available on the Opera product page.

Safety electric lock for sliding doors (codes replaced by…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ARCA · CABINET AND SLIDING-DOOR LOCKS

55516



Opera range image · confirm the variant

Transponder cards

On request

Arca · Cabinet and sliding-door locks. Specifications and dimensions available on the Opera product page.

Transponder cards

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

SWING · LOCKS FOR DOUBLE-ACTION DOORS

02300



Image from the Opera manufacturer product page

Replacement striker plate for wind-up doors

On request

Swing · Locks for double-action doors. Specifications and dimensions available on the Opera product page.

Replacement striker plate for wind-up doors

ControlAccessPro sheet | Manufacturer resource | Request a quotation

02301



Image from the Opera manufacturer product page

Replacement striker for swing doors with rebate

On request

Swing · Locks for double-action doors. Specifications and dimensions available on the Opera product page.

Replacement striker for swing doors with rebate

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

CONTROL SYSTEM · ELECTRONIC DOOR CONTROLS

54610A



Image from the Opera manufacturer product page

Electronic control unit

On request

Control System · Electronic door controls. Specifications and dimensions available on the Opera product page.

54610A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

54611A



CAD diagram · product not pictured

Universal control console for one door: Control System

On request

Control System · Electronic door controls. Specifications and dimensions available on the Opera product page.

54611A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

CONTROL SYSTEM · ELECTRONIC DOOR CONTROLS

54612A



CAD diagram · product not pictured

Universal control console for two doors: Control System

On request

Control System · Electronic door controls. Specifications and dimensions available on the Opera product page.

54612A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

54613A



CAD diagram · product not pictured

Universal control console for three doors: Control System

On request

Control System · Electronic door controls. Specifications and dimensions available on the Opera product page.

54613A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

CONTROL SYSTEM · ELECTRONIC DOOR CONTROLS

54614A



CAD diagram · product not pictured

Universal control console for four doors: Control System

On request

Control System · Electronic door controls. Specifications and dimensions available on the Opera product page.

54614A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

54614B



Image from the Opera manufacturer product page

Desktop universal control system console selectable for 1, 2, 3, 4 doors

On request

Control System · Electronic door controls · 230V, 12 Vdc, 2A, 54610A.

230V · 12 Vdc · 2A · 54610A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

CONTROL SYSTEM · ELECTRONIC DOOR CONTROLS

54615B



Image from the Opera manufacturer product page

Auxiliary circuit for peripheral management

On request

Control System · Electronic door controls. Specifications and dimensions available on the Opera product page.

Auxiliary circuit for peripheral management

ControlAccessPro sheet | Manufacturer resource | Request a quotation

54616B



Image from the Opera manufacturer product page

Master OpNET circuit for Serial Communication Management

On request

Control System · Electronic door controls. Specifications and dimensions available on the Opera product page.

Master OpNET circuit for Serial Communication Management

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

CONTROL SYSTEM · ELECTRONIC DOOR CONTROLS

54617B



Image from the Opera manufacturer product page

Battery back-up circuit

On request

Control System · Electronic door controls. Specifications and dimensions available on the Opera product page.

Battery back-up circuit

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

PRIMA · VERTICAL ELECTRIC BOLTS

02258D



Opera range image · confirm the variant

Strike plate for Prima and Classica series solenoid locks

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

Strike plate for Prima and Classica series solenoid locks

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

02258DSA



Opera range image · confirm the variant

Strike plate e for Prima and Classica series solenoid locks

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

Strike plate e for Prima and Classica series solenoid locks

ControlAccessPro sheet | Manufacturer resource | Request a quotation

PRIMA · VERTICAL ELECTRIC BOLTS

02259



Opera range image · confirm the variant

Strike plate for Prima and Classica series solenoid locks

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

Strike plate for Prima and Classica series solenoid locks

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

02259SA



Opera range image · confirm the variant

Strike plate for Prima and Classica series solenoid locks

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

Strike plate for Prima and Classica series solenoid locks

ControlAccessPro sheet | Manufacturer resource | Request a quotation

PRIMA · VERTICAL ELECTRIC BOLTS

0230930DX



Opera range image · confirm the variant

Cover for vertical electric bolt for cylinder / cylinder and handle version

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

Cover for vertical electric bolt for cylinder / cylinder and…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05428



Image from the Opera manufacturer product page

Multicore cable for solenoid locks

On request

Prima · Vertical electric bolts · 1 m.

1 m

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

PRIMA · VERTICAL ELECTRIC BOLTS

24600



Opera range image · confirm the variant

Security solenoid bolt for interlocking system - FAIL SAFE

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid bolt for interlocking system - FAIL SAFE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

2462030



Opera range image · confirm the variant

MAXI security solenoid bolt for interlock - Fail Safe - Grade 7 burglary…

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

MAXI security solenoid bolt for interlock - Fail Safe - Grade 7…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

PRIMA · VERTICAL ELECTRIC BOLTS

24800



Opera range image · confirm the variant

Security solenoid bolt for interlocking system - FAIL SECURE

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid bolt for interlocking system - FAIL SECURE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

2482030



Opera range image · confirm the variant

MAXI security solenoid bolt for interlock - Fail Secure - Grade 7 burglary…

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

MAXI security solenoid bolt for interlock - Fail Secure - Grade…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

PRIMA · VERTICAL ELECTRIC BOLTS

25600



Opera range image · confirm the variant

Security solenoid bolt for single door - FAIL SAFE

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid bolt for single door - FAIL SAFE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

25600FL



Opera range image · confirm the variant

Security solenoid bolt for single door - FAIL SAFE - Ideal for Replacements

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid bolt for single door - FAIL SAFE - Ideal for…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

PRIMA · VERTICAL ELECTRIC BOLTS

2562030



Opera range image · confirm the variant

MAXI security solenoid bolt for single door - Fail Safe - Grade 7 burglary…

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

MAXI security solenoid bolt for single door - Fail Safe - Grade…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

25800



Opera range image · confirm the variant

Security solenoid bolt for single door - FAIL SECURE

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid bolt for single door - FAIL SECURE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

PRIMA · VERTICAL ELECTRIC BOLTS

25800FL



Opera range image · confirm the variant

Security solenoid bolt for single door - FAIL SAFE - Ideal for Replacements

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid bolt for single door - FAIL SAFE - Ideal for…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

2582030



Opera range image · confirm the variant

MAXI security solenoid bolt for single door - Fail Secure - Grade 7 burglary…

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

MAXI security solenoid bolt for single door - Fail Secure -…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

PRIMA · VERTICAL ELECTRIC BOLTS

25900



Opera range image · confirm the variant

Security solenoid bolt for single door - FAIL SECURE

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid bolt for single door - FAIL SECURE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

25910



Opera range image · confirm the variant

Security solenoid bolt for single bolt - FAIL SAFE

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid bolt for single bolt - FAIL SAFE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

PRIMA · VERTICAL ELECTRIC BOLTS

CC090



Opera range image · confirm the variant

Spare Connector

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

Spare Connector

ControlAccessPro sheet | Manufacturer resource | Request a quotation

CC091



Opera range image · confirm the variant

Spare Connector

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

Spare Connector

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

PRIMA · VERTICAL ELECTRIC BOLTS

OP55036



Opera range image · confirm the variant

Security solenoid bolt for single door - Fail Safe / Fail Secure - Corni…

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid bolt for single door - Fail Safe / Fail Secure…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

OP55039.1



Opera range image · confirm the variant

Security solenoid bolt for single door - Fail Secure - Corni replacement

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid bolt for single door - Fail Secure - Corni…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

Contents | Reference index | Request a quotation

PRIMA · VERTICAL ELECTRIC BOLTS

OP5503910.1



Opera range image · confirm the variant

Security solenoid latch bolt for single door - Fail Safe - Corni replacement

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid latch bolt for single door - Fail Safe - Corni…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

OP57036



Opera range image · confirm the variant

Security solenoid bolt for single door - FAIL SAFE - Ideal for Replacements

On request

Prima · Vertical electric bolts. Specifications and dimensions available on the Opera product page.

Security solenoid bolt for single door - FAIL SAFE - Ideal for…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

CLASSICA · HORIZONTAL ELECTRIC BOLTS

02260D



Image from the Opera manufacturer product page

Symmetrical armature plate for solenoid lock Classica series in combination with…

On request

Classica · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Symmetrical armature plate for solenoid lock Classica series in…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

02260DSA



Image from the Opera manufacturer product page

Symmetrical armature plate for solenoid lock Classica series in combination with…

On request

Classica · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Symmetrical armature plate for solenoid lock Classica series in…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

CLASSICA · HORIZONTAL ELECTRIC BOLTS

02708



Image from the Opera manufacturer product page

Carter for horizontal solenoid bolt for cylinder/cylinder and handle version

On request

Classica · Horizontal electric bolts · 90 mm.

90 mm

ControlAccessPro sheet | Manufacturer resource | Request a quotation

26600



Opera range image · confirm the variant

Horizontal security solenoid bolt for interlock - Fail Safe

On request

Classica · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Horizontal security solenoid bolt for interlock - Fail Safe

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

CLASSICA · HORIZONTAL ELECTRIC BOLTS

26800



Opera range image · confirm the variant

Horizontal security solenoid bolt for interlock - Fail Secure

On request

Classica · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Horizontal security solenoid bolt for interlock - Fail Secure

ControlAccessPro sheet | Manufacturer resource | Request a quotation

27600



Opera range image · confirm the variant

Horizontal security solenoid bolt for single door - Fail Safe

On request

Classica · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Horizontal security solenoid bolt for single door - Fail Safe

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

CLASSICA · HORIZONTAL ELECTRIC BOLTS

27800



Opera range image · confirm the variant

Horizontal security solenoid bolt for single door - Fail Secure

On request

Classica · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Horizontal security solenoid bolt for single door - Fail Secure

ControlAccessPro sheet | Manufacturer resource | Request a quotation

27900



Opera range image · confirm the variant

Horizontal security solenoid latch bolt for single door - Fail Secure

On request

Classica · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Horizontal security solenoid latch bolt for single door - Fail…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

CLASSICA · HORIZONTAL ELECTRIC BOLTS

OP54036



Opera range image · confirm the variant

Horizontal security solenoid bolt for single door - Fail Safe / Fail Secure -…

On request

Classica · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Horizontal security solenoid bolt for single door - Fail Safe /…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

OP54039.1



Opera range image · confirm the variant

Horizontal security solenoid latch bolt for single door - Fail Secure

On request

Classica · Horizontal electric bolts. Specifications and dimensions available on the Opera product page.

Horizontal security solenoid latch bolt for single door - Fail…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

GATE · GATE AND DOOR LOCKS

28002.1BR



Range image · variant depends on reference

Gate Lock · right-hand, knob

On request

Surface-mounted electric lock for a pedestrian gate or door. The bolt stays locked without power.

Adjustable 50, 60, 70 or 80 mm backset • 12/24 V DC or 12/18 V AC

ControlAccessPro sheet | Manufacturer resource | Request a quotation

28003.1BR



Range image · variant depends on reference

Gate Lock · right-hand, key

On request

Surface-mounted electric lock for a pedestrian gate or door. The bolt stays locked without power.

Adjustable 50, 60, 70 or 80 mm backset • 12/24 V DC or 12/18 V AC

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

GATE · GATE AND DOOR LOCKS

23000



Manufacturer image · 23000

Swing · double-action electric lock

€294.00 excl. VAT · Manufacturer benchmark · Italy · 07.11.2026

Stainless steel electric lock for double-action swing doors. Fits a vertical or horizontal frame.

12-24 V AC/DC · 30 mm backset • Non-handed latch · 13 mm throw

ControlAccessPro sheet | Manufacturer resource | Request a quotation

23500 30



Range image · variant depends on reference

Omnia Gemina · 30 mm backset

On request

Swing door lock with the electrical section on the frame and the mechanical section on the leaf.

30 mm backset variant • Mechanical release by handle or euro-profile cylinder

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

GATE · GATE AND DOOR LOCKS

00171A

Round cylinder (spare part) for 280 series

On request

Gate · Gate and door locks. Specifications and dimensions available on the Opera product page.

00171A



Image from the Opera manufacturer product page

ControlAccessPro sheet | Manufacturer resource | Request a quotation

00280.1

Cylinder fixing collar (spare part)

On request

Gate · Gate and door locks. Specifications and dimensions available on the Opera product page.

Cylinder fixing collar (spare part)



Opera range image · confirm the variant

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

GATE · GATE AND DOOR LOCKS

00280A



Opera range image · confirm the variant

Stainless steel spacer (shim 5 mm)

On request

Gate · Gate and door locks · 5 mm.

5 mm · 00280A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

00280C



Image from the Opera manufacturer product page

Stainless steel spacer

On request

Gate · Gate and door locks · 1 mm.

1 mm

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

GATE · GATE AND DOOR LOCKS

00280S



Image from the Opera manufacturer product page

Stainless steel spacer

On request

Gate · Gate and door locks · 1 mm.

1 mm · 00280S

ControlAccessPro sheet | Manufacturer resource | Request a quotation

00280UNI



Image from the Opera manufacturer product page

Universal Adapter Plate

On request

Gate · Gate and door locks · 3 mm.

3 mm

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

GATE · GATE AND DOOR LOCKS

00281.1



Opera range image · confirm the variant

Armature plate (spare part) for 280 series

On request

Gate · Gate and door locks. Specifications and dimensions available on the Opera product page.

00281.1N · 00281.2N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

00281CP



Image from the Opera manufacturer product page

Flat counterplate (spare part) for 280 series

On request

Gate · Gate and door locks. Specifications and dimensions available on the Opera product page.

Flat counterplate (spare part) for 280 series

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

GATE · GATE AND DOOR LOCKS

00282



Image from the Opera manufacturer product page

Canopy for electric locks

On request

Gate · Gate and door locks · 2 mm.

2 mm

ControlAccessPro sheet | Manufacturer resource | Request a quotation

00287B



Opera range image · confirm the variant

Door alignment magnet

On request

Gate · Gate and door locks. Specifications and dimensions available on the Opera product page.

00287W

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

GATE · GATE AND DOOR LOCKS

02250LG

Tear-proof defender

On request

Gate · Gate and door locks · 4 mm.

4 mm



Image from the Opera manufacturer product page

ControlAccessPro sheet | Manufacturer resource | Request a quotation

02287

Fixing plate

On request

Gate · Gate and door locks. Specifications and dimensions available on the Opera product page.

Fixing plate



Image from the Opera manufacturer product page

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

GATE · GATE AND DOOR LOCKS

02288



Image from the Opera manufacturer product page

Fixing plate for Gate Bolt

On request

Gate · Gate and door locks. Specifications and dimensions available on the Opera product page.

Fixing plate for Gate Bolt

ControlAccessPro sheet | Manufacturer resource | Request a quotation

02290



Image from the Opera manufacturer product page

Floor striker

On request

Gate · Gate and door locks. Specifications and dimensions available on the Opera product page.

Floor striker

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

GATE · GATE AND DOOR LOCKS

02291



Opera range image · confirm the variant

Armature plate for application

On request

Gate · Gate and door locks. Specifications and dimensions available on the Opera product page.

02291N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

02292



CAD diagram · product not pictured

Counterplate thickness

On request

Gate · Gate and door locks · 3 mm.

3 mm

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

GATE · GATE AND DOOR LOCKS

02293



CAD diagram · product not pictured

Counterplate thickness

On request

Gate · Gate and door locks · 1 mm.

1 mm

ControlAccessPro sheet | Manufacturer resource | Request a quotation

02295



Image from the Opera manufacturer product page

Fail-safe circuit

On request

Gate · Gate and door locks. Specifications and dimensions available on the Opera product page.

Fail-safe circuit

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

GATE · GATE AND DOOR LOCKS

28302.1.50



Opera range image · confirm the variant

Motorized electric lock for gates and doors

On request

Gate · Gate and door locks · 60 mm, 80 mm, 5 °C.

60 mm · 80 mm · 5 °C

ControlAccessPro sheet | Manufacturer resource | Request a quotation

28602.1BR



Opera range image · confirm the variant

Electric lock for gates and entrance gates - FAIL SAFE, panic exit version

On request

Gate · Gate and door locks. Specifications and dimensions available on the Opera product page.

Electric lock for gates and entrance gates - FAIL SAFE, panic…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

GATE · GATE AND DOOR LOCKS

28700



Opera range image · confirm the variant

Solenoid bolt for automatic gates Gate Bolt

On request

Gate · Gate and door locks · 10 mm.

10 mm · 28700N · 28710N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

28720



Opera range image · confirm the variant

Motorised deadbolt

On request

Gate · Gate and door locks · 5 °C, 10 mm.

5 °C · 10 mm · 28720N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

GATE · GATE AND DOOR LOCKS

28800

Solenoid bolt for automatic gates Gate Bolt

On request

Gate · Gate and door locks · 5 °C, 10 mm.

5 °C · 10 mm



Opera range image · confirm the variant

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

MAXIMA · MOTORISED LOCKS

25500.35



Range image · variant depends on reference

Maxima · Deadbolt, 35 mm backset

€772.00 excl. VAT · Manufacturer benchmark · Italy · 07.11.2026

Motorised swing door lock with hardened steel bolt and position monitoring.

35 mm backset · 440 × 30 × 3 mm faceplate • 12 V DC supply · 4 A maximum inrush

ControlAccessPro sheet | Manufacturer resource | Request a quotation

25500.50



Range image · variant depends on reference

Maxima · Deadbolt, 50 mm backset

€772.00 excl. VAT · Manufacturer benchmark · Italy · 07.11.2026

Motorised swing door lock with hardened steel bolt and position monitoring.

50 mm backset · 440 × 30 × 3 mm faceplate • 12 V DC supply · 4 A maximum inrush

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

MAXIMA · MOTORISED LOCKS

25511.35



Range image · variant depends on reference

Maxima · Hookbolt, 35 mm backset

€804.00 excl. VAT · Manufacturer benchmark · Italy · 07.11.2026

Motorised sliding door lock with hookbolt and position monitoring.

35 mm backset · 440 × 30 × 3 mm faceplate • 12 V DC supply · 4 A maximum inrush

ControlAccessPro sheet | Manufacturer resource | Request a quotation

25511.50



Range image · variant depends on reference

Maxima · Hookbolt, 50 mm backset

€804.00 excl. VAT · Manufacturer benchmark · Italy · 07.11.2026

Motorised sliding door lock with hookbolt and position monitoring.

50 mm backset · 440 × 30 × 3 mm faceplate • 12 V DC supply · 4 A maximum inrush

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

MAXIMA · MOTORISED LOCKS

OP55011 50



Manufacturer image · OP55011 50

Maxima · motorised lock, 50 mm backset

On request

Motorised deadbolt for single or interlocked swing doors, with bolt and leaf monitoring.

50 mm backset · 492 × 30 × 3 mm faceplate • 12 V DC · 4 A maximum inrush

ControlAccessPro sheet | Manufacturer resource | Request a quotation

02250L



Image from the Opera manufacturer product page

Tear-proof defender for Maxima series

On request

Maxima · Motorised locks. Specifications and dimensions available on the Opera product page.

Tear-proof defender for Maxima series

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

MAXIMA · MOTORISED LOCKS

02255



Image from the Opera manufacturer product page

Armature plate for Maxima series solenoid locks

On request

Maxima · Motorised locks. Specifications and dimensions available on the Opera product page.

Armature plate for Maxima series solenoid locks

ControlAccessPro sheet | Manufacturer resource | Request a quotation

04925



Image from the Opera manufacturer product page

Replacement motor unit for items 25500 / 25511

On request

Maxima · Motorised locks. Specifications and dimensions available on the Opera product page.

Replacement motor unit for items 25500 / 25511

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

MAXIMA · MOTORISED LOCKS

05426

Multi-core cable

On request

Maxima · Motorised locks. Specifications and dimensions available on the Opera product page.

Multi-core cable




Image from the Opera manufacturer product page

ControlAccessPro sheet | Manufacturer resource | Request a quotation

54250

Electronic door control unit

On request

Maxima · Motorised locks. Specifications and dimensions available on the Opera product page.

Electronic door control unit



Image from the Opera manufacturer product page

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

MAXIMA · MOTORISED LOCKS

54255



Image from the Opera manufacturer product page

Electronic control unit for managing two doors

On request

Maxima · Motorised locks. Specifications and dimensions available on the Opera product page.

Electronic control unit for managing two doors

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

PROFILO · SIGNALLING AND CONTROLS

05501



Opera range image · confirm the variant

Installation box for profile traffic light system


On request

Profilo · Signalling and controls · 55010N, 55013N, 55017N.

55010N · 55013N · 55017N · 05501N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05502



Opera range image · confirm the variant

Installation box for profile light system

On request

Profilo · Signalling and controls · 55613A, 55011N.


55613A · 55011N · 05502N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

PROFILO · SIGNALLING AND CONTROLS

05503



Opera range image · confirm the variant

Attachment box for profile light system

On request

Profilo · Signalling and controls · 55012N.

55012N · 05503N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05512



Image from the Opera manufacturer product page

Electronic control unit for multiple interphone connections

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

Electronic control unit for multiple interphone connections

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

PROFILO · SIGNALLING AND CONTROLS

05513



Image from the Opera manufacturer product page

Interphone handset

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

Interphone handset

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05514



Image from the Opera manufacturer product page

Multiport intercom handset

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

Multiport intercom handset

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

PROFILO · SIGNALLING AND CONTROLS

05515



Opera range image · confirm the variant

External intercom porter

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

External intercom porter

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05540



Opera range image · confirm the variant

Box for flush-mounted / surface-mounted cylinder holder

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

05540 N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

PROFILO · SIGNALLING AND CONTROLS

05820P

Touch door opener button

On request

Profilo · Signalling and controls · IP65.

IP65



CAD diagram · product not pictured

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55010

Red/Green indicator lamp

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

55010N



Opera range image · confirm the variant

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

PROFILO · SIGNALLING AND CONTROLS

55011

Red/Green indicator lamp with button



Opera range image · confirm the variant

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

55011N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55012

Red/Green indicator lamp with call button and intercom porter



Opera range image · confirm the variant

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

55012N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

PROFILO · SIGNALLING AND CONTROLS

55013



Opera range image · confirm the variant

External intercom porter

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

55013N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55017



Opera range image · confirm the variant

Push button for door opening

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

55017V · 55017N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

PROFILO · SIGNALLING AND CONTROLS

55020



Opera range image · confirm the variant

Vandal resistant door opener button for exit

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

Vandal resistant door opener button for exit

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55021



Image from the Opera manufacturer product page

Door opener button

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

Door opener button

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

PROFILO · SIGNALLING AND CONTROLS

55023

Push button for door opening

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

Push button for door opening



Image from the Opera manufacturer product page

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55030

Red/Green indicator light

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

55030N



Opera range image · confirm the variant

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

PROFILO · SIGNALLING AND CONTROLS

55031



Opera range image · confirm the variant

Red/Green indicator light with button

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

55031N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55033



Opera range image · confirm the variant

Doorphone porter

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

55033N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

PROFILO · SIGNALLING AND CONTROLS

55040



Opera range image · confirm the variant

Holder with microswitch for moulded cylinder

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

55040N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55041



Image from the Opera manufacturer product page

Holder with microswitch for round/detached cylinder

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

Holder with microswitch for round/detached cylinder

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

PROFILO · SIGNALLING AND CONTROLS

55042FC



Opera range image · confirm the variant

Bracket with microswitch for European profile / oval cylinder

On request

Profilo · Signalling and controls · 90 mm.

90 mm

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55042FL



Opera range image · confirm the variant

Bracket with microswitch for European profile / oval cylinder

On request

Profilo · Signalling and controls · 90 mm.

90 mm

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

PROFILO · SIGNALLING AND CONTROLS

OP0450056



Image from the Opera manufacturer product page

Alt / Forward Traffic Light

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

Alt / Forward Traffic Light

ControlAccessPro sheet | Manufacturer resource | Request a quotation

OP0450058



Image from the Opera manufacturer product page

Alt / Forward traffic light with intercom set-up

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

Alt / Forward traffic light with intercom set-up

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

PROFILO · SIGNALLING AND CONTROLS

OP0450156



Image from the Opera manufacturer product page

Red/Green traffic light

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

Red/Green traffic light

ControlAccessPro sheet | Manufacturer resource | Request a quotation

OP0450158



Image from the Opera manufacturer product page

Red/Green traffic light with intercom set-up

On request

Profilo · Signalling and controls. Specifications and dimensions available on the Opera product page.

Red/Green traffic light with intercom set-up

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

00212



Image from the Opera manufacturer product page

Battery

On request

Accessories · Components and power supplies · 12 Vdc.

12 Vdc

ControlAccessPro sheet | Manufacturer resource | Request a quotation

00712



Image from the Opera manufacturer product page

Battery

On request

Accessories · Components and power supplies · 12 Vdc.

12 Vdc

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

01808



Opera range image · confirm the variant

Supplementary spanner for shaped cylinders

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Supplementary spanner for shaped cylinders

ControlAccessPro sheet | Manufacturer resource | Request a quotation

01808K



Opera range image · confirm the variant

Supplementary single cipher key

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Supplementary single cipher key

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

02221



Image from the Opera manufacturer product page

Concealed magnetic sensor

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Concealed magnetic sensor

ControlAccessPro sheet | Manufacturer resource | Request a quotation

02223



Image from the Opera manufacturer product page

Attachable magnetic sensor

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Attachable magnetic sensor

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

02225



Image from the Opera manufacturer product page

Ball Contact

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Ball Contact

ControlAccessPro sheet | Manufacturer resource | Request a quotation

02250



Image from the Opera manufacturer product page

Tear-proof defender

On request

Accessories · Components and power supplies · 4 mm, 1 mm.

4 mm · 1 mm

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

02251

Shim for tear-proof defender

On request

Accessories · Components and power supplies · 1 mm, 4 mm.

1 mm · 4 mm



Image from the Opera manufacturer product page

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03510

Vertical handle in aluminium and plastic for sensory board 53500

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Vertical handle in aluminium and plastic for sensory board 53500



Image from the Opera manufacturer product page

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

03515

Vertical aluminium handle for sensory board 53501



Image from the Opera manufacturer product page

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Vertical aluminium handle for sensory board 53501

ControlAccessPro sheet | Manufacturer resource | Request a quotation

03520

Horizontal handle in aluminium and plastic for sensory board 53500



Image from the Opera manufacturer product page

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Horizontal handle in aluminium and plastic for sensory board 53500

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

03525



Image from the Opera manufacturer product page

Horizontal aluminium handle for sensory board 53501

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Horizontal aluminium handle for sensory board 53501

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05110V



Opera range image · confirm the variant

Pressure alarm activation box with manual reset

On request

Accessories · Components and power supplies · IP41.

IP41 · 05110V

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

05210



Image from the Opera manufacturer product page

Transformer for Maxima series electric lock

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Transformer for Maxima series electric lock

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05211



Image from the Opera manufacturer product page

Transformer for Omnia series electric strikes

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Transformer for Omnia series electric strikes

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

05257



Image from the Opera manufacturer product page

Electric intercom interface

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Electric intercom interface

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05258



Image from the Opera manufacturer product page

Relay circuit for intercom opening

On request

Accessories · Components and power supplies · 12 Vac.

12 Vac

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

05259-12



Opera range image · confirm the variant

Art. 05259-12 / 05259-24 -Contact circuit magnetic sensor

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

12 Vdc · 24 Vdc

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05260



Image from the Opera manufacturer product page

Automatic door timer circuit

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Automatic door timer circuit

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

05301



Image from the Opera manufacturer product page

Weekly programmable timer with calendar

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Weekly programmable timer with calendar

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05310



Image from the Opera manufacturer product page

Switching Power Supply with Delayer

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Switching Power Supply with Delayer

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

05312A

Switching power supply for buffer battery

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

05312A · 05325A · 05326A



Opera range image · confirm the variant

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05320A

Switching power supply 12Vdc/3A

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

05320A



Opera range image · confirm the variant

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

05320BD



Opera range image · confirm the variant

Switching power supply unit

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Switching power supply unit

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05320XM



Opera range image · confirm the variant

Switching power supply 12 Vdc/12A

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Switching power supply 12 Vdc/12A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

05330XS

Switching power supply unit

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Switching power supply unit



Opera range image · confirm the variant

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05331A

Switching power supply unit

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

05331A



Opera range image · confirm the variant

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

05332A



Opera range image · confirm the variant

Switching power supply unit

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

05332A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05346A



Image from the Opera manufacturer product page

Plug-in power supply unit

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

05346A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

08010

Double flat key security cylinder



Image from the Opera manufacturer product page

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Double flat key security cylinder

ControlAccessPro sheet | Manufacturer resource | Request a quotation

08030

Half flat key security cylinder



Image from the Opera manufacturer product page

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Half flat key security cylinder

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

08040 00

Key selector switch

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Key selector switch



Image from the Opera manufacturer product page

ControlAccessPro sheet | Manufacturer resource | Request a quotation

08600

Concealed cable bushing

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

260 mm · 510 mm



Opera range image · confirm the variant

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

08601

Concealed cable grommet with inserted cable



Image from the Opera manufacturer product page

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Concealed cable grommet with inserted cable

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

08605

Concealed cable bushing



Image from the Opera manufacturer product page

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Concealed cable bushing

ControlAccessPro sheet | Manufacturer resource | Request a quotation

Contents | Reference index | Request a quotation

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

08608



Image from the Opera manufacturer product page

Outdoor flexible cable gland only

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Outdoor flexible cable gland only

ControlAccessPro sheet | Manufacturer resource | Request a quotation

08610



Opera range image · confirm the variant

Outdoor flexible cable gland only

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

250 mm · 420 mm · 600 mm

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

08630A



Image from the Opera manufacturer product page

Outdoor flexible cable gland only

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

08630A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

08640



Opera range image · confirm the variant

Outdoor flexible cable gland only

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

500 mm · 710 mm

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

08650



Image from the Opera manufacturer product page

Two-pole spring contacts

On request

Accessories · Components and power supplies · 12 Vac.

12 Vac

ControlAccessPro sheet | Manufacturer resource | Request a quotation

08700



Image from the Opera manufacturer product page

Anti-rebound ball

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Anti-rebound ball

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

53500



Image from the Opera manufacturer product page

Sensory card for handles Art. 03510 and 03520

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Sensory card for handles Art. 03510 and 03520

ControlAccessPro sheet | Manufacturer resource | Request a quotation

53501



Image from the Opera manufacturer product page

Sensory card with front for handles Art. 03515 and 03525

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Sensory card with front for handles Art. 03515 and 03525

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

55414

Four-channel receiver



Image from the Opera manufacturer product page

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Four-channel receiver

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55416

Two-channel receiver



Image from the Opera manufacturer product page

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Two-channel receiver

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

55417



Image from the Opera manufacturer product page

Mini One-Channel Receiver

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Mini One-Channel Receiver

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55418



Image from the Opera manufacturer product page

Mini One-Channel Receiver

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Mini One-Channel Receiver

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

55420

Two-channel radio remote control

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Two-channel radio remote control



Opera range image · confirm the variant

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55421

Four-channel radio remote control

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Four-channel radio remote control



Opera range image · confirm the variant

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

57520RF

Lo.Ra. radio transmitter module



Image from the Opera manufacturer product page

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Lo.Ra. radio transmitter module

ControlAccessPro sheet | Manufacturer resource | Request a quotation

57521RF

Radio receiver module Lo.Ra.



Image from the Opera manufacturer product page

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.


Radio receiver module Lo.Ra.

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

KA



CAD diagram · product not pictured

Single cipher for cylinders

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Single cipher for cylinders

ControlAccessPro sheet | Manufacturer resource | Request a quotation

REL12V



Opera range image · confirm the variant

Service relays

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

12V · 24V

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESSORIES · COMPONENTS AND POWER SUPPLIES

TEST-01



Image from the Opera manufacturer product page

Opera Test

On request

Accessories · Components and power supplies. Specifications and dimensions available on the Opera product page.

Opera Test

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESS · ACCESS-CONTROL SYSTEMS

40621



Range image · variant depends on reference

Smart Trim · handle enabled without power

€615.30 excl. VAT · Manufacturer benchmark · Italy · 07.11.2026

Timed outside handle for a compatible exit bar, with integrated visual and audible status.

Adjustable 0-60 s timer • 12 V AC/DC or 24 V DC

ControlAccessPro sheet | Manufacturer resource | Request a quotation

40821



Range image · variant depends on reference

Smart Trim · handle disabled without power

€615.30 excl. VAT · Manufacturer benchmark · Italy · 07.11.2026

Timed outside handle for a compatible exit bar, with integrated visual and audible status.

Adjustable 0-60 s timer • 12 V AC/DC or 24 V DC

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESS · ACCESS-CONTROL SYSTEMS

57301



Manufacturer image · 57301

Standalone keypad · PIN and RFID

€355.70 excl. VAT · Manufacturer benchmark · Italy · 07.11.2026

Outdoor backlit keypad with remote electronics. Controls up to two access points.

IP65 · 12/24 V AC/DC supply • PIN, 125 kHz RFID or both credentials

ControlAccessPro sheet | Manufacturer resource | Request a quotation

00577



Image from the Opera manufacturer product page

Channel for doors 95 to 105 mm

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

Channel for doors 95 to 105 mm

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESS · ACCESS-CONTROL SYSTEMS

05502PD



Opera range image · confirm the variant

Box for profile light system and touch key reader

On request

Access · Access-control systems · 55030N, 55031N, 55033N.

55030N · 55031N · 55033N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05502PDB



Image from the Opera manufacturer product page

Box for art. 55641G and for art. 05645

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

Box for art. 55641G and for art. 05645

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESS · ACCESS-CONTROL SYSTEMS

05502T



Image from the Opera manufacturer product page

Protective canopy

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

Protective canopy

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05645



Image from the Opera manufacturer product page

Time relay button for Art. 55640SE

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

Time relay button for Art. 55640SE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESS · ACCESS-CONTROL SYSTEMS

05648

Surface-mounted loudspeaker



Image from the Opera manufacturer product page

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

Surface-mounted loudspeaker

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05651

Canopy cover for art. 55641A and 55641B



Image from the Opera manufacturer product page

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

Canopy cover for art. 55641A and 55641B

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESS · ACCESS-CONTROL SYSTEMS

05652



Opera range image · confirm the variant

Attachment box for Art. 55641C

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

40 mm · 85 mm

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05820



Image from the Opera manufacturer product page

Remote Management Electronics

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

Remote Management Electronics

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESS · ACCESS-CONTROL SYSTEMS

05820SB



Image from the Opera manufacturer product page

Touch button

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

Touch button

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05821




Image from the Opera manufacturer product page

Protective cover

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

Protective cover

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESS · ACCESS-CONTROL SYSTEMS

05913

RS-485 Serial to Ethernet Converter

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

RS-485 Serial to Ethernet Converter



Image from the Opera manufacturer product page

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55611NET

Stand Alone / NET Management Electronics

On request

Access · Access-control systems · 55613A.

55613A



Image from the Opera manufacturer product page

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESS · ACCESS-CONTROL SYSTEMS

55612



Opera range image · confirm the variant

Code keypad

On request

Access · Access-control systems · 56611A.

56611A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55612PD



Opera range image · confirm the variant

Vandal resistant code keypad

On request

Access · Access-control systems · IP 65, 56611A.

IP 65 · 56611A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESS · ACCESS-CONTROL SYSTEMS

55612SS



Opera range image · confirm the variant

Vandal resistant code keypad

On request

Access · Access-control systems · IP 65, 56611A.

IP 65 · 56611A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55613A



Image from the Opera manufacturer product page

Magnetic card reader

On request

Access · Access-control systems · 56611A.

56611A · 55613 A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESS · ACCESS-CONTROL SYSTEMS

55613AAL



Image from the Opera manufacturer product page

Anti-vandal magnetic card reader

On request

Access · Access-control systems · 56611A.

56611A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55613NET



Image from the Opera manufacturer product page

USB magnetic stripe card reader ISO 2

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

USB magnetic stripe card reader ISO 2

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESS · ACCESS-CONTROL SYSTEMS

55614



Image from the Opera manufacturer product page

Transponder Reader

On request

Access · Access-control systems · 56611A.

56611A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55614NET



Image from the Opera manufacturer product page

USB transponder reader

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

USB transponder reader

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESS · ACCESS-CONTROL SYSTEMS

55614PD



Opera range image · confirm the variant

Transponder reader

On request

Access · Access-control systems · 56611A.

56611A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55614SC



Image from the Opera manufacturer product page

Transponder reader for display cabinets or drawers

On request

Access · Access-control systems · 56611A.

56611A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESS · ACCESS-CONTROL SYSTEMS

55615



Opera range image · confirm the variant

Magnetic stripe card

On request

Access · Access-control systems · 55613A.

55613A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55616NET



Image from the Opera manufacturer product page

USB to Serial RS-485 Converter

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

USB to Serial RS-485 Converter

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESS · ACCESS-CONTROL SYSTEMS

55618NET

TTL to Serial RS-485 Converter

On request

Access · Access-control systems · 500 m.

500 m



Image from the Opera manufacturer product page

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55618PD

Dallas reader

On request

Access · Access-control systems · 56611A.

56611A



Opera range image · confirm the variant

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESS · ACCESS-CONTROL SYSTEMS

55622NET



Opera range image · confirm the variant

Network Access Control Software

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

Network Access Control Software

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55640SE



Image from the Opera manufacturer product page

Management electronics for ATM and credit card reader for self-service areas

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

Management electronics for ATM and credit card reader for…

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESS · ACCESS-CONTROL SYSTEMS

55641A



Image from the Opera manufacturer product page

Magnetic insertion card reader for art. 55640SE

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

55641A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55641B



Image from the Opera manufacturer product page

Magnetic insertion card reader for Art. 55642SE

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

Magnetic insertion card reader for Art. 55642SE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESS · ACCESS-CONTROL SYSTEMS

55641C



Image from the Opera manufacturer product page

Magnetic insertion card reader for Art. 55640SE

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

Magnetic insertion card reader for Art. 55640SE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55641D



Image from the Opera manufacturer product page

Magnetic swipe card reader for art. 55642SE

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

Magnetic swipe card reader for art. 55642SE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESS · ACCESS-CONTROL SYSTEMS

55641E



Image from the Opera manufacturer product page

Magnetic swipe card reader for art. 55640SE and 55642SE

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

Magnetic swipe card reader for art. 55640SE and 55642SE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55641F



Image from the Opera manufacturer product page

Magnetic swipe card reader for art. 55640SE and 55642SE

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

Magnetic swipe card reader for art. 55640SE and 55642SE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESS · ACCESS-CONTROL SYSTEMS

55641G



Image from the Opera manufacturer product page

Door opening button for Art. 55640SE

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

Door opening button for Art. 55640SE

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55642SE



Opera range image · confirm the variant

Management electronics for ATM and credit card reader

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

Management electronics for ATM and credit card reader

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESS · ACCESS-CONTROL SYSTEMS

56611A



Opera range image · confirm the variant

Stand-Alone Access Control Management Electronics

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

56611A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

56616



Opera range image · confirm the variant

Transponder

On request

Access · Access-control systems · 125 kHz.

125 kHz · 56616W

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESS · ACCESS-CONTROL SYSTEMS

57312



Opera range image · confirm the variant

Code keypad

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

57312 N · 57313 N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

57700



Opera range image · confirm the variant

3.2″ digital peephole

On request

Access · Access-control systems · 72 mm, 95 mm, 105 mm, 15 mm.

72 mm · 95 mm · 105 mm · 15 mm

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESS · ACCESS-CONTROL SYSTEMS

57701



Opera range image · confirm the variant

4.0″ digital peephole

On request

Access · Access-control systems · 72 mm, 95 mm, 105 mm, 15 mm.

72 mm · 95 mm · 105 mm · 15 mm

ControlAccessPro sheet | Manufacturer resource | Request a quotation

58000



Opera range image · confirm the variant

Touch key reader

On request

Access · Access-control systems · 05501N.

05501N · 58000N · 58013N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

ACCESS · ACCESS-CONTROL SYSTEMS

58015



Opera range image · confirm the variant

Touch Key Dallas

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

58015V

ControlAccessPro sheet | Manufacturer resource | Request a quotation

58018ML



Opera range image · confirm the variant

Additional touch key reader with electronics for minilink and multilink net

On request

Access · Access-control systems · 56611A.

56611A

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

ACCESS · ACCESS-CONTROL SYSTEMS

58200SA



Image from the Opera manufacturer product page

Biometric

On request

Access · Access-control systems. Specifications and dimensions available on the Opera product page.

Biometric

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

DOORA · REMOTE ACCESS MANAGEMENT

05330BD



Image from the Opera manufacturer product page

Switching power supply unit

On request

Doora · Remote access management. Specifications and dimensions available on the Opera product page.

Switching power supply unit

ControlAccessPro sheet | Manufacturer resource | Request a quotation

09100B



Opera range image · confirm the variant

Motorised knob

On request

Doora · Remote access management. Specifications and dimensions available on the Opera product page.

09100N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

DOORA · REMOTE ACCESS MANAGEMENT

09101

Insert for motorised knob shank 09100B / N

On request

Doora · Remote access management. Specifications and dimensions available on the Opera product page.

Insert for motorised knob shank 09100B / N



Image from the Opera manufacturer product page

ControlAccessPro sheet | Manufacturer resource | Request a quotation

55614NET-1

Card reader for current activation

On request

Doora · Remote access management. Specifications and dimensions available on the Opera product page.

Card reader for current activation



Opera range image · confirm the variant

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

DOORA · REMOTE ACCESS MANAGEMENT

56616MF



Opera range image · confirm the variant

RFID cards for reader 55512MF

On request

Doora · Remote access management · 125 KHz.

125 KHz

ControlAccessPro sheet | Manufacturer resource | Request a quotation

57402



Image from the Opera manufacturer product page

Wi-fi / Bluetooth door opener module

On request

Doora · Remote access management. Specifications and dimensions available on the Opera product page.

Wi-fi / Bluetooth door opener module

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

DOORA · REMOTE ACCESS MANAGEMENT

57402PRO



Image from the Opera manufacturer product page

Wi-fi / Bluetooth door opener module

On request

Doora · Remote access management. Specifications and dimensions available on the Opera product page.

Wi-fi / Bluetooth door opener module

ControlAccessPro sheet | Manufacturer resource | Request a quotation

57412



Image from the Opera manufacturer product page

Video camera to be combined with 57402 and 57402PRO modules

On request

Doora · Remote access management · 4 MP.

4 MP

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

DOORA · REMOTE ACCESS MANAGEMENT

57413



Image from the Opera manufacturer product page

Keypad with RFID card reader for 57402PRO module

On request

Doora · Remote access management. Specifications and dimensions available on the Opera product page.

Keypad with RFID card reader for 57402PRO module

ControlAccessPro sheet | Manufacturer resource | Request a quotation

57414



Image from the Opera manufacturer product page

RFID reader for 57402PRO module

On request

Doora · Remote access management. Specifications and dimensions available on the Opera product page.

RFID reader for 57402PRO module

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

DOORA · REMOTE ACCESS MANAGEMENT

57519ARF



Image from the Opera manufacturer product page

Interface module for motorised knob 09100B / N

On request

Doora · Remote access management. Specifications and dimensions available on the Opera product page.

Interface module for motorised knob 09100B / N

ControlAccessPro sheet | Manufacturer resource | Request a quotation

57530A



Opera range image · confirm the variant

Energy saving management unit

On request

Doora · Remote access management. Specifications and dimensions available on the Opera product page.

57530A · 868 MHz

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

DOORA · REMOTE ACCESS MANAGEMENT

57532ARF



Opera range image · confirm the variant

Radio magnetic sensor

On request

Doora · Remote access management. Specifications and dimensions available on the Opera product page.

Radio magnetic sensor

ControlAccessPro sheet | Manufacturer resource | Request a quotation

57533



Opera range image · confirm the variant

Radio presence detector

On request

Doora · Remote access management. Specifications and dimensions available on the Opera product page.

868 MHz

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

DOORA · REMOTE ACCESS MANAGEMENT

57534



Opera range image · confirm the variant

Radio presence detector

On request

Doora · Remote access management · 10.525 GHz, 11.4 m, 4 m.

10.525 GHz · 11.4 m · 4 m · 868 MHz

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

PEOPLE COUNTER · PEOPLE COUNTING

05912WEB



Opera range image · confirm the variant

Viewer/downloader software

On request

People Counter · People counting. Specifications and dimensions available on the Opera product page.

Viewer/downloader software

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05914



Image from the Opera manufacturer product page

Wi-Fi Ethernet Data Concentrator

On request

People Counter · People counting · 433 MHz.

433 MHz

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

PEOPLE COUNTER · PEOPLE COUNTING

05916



Image from the Opera manufacturer product page

SD memory card for stand-alone people counter

On request

People Counter · People counting. Specifications and dimensions available on the Opera product page.

SD memory card for stand-alone people counter

ControlAccessPro sheet | Manufacturer resource | Request a quotation

05917



Image from the Opera manufacturer product page

Battery for people counter

On request

People Counter · People counting. Specifications and dimensions available on the Opera product page.

Battery for people counter

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

PEOPLE COUNTER · PEOPLE COUNTING

59001



Opera range image · confirm the variant

People counter

On request

People Counter · People counting · 433.125 Mhz.

433.125 Mhz

ControlAccessPro sheet | Manufacturer resource | Request a quotation

59013



Image from the Opera manufacturer product page

Hand-held people counter

On request

People Counter · People counting. Specifications and dimensions available on the Opera product page.

Hand-held people counter

ControlAccessPro sheet | Manufacturer resource | Request a quotation

ControlAccessPro

Contents | Reference index | Request a quotation

Reference index

Select a line to open its product sheet.

00112	Battery for fire alarm control…	37
00147	Underplate for Electromagnet…	7
00147N	Underplate for Electromagnet…	7
00171A	Round cylinder (spare part) for…	144
00212	Battery	176
00228	Spacer for counter plate	111
00280.1	Cylinder fixing collar (spare…	144
00280.2	Cylinder fixing collar (spare…	144
00280A	Stainless steel spacer (shim 5…	145
00280AN	Stainless steel spacer (shim 5…	145
00280C	Stainless steel spacer	145
00280S	Stainless steel spacer	146
00280UNI	Universal Adapter Plate	146
00281.1	Armature plate (spare part) for…	147
00281.2	Armature plate (spare part) for…	147
00281CP	Flat counterplate (spare part)…	147
00282	Canopy for electric locks	148
00287B	Door alignment magnet	148
00287W	Door alignment magnet	148
00360B	Additional shim for electric…	59
00360BG	Additional shim for electric…	59
00360C	Additional shim for electric…	59
00416	Fixing plate for electronic…	56
00428	Subplate for adaption of…	56
00577	Channel for doors 95 to 105 mm	205
00712	Battery	176
01127	Armature plate for…	8
01130	Armature plate for…	8
01134	Armature plate for 134 series…	9
01137	Armature plate for…	9
01137L	Armature plate for…	10
01620	Hold-open magnet · plate included	36
01620I	Hold-open magnet · plate included	36
01630	Hold open electromagnet for…	37
01630I	Hold open electromagnet for…	37
01740	Adjustable telescopic 'wall' or…	38
01740B	Adjustable telescopic 'wall' or…	38
01740BF	Non adjustable telescopic…	38
01740F	Non adjustable telescopic…	38
01740M	Adjustable telescopic 'wall' or…	39
01780	Box for flush wall mount…	39
01800Z	Fixed armature plate for series…	40
01805Z	Swinging armature plate for…	40
01808	Supplementary spanner for…	177
01808K	Supplementary single cipher key	177
01810Z	Fixed Armature plate for series…	41
01815Z	Swinging Armature plate for…	41
01820	Hold open electromagnet for…	42

ControlAccessPro

Contents | Reference index | Request a quotation

Reference index

Select a line to open its product sheet.

01820I	Hold open electromagnet for…	42
01830	Hold open electromagnet for…	42
01830I	Hold open electromagnet for…	42
02060	Brackets for lateral fixing of…	89
02065	Carter for horizontal solenoid…	89
02114	Striking plate with key opening…	90
02114S	Striking plate with key opening…	90
02160	Brackets for lateral fixing of…	89
02165	Carter for horizontal solenoid…	89
02208	Striking plate for solenoid…	90
02208R	Striking plate for solenoid…	90
02218	Striking plate for solenoid…	91
02218R	Striking plate for solenoid…	91
02221	Concealed magnetic sensor	178
02223	Attachable magnetic sensor	178
02225	Ball Contact	179
02238	Counter lock spare part	111
02238CF	Fix counterplate with short…	112
02238CFL	Fix counterplate with long…	112
02238S	Counter lock spare part	113
02250	Tear-proof defender	179
02250L	Tear-proof defender for Maxima…	158
02250LG	Tear-proof defender	149
02251	Shim for tear-proof defender	180
02255	Armature plate for Maxima…	159
02258D	Strike plate for Prima and…	125
02258DSA	Strike plate e for Prima and…	125
02259	Strike plate for Prima and…	126
02259SA	Strike plate for Prima and…	126
02260D	Symmetrical armature plate for…	137
02260DSA	Symmetrical armature plate for…	137
02287	Fixing plate	149
02288	Fixing plate for Gate Bolt	150
02290	Floor striker	150
02291	Armature plate for application	151
02291N	Armature plate for application	151
02292	Counterplate thickness	151
02293	Counterplate thickness	152
02295	Fail-safe circuit	152
02300	Replacement striker plate for…	119
02301	Replacement striker for swing…	119
02308.1	Carter for surface fitting for…	113
02308.1S	Carter for surface fitting for…	114
02308.2	Carter for surface fitting for…	113
02308.2S	Carter for surface fitting for…	114
0230930DX	Cover for vertical electric…	127
0230930SX	Cover for vertical electric…	127
02708	Carter for horizontal solenoid…	138

ControlAccessPro

Reference index

Select a line to open its product sheet.

03000	"Elle" mounting bracket for 130…	10
03000N	"Elle" mounting bracket for 130…	10
03001	'Zeta' mounting bracket for 130…	11
03001N	'Zeta' mounting bracket for 130…	11
03002	Universal adjustable 'Elle'…	11
03003	"Universal" armature plate for…	12
03004	"Universal" armature plate for…	12
03005	Short casing cover for series…	13
03006	Long casing cover for series…	13
03007	'U' mounting bracket for…	14
03010	Short front panel	60
03010S	Short front panel	60
03030	Long front panel	61
03030.1GDR	Long front panel	61
03030.2GDR	Long front panel	61
03031	Long front panel	62
03130	Long front panel	62
03131	Long front panel	63
03132	Long front panel	63
03162	Short angled front panel	64
03162BA	Short angled front panel	64
03310	Short front panel	64
03310R	Short front panel	65
03330	Long front panel	65
03331	Long front panel	66
03342.1	Long angled front panel	66
03342.2	Long angled front panel	66
03370.1	Long front panel for Omnia…	67
03370.2	Long front panel for Omnia…	67
03370R	Long front panel for Omnia…	67
03371.1	Long front panel for Omnia…	67
03371.2	Long front panel for Omnia…	67
03372	Long front plate for Omnia Micro	68
03374.1	Long front panel for Omnia…	68
03374.2	Long front panel for Omnia…	68
03374R	Long front panel for Omnia…	68
03375.1	Long front plate for Omnia…	69
03375.2	Long front plate for Omnia…	69
03410	Short front panel	69
03411	Short front panel	70
03431	Long front panel	70
03442	Long angled front panel	71
03442BA	Long angled front panel	71
03445	Long angled front panel	71
03445GD	Long angled front panel	71
03446	Long angled front panel	72
03446GD	Long angled front panel	72
03500	'Elle' mounting bracket for…	14

ControlAccessPro

Reference index

Select a line to open its product sheet.

03500N	'Elle' mounting bracket for…	14
03501	'Zeta' mounting bracket for 127…	15
03501N	'Zeta' mounting bracket for 127…	15
03510	Vertical handle in aluminium…	180
03515	Vertical aluminium handle for…	181
03520	Horizontal handle in aluminium…	181
03525	Horizontal aluminium handle for…	182
03600	'Elle' mounting bracket for 128…	15
03600N	'Elle' mounting bracket for 128…	15
03601	'Zeta' mounting bracket for 128…	16
03601N	'Zeta' mounting bracket for 128…	16
03700	"Elle" mounting bracket for…	16
03700N	"Elle" mounting bracket for…	16
03701	"Zeta" mounting bracket for…	17
03701N	"Zeta" mounting bracket for…	17
03705	Short cover for series 136 - 137	17
03706	Long cover for series 136 - 137	18
03707	'Elle' mounting bracket with…	18
03707L	'Elle' mounting bracket with…	19
03707LN	'Elle' mounting bracket with…	19
03707N	'Elle' mounting bracket with…	18
03708	'Zeta' mounting bracket with…	19
03708L	'Zeta' mounting bracket with…	20
03708LN	'Zeta' mounting bracket with…	20
03708N	'Zeta' mounting bracket with…	19
03709	Crankcase for series 138	20
03710	Crankcase for series 139	21
04925	Replacement motor unit for…	159
05110R	Call point for alarm activation…	43
05110V	Pressure alarm activation box…	182
05115	Release / reset push button	43
05203A	Dual heat and smoke detector	44
05203ABRA	Dual heat and smoke detector	44
05204A	Heat rate of rise detector	44
05204ABRA	Heat rate of rise detector	44
05206A	Spray for smoke detectors	45
05207	Electronic sounder	45
05210	Transformer for Maxima series…	183
05211	Transformer for Omnia series…	183
05216	PWM circuit	91
05257	Electric intercom interface	184
05258	Relay circuit for intercom…	184
05259-12	Art. 05259-12 / 05259-24…	185
05259-24	Art. 05259-12 / 05259-24…	185
05260	Automatic door timer circuit	185
05301	Weekly programmable timer with…	186
05310	Switching Power Supply with…	186
05312A	Switching power supply for…	187

ControlAccessPro

Contents | Reference index | Request a quotation

Reference index

Select a line to open its product sheet.

05320A	Switching power supply 12Vdc/3A	187
05320BD	Switching power supply unit	188
05320XM	Switching power supply 12 Vdc/12A	188
05325A	Switching power supply for…	187
05326A	Switching power supply for…	187
05330BD	Switching power supply unit	229
05330XS	Switching power supply unit	189
05331A	Switching power supply unit	189
05332A	Switching power supply unit	190
05346A	Plug-in power supply unit	190
05426	Multi-core cable	160
05428	Multicore cable for solenoid…	127
05501	Installation box for profile…	162
05501BR	Installation box for profile…	162
05501N	Installation box for profile…	162
05502	Installation box for profile…	162
05502BR	Installation box for profile…	162
05502N	Installation box for profile…	162
05502PD	Box for profile light system…	206
05502PDB	Box for art. 55641G and for…	206
05502PDBR	Box for profile light system…	206
05502PDN	Box for profile light system…	206
05502T	Protective canopy	207
05503	Attachment box for profile…	163
05503BR	Attachment box for profile…	163
05503N	Attachment box for profile…	163
05512	Electronic control unit for…	163
05513	Interphone handset	164
05514	Multiport intercom handset	164
05515	External intercom porter	165
05540	Box for flush-mounted /…	165
05540N	Box for flush-mounted /…	165
05645	Time relay button for Art…	207
05648	Surface-mounted loudspeaker	208
05651	Canopy cover for art. 55641A…	208
05652	Attachment box for Art. 55641C	209
05653	Attachment box for Art. 55641C	209
05820	Remote Management Electronics	209
05820P	Touch door opener button	166
05820SB	Touch button	210
05821	Protective cover	210
05912WEB	Viewer/downloader software	237
05913	RS-485 Serial to Ethernet…	211
05914	Wi-Fi Ethernet Data Concentrator	237
05916	SD memory card for stand-alone…	238
05917	Battery for people counter	238
08010	Double flat key security cylinder	191
08030	Half flat key security cylinder	191

ControlAccessPro

Contents | Reference index | Request a quotation

Reference index

Select a line to open its product sheet.

08040 00	Key selector switch	192
08600	Concealed cable bushing	192
08600XL	Concealed cable bushing	192
08601	Concealed cable grommet with…	193
08605	Concealed cable bushing	193
08608	Outdoor flexible cable gland only	194
08610	Outdoor flexible cable gland only	194
08619	Outdoor flexible cable gland only	194
08620	Outdoor flexible cable gland only	194
08630A	Outdoor flexible cable gland only	195
08640	Outdoor flexible cable gland only	195
08641	Outdoor flexible cable gland only	195
08650	Two-pole spring contacts	196
08700	Anti-rebound ball	196
08710	Latch lock	72
08711A	Latch lock	73
09100B	Motorised knob	229
09100N	Motorised knob	229
09101	Insert for motorised knob shank…	230
12500	Micro electromagnetic lock for…	21
12700	Micro electromagnetic lock for…	22
12800	Micro electromagnetic lock for…	22
12800M	Micro electromagnetic lock with…	23
12800MN	Micro electromagnetic lock with…	23
12800N	Micro electromagnetic lock for…	22
13000	Maxi electromagnetic lock for…	23
13000N	Maxi electromagnetic lock for…	23
13100	Safety Maxi · silver magnetic…	6
13100N	Safety Maxi · black magnetic lock	6
13100TD	Maxi electromagnetic lock with…	24
13100TDN	Maxi electromagnetic lock with…	24
13400	Midi electromagnetic lock for…	24
13400M	Midi electromagnetic lock with…	25
13500	Mini electromagnetic lock for…	25
13500M	Mini electromagnetic lock with…	26
13600	Mini electromagnetic lock for…	26
13600N	Mini electromagnetic lock for…	26
13700	Mini electromagnetic lock with…	27
13700KIT TF	Mini electromagnetic lock kit…	27
13700KIT TFB	Safety Mini · magnetic lock and…	7
13700N	Mini electromagnetic lock with…	27
13700TD	Mini electromagnetic lock with…	28
13700TDL	Mini electromagnetic lock with…	28
13700TDN	Mini electromagnetic lock with…	28
13800	Electromagnetic Shear Lock with…	29
13900	Micro electromagnetic Shear…	29
13900M	Micro electromagnetic Shear…	30
14000	Double maxi electromagnetic…	30

ControlAccessPro

Contents | Reference index | Request a quotation

Reference index

Select a line to open its product sheet.

14000N	Double maxi electromagnetic…	30
14212R	Gate Lock electromagnetic lock…	31
14224R	Gate Lock electromagnetic lock…	31
14710TD	ITEM 14710TD / 14710TDN - Mini…	31
14710TDN	ITEM 14710TD / 14710TDN - Mini…	31
14800TD-A	Mini electromagnetic lock with…	32
17003A	Hold open electromagnet for…	46
18003	Flush wall mounted hold open…	46
18004	Hold open electromagnet with…	47
18005A	Floor hold open electromagnet…	47
18005AB	Floor hold open electromagnet…	47
18100	Fire Control · wall-mount…	36
18101	Hold open electromagnet for…	48
18104	Hold open electromagnet with…	48
18104RES	Hold open electromagnet with…	48
19000	Hold open electromagnet for…	49
19000GC	Hold open electromagnet for…	49
19001	Hold open electromagnet for…	49
19001DV	Dual voltage hold open…	50
19001GC	Hold open electromagnet for…	49
19001GCDV	Dual voltage hold open…	50
19001GCR	Hold open electromagnet with…	50
19001GD	Hold open electromagnet for…	51
19001R	Hold open electromagnet with…	50
19002	Hold open electromagnet for…	51
19002DV	Dual voltage 24/ 48 Vdc hold…	51
19002GD	Hold open electromagnet for…	51
19002GDDV	Dual voltage 24/ 48 Vdc hold…	51
19002GDR	Hold open electromagnet with…	52
19002N	Hold open electromagnet for…	51
19002NDV	Dual voltage 24/ 48 Vdc hold…	51
19002NR	Hold open electromagnet with…	52
19002R	Hold open electromagnet with…	52
20610	Micro solenoid lock	92
20610XS	Micro solenoid lock	92
20611	Micro solenoid lock	92
20611XS	Micro solenoid lock	92
20612	Micro solenoid lock with…	93
20613	Micro solenoid lock	93
20613XS	Micro solenoid lock	94
20810	Micro solenoid lock	94
20810XS	Micro solenoid lock	95
20811	Micro solenoid lock	94
20811XS	Micro solenoid lock	95
20812	Micro solenoid lock with…	95
20813	Micro solenoid lock	96
20813XS	Micro solenoid lock	96
20910	Micro solenoid lock with latch	97

ControlAccessPro

Reference index

Select a line to open its product sheet.

20910A	Micro solenoid lock with latch	97
20910XS	Micro solenoid lock with latch	98
20910XSA	Micro solenoid lock with latch	98
20911	Micro solenoid lock with latch	97
20911A	Micro solenoid lock with latch	97
20911XS	Micro solenoid lock with latch	98
20911XSA	Micro solenoid lock with latch	98
20913	Micro solenoid lock with latch	99
20913A	Micro solenoid lock with latch	99
20913XS	Micro solenoid lock with latch	100
20913XSA	Micro solenoid lock with latch	100
21610	Security solenoid lock - FAIL…	101
21611	Security solenoid lock - FAIL…	101
21612	Quadra · mortise electric bolt	88
21613	Security solenoid lock - FAIL…	101
21614	Security solenoid lock - FAIL…	102
21615	Security solenoid lock - FAIL…	102
21616	Security solenoid lock with…	102
21810	Security solenoid lock - FAIL…	103
21811	Security solenoid lock - FAIL…	103
21812	Security solenoid lock with…	103
21813	Security solenoid lock - FAIL…	104
21814	Security solenoid lock - FAIL…	104
21815	Security solenoid lock - FAIL…	104
21816	Security solenoid lock with…	105
21910	Security solenoid lock with…	105
21911	Security solenoid lock with…	105
21912	Security solenoid lock with…	106
21913	Quadra · solenoid bolt with latch	88
21914	Security solenoid lock with…	106
21915	Security solenoid lock with…	106
22800M	Electric Lock - FAIL SECURE	114
22800MBR	RFID Electric lock - FAIL SECURE	115
22912	Arca · 12 V cabinet lock	107
22912A	Rotary electric lock	115
22912AF	Rotary electric lock	115
22912CS	Arca · 12 V cabinet lock with…	108
22922S	Arca Slim · 12 V locker lock	108
22924	Arca · 24 V cabinet lock	107
22924S	Arca Slim · 24 V locker lock	109
23000	Swing · double-action electric…	143
23500	Omnia Gemina · 30 mm backset	143
23500 30	Omnia Gemina · 30 mm backset	143
23622AS	Electric safety lock for…	116
23624AS	Electric safety lock for…	116
23800	Mechanical safety lock for…	116
23800FG	Mechanical safety lock for…	116
23800S	Mechanical safety lock for…	117

ControlAccessPro

Reference index

Select a line to open its product sheet.

23822	Arca Slide · 12 V sliding lock	109
23822AS	Safety electric lock for…	117
23822FG	Arca Slide · 12 V sliding lock…	110
23824	Arca Slide · 24 V sliding lock	110
23824AS	Safety electric lock for…	117
24600	Security solenoid bolt for…	128
24608	Security solenoid bolt for…	128
2462030	MAXI security solenoid bolt for…	128
2462830	MAXI security solenoid bolt for…	128
24800	Security solenoid bolt for…	129
24808	Security solenoid bolt for…	129
2482030	MAXI security solenoid bolt for…	129
2482830	MAXI security solenoid bolt for…	129
25500	Maxima · Deadbolt, 35 mm backset	156
25500 20	Maxima · Deadbolt, 35 mm backset	156
25500 25	Maxima · Deadbolt, 35 mm backset	156
25500 30	Maxima · Deadbolt, 35 mm backset	156
25500 35	Maxima · Deadbolt, 35 mm backset	156
25500 50	Maxima · Deadbolt, 35 mm backset	156
25500.35	Maxima · Deadbolt, 35 mm backset	156
25500.50	Maxima · Deadbolt, 50 mm backset	156
25511	Maxima · Hookbolt, 35 mm backset	157
25511 20	Maxima · Hookbolt, 35 mm backset	157
25511 25	Maxima · Hookbolt, 35 mm backset	157
25511 30	Maxima · Hookbolt, 35 mm backset	157
25511 35	Maxima · Hookbolt, 35 mm backset	157
25511 50	Maxima · Hookbolt, 35 mm backset	157
25511.35	Maxima · Hookbolt, 35 mm backset	157
25511.50	Maxima · Hookbolt, 50 mm backset	157
25600	Security solenoid bolt for…	130
25600FL	Security solenoid bolt for…	130
25608	Security solenoid bolt for…	130
25608FL	Security solenoid bolt for…	130
2562030	MAXI security solenoid bolt for…	131
2562830	MAXI security solenoid bolt for…	131
25800	Security solenoid bolt for…	131
25800FL	Security solenoid bolt for…	132
25808	Security solenoid bolt for…	131
25808FL	Security solenoid bolt for…	132
2582030	MAXI security solenoid bolt for…	132
2582830	MAXI security solenoid bolt for…	132
25900	Security solenoid bolt for…	133
25908	Security solenoid bolt for…	133
25910	Security solenoid bolt for…	133
25918	Security solenoid bolt for…	133
26600	Horizontal security solenoid…	138
26608	Horizontal security solenoid…	138
26800	Horizontal security solenoid…	139

ControlAccessPro

Contents | Reference index | Request a quotation

Reference index

Select a line to open its product sheet.

26808	Horizontal security solenoid…	139
27600	Horizontal security solenoid…	139
27608	Horizontal security solenoid…	139
27800	Horizontal security solenoid…	140
27808	Horizontal security solenoid…	140
27900	Horizontal security solenoid…	140
27908	Horizontal security solenoid…	140
28002.1BR	Gate Lock · right-hand, knob	142
28002.2BR	Gate Lock · right-hand, knob	142
28003.1BR	Gate Lock · right-hand, key	142
28003.2BR	Gate Lock · right-hand, knob	142
28302.1.50	Motorized electric lock for…	153
28302.1.70	Motorized electric lock for…	153
28302.2.50	Motorized electric lock for…	153
28302.2.70	Motorized electric lock for…	153
28303.1.50	Motorized electric lock for…	153
28303.1.70	Motorized electric lock for…	153
28303.2.50	Motorized electric lock for…	153
28303.2.70	Motorized electric lock for…	153
28305.1.50	Motorized electric lock for…	153
28305.1.70	Motorized electric lock for…	153
28305.2.50	Motorized electric lock for…	153
28305.2.70	Motorized electric lock for…	153
28602.1BR	Electric lock for gates and…	153
28602.2BR	Electric lock for gates and…	153
28603.1BR	Electric lock for gates and…	153
28603.2BR	Electric lock for gates and…	153
28700	Solenoid bolt for automatic…	154
28700N	Solenoid bolt for automatic…	154
28710	Solenoid bolt for automatic…	154
28710N	Solenoid bolt for automatic…	154
28720	Motorised deadbolt	154
28720N	Motorised deadbolt	154
28800	Solenoid bolt for automatic…	155
28800LC	Solenoid bolt for automatic…	155
28800LCI	Solenoid bolt for automatic…	155
31012	Electric strike without…	73
31012DCF	Electric strike with raised lip…	74
31012DCPN	Low-power electric strike for…	74
31012TD	Timed electric strike	75
31012UNI	Electric strike without…	73
31024DC	Electric strike without…	73
31112	Electric strike without…	73
31112TD	Timed electric strike	75
31112UNI	Electric strike without…	73
31124DC	Electric strike without…	73
31212L	Electric strike with slide…	75
31312L	Electric strike with slide…	75

ControlAccessPro

Reference index

Select a line to open its product sheet.

31412A	Automatic electric strike with…	76
31412FTA	Electric strike with raised lip…	74
31512A	Automatic electric strike with…	76
31812	Electric strike	76
31824	Electric strike	76
32012	Radial electric strike without…	77
32012PLA	Radial electric strike without…	77
32112	Radial electric strike without…	77
32112PLA	Radial electric strike without…	77
32212	Radial electric strike with…	78
32212PLA	Radial electric strike with…	78
32312	Radial electric strike with…	78
32312PLA	Radial electric strike with…	78
32812	Electric radial strike	79
32824	Electric radial strike	79
34602A	Security electric strike	79
34604A	Security electric strike	79
34622	Security electric strike	80
34624	Security electric strike	80
34802A	Security electric strike	80
34804A	Security electric strike	80
34822	Security electric strike	81
34824	Security electric strike	81
35412	Automatic radial electric…	81
35512	Automatic radial electric…	81
36012B	Security electric strike for…	82
36012C	Electric strike for mounting	82
36412B	Security electric strike for…	83
36412BCR	Security electric strike for…	83
36412C	Electric strike for mounting	82
36612B	Security electric strike for…	82
36812B	Security electric strike for…	83
36824B	Security electric strike for…	83
37012	Security electric strike…	84
37012.1PLA	Preload safety electric strike	84
37012.2PLA	Preload safety electric strike	84
37212	Security electric strike with…	85
37312	Security electric strike with…	85
37312.1PLA	Preload safety electric strike	84
37312.2PLA	Preload safety electric strike	84
37412	Security electric strike with…	85
37512	Security electric strike with…	85
37612	Security electric strike…	84
37624	Security electric strike…	84
37812	Security electric strike…	85
37824	Security electric strike…	85
38012	Security electric strike	86
38412	Security electric strike	86

ControlAccessPro

Reference index

Select a line to open its product sheet.

38612	Security electric strike	86
38624	Security electric strike	86
39012A	Security electric strike	86
39812A	Security electric strike	87
40610	Electronic handle for fire…	57
40611	Electronic handle with timer	57
40620	Electronic handle for panic…	58
40621	Smart Trim · handle enabled…	204
40810	Electronic handle for fire…	57
40811	Electronic handle with timer	57
40820	Electronic handle for panic…	58
40821	Smart Trim · handle disabled…	204
51300	Relocking delay module for all…	32
51400	Opening delay module for…	33
51500	Relocking delay relay module	33
52002	Single-zone fire alarm control…	52
53500	Sensory card for handles Art…	197
53501	Sensory card with front for…	197
54250	Electronic door control unit	160
54255	Electronic control unit for…	161
54610A	Electronic control unit	120
54611A	Universal control console for…	120
54612A	Universal control console for…	121
54613A	Universal control console for…	121
54614A	Universal control console for…	122
54614B	Desktop universal control…	122
54615B	Auxiliary circuit for…	123
54616B	Master OpNET circuit for Serial…	123
54617B	Battery back-up circuit	124
55001	Management Electronics 'Exit…	34
55003	Electromagnet with 'Exit…	34
55005	Self-Managing Alarm "Alarm System	35
55010	Red/Green indicator lamp	166
55010BR	Red/Green indicator lamp	166
55010N	Red/Green indicator lamp	166
55011	Red/Green indicator lamp with…	167
55011BR	Red/Green indicator lamp with…	167
55011N	Red/Green indicator lamp with…	167
55012	Red/Green indicator lamp with…	167
55012BR	Red/Green indicator lamp with…	167
55012N	Red/Green indicator lamp with…	167
55013	External intercom porter	168
55013BR	External intercom porter	168
55013N	External intercom porter	168
55015N	Push button for door opening	168
55017	Push button for door opening	168
55017N	Push button for door opening	168
55017V	Push button for door opening	168

ControlAccessPro

Reference index

Select a line to open its product sheet.

55017VN	Push button for door opening	168
55020	Vandal resistant door opener…	169
55020EX	Vandal resistant door opener…	169
55020NT	Vandal resistant door opener…	169
55021	Door opener button	169
55023	Push button for door opening	170
55030	Red/Green indicator light	170
55030BR	Red/Green indicator light	170
55030N	Red/Green indicator light	170
55031	Red/Green indicator light with…	171
55031BR	Red/Green indicator light with…	171
55031N	Red/Green indicator light with…	171
55033	Doorphone porter	171
55033BR	Doorphone porter	171
55033N	Doorphone porter	171
55040	Holder with microswitch for…	172
55040N	Holder with microswitch for…	172
55041	Holder with microswitch for…	172
55042FC	Bracket with microswitch for…	173
55042FL	Bracket with microswitch for…	173
55043FC	Bracket with microswitch for…	173
55043FL	Bracket with microswitch for…	173
55414	Four-channel receiver	198
55416	Two-channel receiver	198
55417	Mini One-Channel Receiver	199
55418	Mini One-Channel Receiver	199
55420	Two-channel radio remote control	200
55420RC	Two-channel radio remote control	200
55421	Four-channel radio remote control	200
55421RC	Four-channel radio remote control	200
55516	Transponder cards	118
55611NET	Stand Alone / NET Management…	211
55612	Code keypad	212
55612CR	Code keypad	212
55612PD	Vandal resistant code keypad	212
55612PDC	Vandal resistant code keypad	212
55612PDCN	Vandal resistant code keypad	212
55612PDN	Vandal resistant code keypad	212
55612SS	Vandal resistant code keypad	213
55612SSD	Vandal resistant code keypad	213
55613A	Magnetic card reader	213
55613AAL	Anti-vandal magnetic card reader	214
55613NET	USB magnetic stripe card reader…	214
55614	Transponder Reader	215
55614NET	USB transponder reader	215
55614NET-1	Card reader for current…	230
55614PD	Transponder reader	216
55614PDN	Transponder reader	216

ControlAccessPro

Contents | Reference index | Request a quotation

Reference index

Select a line to open its product sheet.

55614SC	Transponder reader for display…	216
55615	Magnetic stripe card	217
55615SLA	Magnetic stripe card	217
55615SLB	Magnetic stripe card	217
55616NET	USB to Serial RS-485 Converter	217
55618NET	TTL to Serial RS-485 Converter	218
55618PD	Dallas reader	218
55618PDN	Dallas reader	218
55622NET	Network Access Control Software	219
55640SE	Management electronics for ATM…	219
55641A	Magnetic insertion card reader…	220
55641B	Magnetic insertion card reader…	220
55641C	Magnetic insertion card reader…	221
55641D	Magnetic swipe card reader for…	221
55641E	Magnetic swipe card reader for…	222
55641F	Magnetic swipe card reader for…	222
55641G	Door opening button for Art…	223
55642SE	Management electronics for ATM…	223
56611A	Stand-Alone Access Control…	224
56612SSD	Vandal resistant code keypad	213
56616	Transponder	224
56616MF	RFID cards for reader 55512MF	231
56616MFSLA	RFID cards for reader 55512MF	231
56616MFSLB	RFID cards for reader 55512MF	231
56616SLA	Transponder	224
56616SLB	Transponder	224
56616T	Transponder	224
56616W	Transponder	224
57301	Standalone keypad · PIN and RFID	205
57312	Code keypad	225
57312N	Code keypad	225
57313	Code keypad	225
57313N	Code keypad	225
57402	Wi-fi / Bluetooth door opener…	231
57402PRO	Wi-fi / Bluetooth door opener…	232
57412	Video camera to be combined…	232
57413	Keypad with RFID card reader…	233
57414	RFID reader for 57402PRO module	233
57519ARF	Interface module for motorised…	234
57520RF	Lo.Ra. radio transmitter module	201
57521RF	Radio receiver module Lo.Ra.	201
57530A	Energy saving management unit	234
57530ARF	Energy saving management unit	234
57532ABRF	Radio magnetic sensor	235
57532ARF	Radio magnetic sensor	235
57533	Radio presence detector	235
57533ARF	Radio presence detector	235
57534	Radio presence detector	236

ControlAccessPro

Reference index

Select a line to open its product sheet.

57534ARF	Radio presence detector	236
57700	3.2″ digital peephole	225
57700GD	3.2″ digital peephole	225
57701	4.0″ digital peephole	226
57701GD	4.0″ digital peephole	226
58000	Touch key reader	226
58000N	Touch key reader	226
58013	Touch key reader	226
58013N	Touch key reader	226
58015	Touch Key Dallas	227
58015G	Touch Key Dallas	227
58015R	Touch Key Dallas	227
58015V	Touch Key Dallas	227
58018ML	Additional touch key reader…	227
58018MLN	Additional touch key reader…	227
58200SA	Biometric	228
59001	People counter	239
59001RF	People counter	239
59002	People counter	239
59002RF	People counter	239
59013	Hand-held people counter	239
60000	Continuous-closing hydraulic…	53
60000-1	Continuous-closing hydraulic…	53
60000VLC	Continuous-closing hydraulic…	54
65000	Short hydraulic shock absorber	54
65001	Long hydraulic shock absorber	55
CC090	Spare Connector	134
CC091	Spare Connector	134
KA	Single cipher for cylinders	202
OP0450056	Alt / Forward Traffic Light	174
OP0450058	Alt / Forward traffic light…	174
OP0450156	Red/Green traffic light	175
OP0450158	Red/Green traffic light with…	175
OP54036	Horizontal security solenoid…	141
OP54038	Horizontal security solenoid…	141
OP54039.1	Horizontal security solenoid…	141
OP54039.2	Horizontal security solenoid…	141
OP55011 50	Maxima · motorised lock, 50 mm…	158
OP55036	Security solenoid bolt for…	135
OP55038	Security solenoid bolt for…	135
OP55039.1	Security solenoid bolt for…	135
OP55039.2	Security solenoid bolt for…	135
OP5503910.1	Security solenoid latch bolt…	136
OP5503910.2	Security solenoid latch bolt…	136
OP57036	Security solenoid bolt for…	136
OP57038	Security solenoid bolt for…	136
REL12V	Service relays	202
REL24V	Service relays	202

ControlAccessPro

Contents | Reference index | Request a quotation

Reference index

Select a line to open its product sheet.

TEST-01	Opera Test	203

ControlAccessPro