Control Access Distribution
326 avenue de la Rasclave - 13821 La Penne-sur-Huveaune - France
04 91 18 82 68 | cad@controlaccessdistri.com | controlaccesspro.com

EXEMPLAIRE CONTROL ACCESS DISTRIBUTION

Fiche de mesures BSO Réno

Measurement sheet

ARCHIVE FABRICANT 2016
2016 manufacturer archive - Original form in French

Validation du modèle et des dimensions actuelles auprès du fabricant avant commande.

Validate the current model and dimensions with the manufacturer before ordering.

Extrait du bon de commande BSO Réno du tarif fabricant 2016, page PDF 37 (folio 49). La page originale en français suit intégralement. Les options de cette archive ne sont pas présentées comme celles de la gamme actuelle.

Extract from the BSO Réno order form in the 2016 manufacturer price list, PDF page 37 (printed page 49). The original French page follows in full. Its historical options are not presented as current product options.

Version actuelle : espace professionnel Marquises
Current version: official Marquises professional area

Page fabricant BSO Réno / Manufacturer product page

Control Access Distribution
326 avenue de la Rasclave
13821 La Penne-sur-Huveaune - France
04 91 18 82 68 | cad@controlaccessdistri.com

Control Access Distribution
326 avenue de la Rasclave · 13821 La Penne-sur-Huveaune · France
04 91 18 82 68 · cad@controlaccessdistri.com · controlaccesspro.com

Documentary translation · English

Source: BSO Réno — CAD measurement sheet,2016 archive

CONTROL ACCESS DISTRIBUTION COPY

BSO Réno
Measurement sheet

2016 MANUFACTURER ARCHIVE

2016 manufacturer archive - Source form originally in French

Validate the current model and dimensions with the manufacturer before ordering.

Extract from the BSO Réno order form in the 2016 manufacturer price list, PDF page 37 (printed page 49). An English translation of the entire original French page follows. The options in this archive are not presented as those of the current range.

Current version: official Marquises professional area

BSO Réno manufacturer product page

Control Access Distribution

326 avenue de la Rasclave
13821 La Penne-sur-Huveaune - France

04 91 18 82 68 | cad@controlaccessdistri.com

2016 archive
CAD copy prepared 26 October 2026

Text from illustrations and scanned content

DISTRIBUTION

Control Access DISTRIBUTION
Control Access Distribution
326 avenue de la Rasclave - 13821 La Penne-sur-Huveaune - France
04 91 18 82 68 | cad@controlaccessdistri.com | controlaccesspro.com

BSO **RÉNO**

BON DE COMMANDE

CACHET DU CLIENT

ADRESSE DE LIVRAISON *(si différente)*

TÉLÉCOPIE : 03 88 18 10 18

MARQUISES®
Les stores les plus en vue de France

RÉFÉRENCE CLIENT : _____

N° DE COMMANDE : _____

DATE :

COMPTE N° :

Type de BSO : **Coloris lames :** **Coloris lames finale :** **Potences :** **Coulisse :**

Coloris caisson : **Coloris manivelle :** ☐ Gris (standard - sans précision de votre part) ☐ Blanc

Repère	Nombre	Taille de caisson		① Dimensions du store (mm) dos de coulisse et coffre inclus		Type de manœuvre		Coté de commande (vue intérieure)			Définition de la manœuvre treuil						④ Types de coulisses			
											② Position du treuil */.	Sortie directe (+)	Sortie		Fin de course (+)	Longueur manivelle	Type de pose gauche		Type de pose droite	
		205	254	Largeur	Hauteur	Moteur	Treuil	GA	MI	DR			45°	(+) 90°			Face	Baie	Face	Baie

Équipements optionnels

Automatisme radio RTS	Qtés
☐ **Ensemble Récepteur radio RTS MI/MU** (par BSO) avec télécommande portable 1 canal à molette	
☐ **Ensemble Récepteur radio RTS MI/MU** (par BSO) Émetteur mural Smoove RTS 1 canal	
☐ **Télécommande portable 4 canaux Pure à molette (seule)**	
☐ **Récepteur radio RTS MI/MU seul** (par BSO)	

Moteur filaire Geiger	Qtés
☐ Moteur Duo Drive - moteur rapide 6N	

Point de commande et automatismes pour moteur filaire	Qtés
☐ Inverseur orienta INIS UNO encastré (par BSO)	
☐ Boitier inverseur pose saillie (par inverseur)	

Automatismes	Qtés
☐ Solution Animéo (compléter p.79)	
☐ Autres automatismes (compléter bdc p.79)	

Toute commande renferme acceptation sous réserve de nos Conditions Générales de Vente (visible p.116 ou sur le site www.stores-marquises.fr), et notamment de la clause de réserve de propriété qui y est incluse.

Automatisme Radio IO	Qtés
☐ **Moteur Somfy Radio IO** (par BSO) avec portable Situo IO 1 canal à variation	
☐ **Émetteur portable Situo io 5 canaux à variation**	
☐ **Émetteur mural Sensitive IO 1 canal**	

Accessoires	Qtés
☐ Équerre en L (fixation BSO de face sans caisson)	

CONTROL ACCESS DISTRIBUTION

Control Access Distribution
326 avenue de la Rasclave · 13821 La Penne-sur-Huveaune · France
04 91 18 82 68 · cad@controlaccessdistri.com · controlaccesspro.com

Documentary translation · English

Source: BSO Réno — CAD measurement sheet,2016 archive

Reading key to the archived 2016 manufacturer form. The original order form is preserved. Its options and terms belong to this historical source; confirm the current configuration.

BSO RÉNO — ORDER FORM

Customer stamp; delivery address (if different); date; account No.; customer reference; order No.

Fax: 03 88 18 10 18. France's most prominent blinds.

BSO type; slat colour; bottom rail colour; support brackets; guide rail.

Headbox colour.

Crank colour: Grey (standard, unless you specify otherwise); White.

1 Blind dimensions (mm)

Item ID; quantity; width; height; including guide-rail back and headbox.

Headbox size: 205; 254.

Operating method: Motor; Crank.

Control side (inside view): GA; MI; DR.

Crank operation specification

2 Gearbox position + / -.

Direct outlet (+); outlet: 45° or (+) 90°; end limit (+); crank length.

4 Guide rail types

Left mounting type: Face; Recess.

Right mounting type: Face; Recess.

Printed folio 49.

CONTROL ACCESS DISTRIBUTION

Control Access Distribution
326 avenue de la Rasclave · 13821 La Penne-sur-Huveaune · France
04 91 18 82 68 · cad@controlaccessdistri.com · controlaccesspro.com

Documentary translation · English

Source: BSO Réno — CAD measurement sheet,2016 archive

Optional equipment

RTS radio controls — Qty

RTS MI/MU radio receiver set (per BSO), with a 1-channel hand-held remote with scroll wheel.

RTS MI/MU radio receiver set (per BSO) — 1-channel Smoove RTS wall transmitter.

4-channel Pure hand-held remote with scroll wheel (alone).

RTS MI/MU radio receiver only (per BSO).

Control points and automation for wired motors — Qty

Flush-mounted orienta INIS UNO reversing switch (per BSO).

Surface-mount reversing switch box (per switch).

IO radio controls — Qty

Somfy IO radio motor (per BSO), with a 1-channel Situo IO hand-held remote with adjustment.

5-channel Situo io hand-held transmitter with adjustment.

1-channel Sensitive IO wall transmitter.

Geiger wired motor — Qty

Duo Drive motor - high-speed motor 6N.

Automation — Qty

Animéo solution (complete p.79).

Other automation (complete order form p.79).

Accessories — Qty

L-bracket (face mounting of BSO without headbox).

Placing an order constitutes acceptance of our General Terms and Conditions of Sale (available on p.116 or at www.stores-marquises.fr), in particular the retention-of-title clause included in them.

CONTROL ACCESS DISTRIBUTION