Control Access Distribution
326 avenue de la Rasclave - 13821 La Penne-sur-Huveaune - France
04 91 18 82 68 | cad@controlaccessdistri.com | controlaccesspro.com

KIBOLT, la clé intelligente compatible avec le contrôle d'accès Intratone

kiboit genius access



Intratone.info

Un seul outil sécurisé pour gérer tous vos équipements !

Control Access Distribution
326 avenue de la Rasclave · 13821 La Penne-sur-Huveaune · France
04 91 18 82 68 · cad@controlaccessdistri.com · controlaccesspro.com

Documentary translation · English

Source: Kibolt - Brochure CAD

INTRATONE · CATALOGUE 2019-2020 · ACCESS CONTROL

KIBOLT, the smart key compatible with Intratone access control

kibolt — genius access

ACCESS CONTROL

Intratone.info

One secure tool to manage all your equipment!

Answers to all your questions: 02 51 65 51 84 or technique@intratone.fr

99

CONTROL ACCESS DISTRIBUTION

Control Access Distribution
326 avenue de la Rasclave - 13821 La Penne-sur-Huveaune - France
04 91 18 82 68 | cad@controlaccessdistri.com | controlaccesspro.com

KIBOLT, Comment ça marche ?


kiboit genius access

Kibolt est une solution tout-en-un inédite. Elle associe l'extra-robustesse d'une solution mécanique à l'ingéniosité d'un système électronique, et conjugue quatre éléments technologiques innovants.



Un cylindre de serrure électro-mécanique

- ultra sécurisé, autonome, au format standard (européen),
- format classique, se monte très facilement sur les portes, portails, grilles,
- pas besoin de raccordement électrique ou de batteries,
- et zéro entretien à prévoir !



Une clé électronique

- unique et incopiable,
- ultra solide, design, conçue pour des centaines de milliers d'ouvertures/fermetures,
- une clé par utilisateur,
- chaque clé est unique et ne peut déverrouiller que les serrures Kibolt qui lui sont associées.



Le programmateur KiProg

- connecté en bluetooth,
- transmet les paramètres définis sur l'appli à la serrure.



La plateforme sécurisée **www.intratone.info**

CONTROL ACCESS DISTRIBUTION

Control Access Distribution
326 avenue de la Rasclave · 13821 La Penne-sur-Huveaune · France
04 91 18 82 68 · cad@controlaccessdistri.com · controlaccesspro.com

Documentary translation · English

Source: Kibolt - Brochure CAD

INTRATONE · CATALOGUE 2019-2020 · ACCESS CONTROL

KIBOLT,
How does it work?

kibolt — genius access

Kibolt is an innovative all-in-one solution. It combines the exceptional robustness of a mechanical solution with the ingenuity of an electronic system, bringing together four innovative technological elements.

An electromechanical lock cylinder
- highly secure, standalone, in the standard (European) format;
- a conventional format that is very easy to fit to doors, gates and grilles;
- no electrical connection or batteries required;
- and no maintenance needed!

An electronic key
- unique and impossible to copy;
- extremely robust and stylish, designed for hundreds of thousands of opening/closing operations;
- one key per user;
- every key is unique and can unlock only the Kibolt locks assigned to it.

KiPROG

The KiProg programmer
- connected via Bluetooth;
- transfers the settings defined in the app to the lock.

The secure platform
www.intratone.info

100

Answers to all your questions: 02 51 65 51 84 or technique@intratone.fr

Note on the original document
Reading note: the original software screenshot is preserved. Its microscopic interface labels are not legible in this source and have not been reconstructed. All readable surrounding text of the historical catalogue is translated.

CONTROL ACCESS DISTRIBUTION

Control Access Distribution
326 avenue de la Rasclave - 13821 La Penne-sur-Huveaune - France
04 91 18 82 68 | cad@controlaccessdistri.com | controlaccesspro.com

KIBOLT, une solution géniale

C'est la certitude d'avoir des portes bien sécurisées !

Car c'est le gestionnaire qui choisit qui accède au local technique, au hall de l'immeuble, au local poubelle/vélos, etc, ou aux bureaux ainsi que les périodes autorisées. Imaginez : des prestataires dans certains immeubles de 6h à 12h, des résidents 24h/24, un artisan dans un logement durant une semaine... Vous gardez une visibilité parfaite et un contrôle total sur les accès.

LES AVANTAGES

kiboIt genius access

+ SIMPLE

Une clé unique pour tout ouvrir ! Porte du hall de l'immeuble, appartement, local vélo, bureau, etc..
Un seul site de pour gérer tout le Contrôle d'accès Intratone et Kibolt

+ SÉCURISÉ

Un cylindre de serrure ultra résistant et incrochetable, une clé incopiable, un programmateur bluetooth pour gérer aussi sur l'appli Intratone Pro depuis un téléphone.

+ PÉRENNE

Plus besoin de changer de cylindre de serrure en cas de perte d'une clé.

Pas de raccordement électrique à prévoir, c'est la clé qui alimente le cylindre.

Le site de gestion **www.intratone.info** est toujours gratuit, comme son appli !

Pour en savoir plus, RDV sur le site

kibolt.fr

CONTROL ACCESS DISTRIBUTION

Control Access Distribution
326 avenue de la Rasclave · 13821 La Penne-sur-Huveaune · France
04 91 18 82 68 · cad@controlaccessdistri.com · controlaccesspro.com

Documentary translation · English

Source: Kibolt - Brochure CAD

INTRATONE · CATALOGUE 2019-2020 · ACCESS CONTROL

KIBOLT, a brilliant solution

Be sure that your doors are well secured!

The manager decides who can access the plant room, building lobby, waste/bicycle room, etc., or offices, and during which authorised periods. For example: contractors in certain buildings from 6h to 12h, residents 24h/24, or a tradesperson in a home for one week... You retain full visibility and control over access.

THE BENEFITS

kibolt — genius access

+SIMPLE

One key to open everything! Building lobby door, apartment, bicycle room, office, etc... One site to manage all Intratone and Kibolt access control.

+SECURE

An extremely robust, pick-resistant lock cylinder, a key that cannot be copied, and a Bluetooth programmer for management, including through the Intratone Pro app on a phone.

+LASTING

You no longer need to replace the lock cylinder if a key is lost. No electrical connection is required: the key powers the cylinder. The management site www.intratone.info is always free, as is its app!

Find out more on the website

kibolt.fr

ACCESS CONTROL

Answers to all your questions: 02 51 65 51 84 or technique@intratone.fr

101

CONTROL ACCESS DISTRIBUTION

Control Access Distribution
326 avenue de la Rasclave - 13821 La Penne-sur-Huveaune - France
04 91 18 82 68 | cad@controlaccessdistri.com | controlaccesspro.com

Cylindre de serrure électro-mécanique

kibolt genius access

- Pas besoin d'alimentation électrique pour fonctionner
- Installation sur toutes les portes, sans câblage
- **Ultra sécurisé**



Gestion à distance sur internet
www.intratone.info

Montage en 3 minutes

GAMME

FINITIONS




Cylindre à bouton
1 côté clé / 1 côté bouton

Cylindre traversant
2 côtés clé

½ Cylindre

COMMENT CHOISIR LES CYLINDRES



1 **Molette** ou **Clés**

2 **Molette** ou **Clés**

Merci de reporter votre choix :

A _____ B _____

1 _____ 2 _____

Longueurs **A** et **B** disponibles : 32,5 / 35 / 40 / 45 / 50 / 55 / 60 mm

(Toutes les références en p. 104)

CARACTÉRISTIQUES TECHNIQUES

ENVIRONNEMENT

Température de fonctionnement **-25°C à +65°C**
Indice Protection **IP54**

Nombre de clés autorisées par cylindre	Illimité
Numéro unique gravé sur l'insert métal (9 chiffres)	✓
GESTION	
Outil de gestion (pour les gestionnaires)	intratone.info
Remplacement d'un cylindre par un autre sans incidence pour l'organigramme*	✓
Mise à jour avec la clé Kibolt	✓
Historique des entrées (à venir)	✓
Compatible gestion en temps réel et à distance	✓
SÉCURITÉ	
Haute résistance au perçage	✓
Incrochetable (canon sans goupille ni rotor)	✓
Système de cryptage permanent	✓
Certification européenne NF EN 15684	En cours
USAGE	
Maintenance	-
Câblage électrique	-
Alimentation	Par la clé
Nombre de manoeuvres garanties	250 000
Garantie matériel	3 ans

** selon la série + contre-plaque communicante.*

CONTROL ACCESS DISTRIBUTION

Control Access Distribution
326 avenue de la Rasclave · 13821 La Penne-sur-Huveaune · France
04 91 18 82 68 · cad@controlaccessdistri.com · controlaccesspro.com

Documentary translation · English

Source: Kibolt - Brochure CAD

INTRATONE · CATALOGUE 2019-2020 · ACCESS CONTROL

Electromechanical lock cylinder

kibolt — genius access

- No electrical power supply needed for operation
- Installation on all doors, without wiring
- Highly secure

Remote management over the internet
www.intratone.info

Installation in 3 minutes

RANGE
FINISHES

Thumbturn cylinder
1 key side / 1 thumbturn side
Double-key cylinder
2 key-operated sides
1/2 cylinder

HOW TO CHOOSE THE CYLINDERS
Length A — Left
Length B — Right
1 — Thumbturn or keys
2 — Thumbturn or keys
Please enter your selection:
A ____ B ____
1 ____ 2 ____
Available lengths A and B: 32,5 / 35 / 40 / 45 / 50 / 55 / 60 mm
(All references on p.104)

TECHNICAL SPECIFICATIONS
ENVIRONMENT
Operating temperature: -25°C to +65°C
Protection rating: IP54
Number of keys authorised per cylinder: Unlimited
Unique number engraved on the metal insert (9 digits): ✓
MANAGEMENT
Management tool (for managers): intratone.info
Replacing one cylinder with another without affecting the master-key plan*: ✓
Updates using the Kibolt key: ✓
Entry history (forthcoming): ✓
Compatible with real-time and remote management: ✓
SECURITY
High resistance to drilling: ✓
Unpickable (cylinder with no pins or rotor): ✓
Permanent encryption system: ✓
European NF EN 15684 certification: In progress
USE
Maintenance: -
Electrical wiring: -
Power supply: By the key
Guaranteed number of operations: 250 000
Hardware warranty: 3 years
* depending on the series + communicating backplate.


102

Answers to all your questions: 02 51 65 51 84 or technique@intratone.fr

Control Access Distribution
326 avenue de la Rasclave - 13821 La Penne-sur-Huveaune - France
04 91 18 82 68 | cad@controlaccessdistri.com | controlaccesspro.com

Clé électronique kibolt genius access

- Une clé pour ouvrir toutes les portes (autorisées)
- Utilisation sur lecteur de proximité Vigik ®
- Gestion sur le site intratone.info
- Incopiable - Technologie MiFARE Plus




GAMME

Bleu		Noir	
Jaune		Rouge	
Ivoire		Violet	
Vert		Orange	

Gestion à distance sur internet
www.intratone.info

CARACTÉRISTIQUES TECHNIQUES

DIMENSIONS (L X H X P)	
80 x 32 x 8 mm	
ENVIRONNEMENT	
Température de fonctionnement **-25°C à +65°C**	
Indice Protection **IP67**	
NOMBRE DE CYLINDRES AUTORISÉS PAR CLÉ	**320**
Numéro unique gravé sur l'insert métal (9 chiffres)	✓
GESTION	
Remplacement d'une clé par une autre	✓
Interdiction d'une clé par une autre	✓
Utilisation comme une « Clépass »	✓
Compatibilité tous cylindres Kibolt	✓
Utilisation sur les lecteurs de proximité Vigik ®	✓
Reconnaissance automatique Formes et Couleurs	✓
Autorisations identiques à Intratone	✓
Mises à jour avec le mini programmateur USB Kiprog®	✓
Auto diagnostic	✓
FONCTIONNALITÉS	
Durée de vie de la pile (CR 1632) - fournie	5 ans
Accès facile pile	✓
Garantie matériel (hors pile)	3 ans



PRODUIT À ASSOCIER



Avec le **programmateur USB Kiprog®** (réf. KPRO-0101)

CONTRÔLE D'ACCÈS

CONTROL ACCESS DISTRIBUTION

Control Access Distribution
326 avenue de la Rasclave · 13821 La Penne-sur-Huveaune · France
04 91 18 82 68 · cad@controlaccessdistri.com · controlaccesspro.com

Documentary translation · English

Source: Kibolt - Brochure CAD

INTRATONE · CATALOGUE 2019-2020 · ACCESS CONTROL

Electronic key

kibolt — genius access

- One key to open all (authorised) doors
- Use with a Vigik® proximity reader
- Management at intratone.info
- Impossible to copy - MiFARE Plus technology

RANGE
Blue
Yellow
Ivory
Green
Black
Red
Purple
Orange

Remote management over the internet
www.intratone.info

ACCESS CONTROL

80 mm ; 32 mm ; 8 mm

ASSOCIATED PRODUCT
With the USB Kiprog® programmer (ref. KPRO-0101)

TECHNICAL SPECIFICATIONS
DIMENSIONS (L X H X D): 80 x 32 x 8 mm
ENVIRONMENT
Operating temperature: -25°C to +65°C
Protection rating: IP67
NUMBER OF CYLINDERS AUTHORISED PER KEY: 320
Unique number engraved on the metal insert (9 digits): ✓
MANAGEMENT
Replacing one key with another: ✓
Blocking one key using another: ✓
Use as a “Clépass”: ✓
Compatibility with all Kibolt cylinders: ✓
Use with Vigik® proximity readers: ✓
Automatic recognition of shapes and colours: ✓
Same authorisations as Intratone: ✓
Updates using the USB Kiprog® mini programmer: ✓
Self-diagnostics: ✓
FEATURES
Battery life (CR 1632) - supplied: 5 years
Easy battery access: ✓
Hardware warranty (excluding battery): 3 years

103

Answers to all your questions: 02 51 65 51 84 or technique@intratone.fr

Control Access DISTRIBUTION
Control Access Distribution
326 avenue de la Rasclave - 13821 La Penne-sur-Huveaune - France
04 91 18 82 68 | cad@controlaccessdistri.com | controlaccesspro.com

Références Kibolt

(Autres dimensions disponibles sur demande)

LES CLÉS KIBOLT ET PROGRAMMATEUR KIPROG

CLES ELECTRONIQUES	
KCLE-0101	noire
KCLE-0102	bleue
KCLE-0103	rouge
KCLE-0104	verte
KCLE-0105	jaune
KCLE-0106	orange
KCLE-0107	violette
KCLE-0108	ivoire
PROGRAMMATEUR (KiProg)	
KPRO-0101	Programmateur clés KiPROG

LES ½ CYLINDRES

1/2 CYLINDRES (TAILLE EN MM) • «clé»	
KCYL-0032D	32,5
KCYL-0035D	35
KCYL-0040D	40
KCYL-0045D	45
KCYL-0050D	50
KCYL-0055D	55
KCYL-0060D	60
CYLINDRES A BOUTON (TAILLE EN MM) «B» à côté bouton	
KCYL-3232B	32,5/32,5
KCYL-3235B	32,5/35
KCYL-3240B	32,5/40
KCYL-3245B	32,5/45
KCYL-3250B	32,5/50
KCYL-3255B	32,5/55
KCYL-3260B	32,5/60
KCYL-3532B	35/32,5
KCYL-3535B	35/35
KCYL-3540B	35/40
KCYL-3545B	35/45
KCYL-3550B	35/50
KCYL-3555B	35/55
KCYL-3560B	35/60
KCYL-4032B	40/32,5
KCYL-4035B	40/35
KCYL-4040B	40/40
KCYL-4045B	40/45
KCYL-4050B	40/50
KCYL-4055B	40/55
KCYL-4060B	40/60
KCYL-4532B	45/32,5
KCYL-4535B	45/35
KCYL-4540B	45/40
KCYL-4545B	45/45
KCYL-4550B	45/50
KCYL-4555B	45/55
KCYL-4560B	45/60
KCYL-5032B	50/32,5
KCYL-5035B	50/35
KCYL-5040B	50/40
KCYL-5045B	50/45
KCYL-5050B	50/50
KCYL-5055B	50/55
KCYL-5060B	50/60
KCYL-5532B	55/32,5
KCYL-5535B	55/35
KCYL-5540B	55/40
KCYL-5545B	55/45
KCYL-5550B	55/50
KCYL-5555B	55/55
KCYL-5560B	55/60
KCYL-6032B	60/32,5
KCYL-6035B	60/35
KCYL-6040B	60/40
KCYL-6045B	60/45
KCYL-6050B	60/50
KCYL-6055B	60/55
KCYL-6060B	60/60

LES CYLINDRES DE SERRURE TRAVERSANTS CLÉ/CLÉ

CYLINDRES TRAVERSANTS (TAILLE EN MM) «clé / clé» - Pas de sens -	
KCYL-3232T	32,5/32,5
KCYL-3235T	32,5/35
KCYL-3240T	32,5/40
KCYL-3245T	32,5/45
KCYL-3250T	32,5/50
KCYL-3255T	32,5/55
KCYL-3260T	32,5/60
KCYL-3535T	35/35
KCYL-3540T	35/40
KCYL-3545T	35/45
KCYL-3550T	35/50
KCYL-3555T	35/55
KCYL-3560T	35/60
KCYL-4040T	40/40
KCYL-4045T	40/45
KCYL-4050T	40/50
KCYL-4055T	40/55
KCYL-4060T	40/60
KCYL-4545T	45/45
KCYL-4550T	45/50
KCYL-4555T	45/55
KCYL-4560T	45/60
KCYL-5050T	50/50
KCYL-5055T	50/55
KCYL-5060T	50/60
KCYL-5555T	55/55
KCYL-5560T	55/60
KCYL-6060T	60/60

CONTROL ACCESS DISTRIBUTION

Control Access Distribution
326 avenue de la Rasclave · 13821 La Penne-sur-Huveaune · France
04 91 18 82 68 · cad@controlaccessdistri.com · controlaccesspro.com

Control Access DISTRIBUTION

Documentary translation · English

Source: Kibolt - Brochure CAD

INTRATONE · CATALOGUE 2019-2020 · ACCESS CONTROL

Kibolt references

(Other dimensions available on request)

KIBOLT KEYS AND KIPROG PROGRAMMER
ELECTRONIC KEYS
KCLE-0101 — black
KCLE-0102 — blue
KCLE-0103 — red
KCLE-0104 — green
KCLE-0105 — yellow
KCLE-0106 — orange
KCLE-0107 — purple
KCLE-0108 — ivory
PROGRAMMER (KiProg)
KPRO-0101 — KiPROG key programmer

1/2 CYLINDERS
1/2 CYLINDERS (SIZE IN MM) · “key”
KCYL-0032D — 32,5
KCYL-0035D — 35
KCYL-0040D — 40
KCYL-0045D — 45
KCYL-0050D — 50
KCYL-0055D — 55
KCYL-0060D — 60

THUMBTURN CYLINDERS (SIZE IN MM)
“B” on the thumbturn side
KCYL-3232B — 32,5/32,5
KCYL-3235B — 32,5/35
KCYL-3240B — 32,5/40
KCYL-3245B — 32,5/45
KCYL-3250B — 32,5/50
KCYL-3255B — 32,5/55
KCYL-3260B — 32,5/60
KCYL-3532B — 35/32,5
KCYL-3535B — 35/35
KCYL-3540B — 35/40
KCYL-3545B — 35/45
KCYL-3550B — 35/50
KCYL-3555B — 35/55
KCYL-3560B — 35/60
KCYL-4032B — 40/32,5
KCYL-4035B — 40/35
KCYL-4040B — 40/40
KCYL-4045B — 40/45
KCYL-4050B — 40/50
KCYL-4055B — 40/55
KCYL-4060B — 40/60
KCYL-4532B — 45/32,5
KCYL-4535B — 45/35
KCYL-4540B — 45/40
KCYL-4545B — 45/45
KCYL-4550B — 45/50
KCYL-4555B — 45/55
KCYL-4560B — 45/60
KCYL-5032B — 50/32,5
KCYL-5035B — 50/35
KCYL-5040B — 50/40
KCYL-5045B — 50/45

Control Access Distribution
326 avenue de la Rasclave · 13821 La Penne-sur-Huveaune · France
04 91 18 82 68 · cad@controlaccessdistri.com · controlaccesspro.com

Documentary translation · English

Source: Kibolt - Brochure CAD

KCYL-5050B — 50/50
KCYL-5055B — 50/55
KCYL-5060B — 50/60
KCYL-5532B — 55/32,5
KCYL-5535B — 55/35
KCYL-5540B — 55/40
KCYL-5545B — 55/45
KCYL-5550B — 55/50
KCYL-5555B — 55/55
KCYL-5560B — 55/60
KCYL-6032B — 60/32,5
KCYL-6035B — 60/35
KCYL-6040B — 60/40
KCYL-6045B — 60/45
KCYL-6050B — 60/50
KCYL-6055B — 60/55
KCYL-6060B — 60/60

DOUBLE-KEY LOCK CYLINDERS
DOUBLE-KEY CYLINDERS (SIZE IN MM)
“key / key” - Non-handed -
KCYL-3232T — 32,5/32,5
KCYL-3235T — 32,5/35
KCYL-3240T — 32,5/40
KCYL-3245T — 32,5/45
KCYL-3250T — 32,5/50
KCYL-3255T — 32,5/55
KCYL-3260T — 32,5/60
KCYL-3535T — 35/35
KCYL-3540T — 35/40
KCYL-3545T — 35/45
KCYL-3550T — 35/50
KCYL-3555T — 35/55
KCYL-3560T — 35/60
KCYL-4040T — 40/40
KCYL-4045T — 40/45
KCYL-4050T — 40/50
KCYL-4055T — 40/55
KCYL-4060T — 40/60
KCYL-4545T — 45/45
KCYL-4550T — 45/50
KCYL-4555T — 45/55
KCYL-4560T — 45/60
KCYL-5050T — 50/50
KCYL-5055T — 50/55
KCYL-5060T — 50/60
KCYL-5555T — 55/55
KCYL-5560T — 55/60
KCYL-6060T — 60/60

104

Answers to all your questions: 02 51 65 51 84 or technique@intratone.fr

CONTROL ACCESS DISTRIBUTION